



***SEASON
2024***



ACHTUNG!

Vor dem Ende des Embargos am
27. Juli 2023 dürfen keinerlei
Informationen zu der
neuen **RockShox SID SL Ultimate**
an die Öffentlichkeit gelangen.
Dies beinhaltet ein Verbot
von Foto- und Filmaufnahmen!



ATTENTION!

Before the embargo deadline on **27 July 2023** no information about the new **RockShox SID SL Ultimate** may be released to the public.

This includes a ban on photography and film recordings!



ACHTUNG!

Vor dem Ende des Embargos am
16. April 2024 dürfen keinerlei
Informationen zu der
neuen **RockShox Psylo Gold Air**
an die Öffentlichkeit gelangen.
Dies beinhaltet ein Verbot
von Foto- und Filmaufnahmen!



ATTENTION!

Before the embargo deadline on **16 April 2024** no information about the new **RockShox Psylo Gold Air** may be released to the public.

This includes a ban on photography and film recordings!



ACHTUNG!

Auf der
SHIMANO GRX-Schaltgruppe
bei dem Trail Grinder und
Daily Grinder 3 liegt noch ein Embargo.
Daher dürfen wir zu diesem
Zeitpunkt noch keine genauen
Informationen zu der Gruppe
veröffentlichen.



ATTENTION!

The **SHIMANO GRX gearshift group**
on the Trail Grinder and
Daily Grinder 3 is still under embargo.

Therefore we are not allowed
to publish detailed information
about this group.



ACHTUNG!

Vor dem Ende des Embargos am
20. Juni 2023 – 08:30 Uhr MESZ
dürfen keinerlei Informationen zu
dem neuen **Pinion E-Drive System**
an die Öffentlichkeit gelangen.
Dies beinhaltet ein Verbot
von Foto- und Filmaufnahmen!



ATTENTION!

Before the embargo deadline on
20 June 2023 – 08:30 a.m. CEST

no information about the new

Pinion E-Drive System

may be released to the public.

This includes a ban on
photography and film recordings!



ACHTUNG!

Vor dem Ende des Embargos am
19. Juni 2023 – 15:00 Uhr MESZ
dürfen keinerlei Informationen zu den
neuen **Bosch Komponenten MY24**
an die Öffentlichkeit gelangen.
Dies beinhaltet ein Verbot
von Foto- und Filmaufnahmen!



ATTENTION!

Before the embargo deadline on

19 June 2023 – 3:00 p.m. CEST

no information about the new

Bosch components MY24

may be released to the public.

This includes a ban on
photography and film recordings!



ACHTUNG!

Vor dem Ende des Embargos am
16. Januar 2024 – 15:00 Uhr MEZ
dürfen keinerlei Informationen zu den
neuen **Bosch PowerPack 800 Akku**
an die Öffentlichkeit gelangen.

Dies beinhaltet ein Verbot
von Foto- und Filmaufnahmen!



ATTENTION!

Before the embargo deadline on
16 January 2024 – 3:00 p.m. CET

no information about the new
Bosch PowerPack 800 Accu
may be released to the public.

This includes a ban on
photography and film recordings!

 FIT
pinion



WELTNEUHEIT!



VUCA SERIE

- Revolutionäre Pinion 12-Gang Motor-Getriebe-Einheit – WELTNEUHEIT!
- Leistungsstarker UltraCore Akku mit bis zu 960 Wattstunden
- All-Mountain-Fullys mit innovativer 4-Link Swingarm Federung und Carbon-Rahmen
- Vollausgestattete SUV-Modelle als Hardtail, Fully und Speed-Variante

**NEW
MODEL!**

Models:

VUCA EVO AM 1

VUCA EVO AM 2

VUCA EVO X1

VUCA EVO Speed X1

VUCA EVO FSX1

VUCA EVO Speed FSX1



Carbon-Rahmen mit Aluminium-Hinterbau



1,8 Zoll
Gabelstandard

Viergelenker-Dämpfer-
Ansteuerung

Pinion Getriebemotor
mit Riemenantrieb



NEUE ENTWICKLUNGEN SETZEN NEUE MASSSTÄBE

Komplett neu entwickelt, setzt die **BULLS VUCA Serie** im neuen Modelljahr ein fettes Ausrufezeichen im Bereich E-MTB und SUV. Herzstück ist das Rahmendesign mit der innovativen Schwingenkonstruktion des Hinterbaus im Zusammenspiel mit dem neuartigen Pinion Getriebemotor und Riemenantrieb.

Das Ergebnis ist eine zentrale Konzentration der gefederten Massen und dadurch ein besonders agiles und präzises Fahrverhalten – alles bei geringstmöglichem Verschleiß und maximalem Fahrspaß.

Bei den All-Mountain-Modellen der VUCA Serie kommt der aus dem Motorrad-Rennsport adaptierte 4-Link Swingarm zum Einsatz. Auf Basis einer Viergelenker-Dämpfer-Ansteuerung mit tiefer Eingelenker-Aluminium-Schwinge sorgt das im E-Bike-Bereich völlig neue Federungskonzept nicht nur für einen Ausgleich der entstehenden Antriebskräfte, sondern gleichzeitig für maximale Steifigkeit, ein besonders feines Ansprechverhalten und optimale Traktion in ruppigem Gelände.

Bei den VUCA EVO FSX Modellen wird der Mono-Link Swingarm eingesetzt, der ebenfalls über die Vorteile einer geschlossenen Schwinge verfügt. Dank des besonders kompakten und leichten Hinterbaus war so der Bau von sportlichen Tiefeinsteiger-Fullys problemlos möglich.

TECHNISCHE HIGHLIGHTS, SMARTE DETAILS UND EINE SUPER OPTIK

Zusätzlich zum Getriebemotor und den innovativen Federungskonzepten verfügt die VUCA Serie über den von den BULLS Ingenieuren entwickelten 1,8-Zoll-Gabelstandard. Dieser sorgt für mehr Steifigkeit im vorderen Bereich – und somit für mehr Kontrolle und ein berechenbares Lenk- und Fahrverhalten.

Trotz der Performance-orientierten Geometrie und einer Top-Ausstattung für maximalen Geländespaß sind die VUCAs dank smarter Details tourentauglich vorbereitet. Dazu zählen die MonkeyLink Schnittstelle oder die integrierten Rücklichter im Hinterbau – selbst Ständer – und Gepäckträger-Aufnahme sind vorhanden.

Doch nicht nur in Sachen Technik und Ausstattung setzt die neue VUCA Serie neue Maßstäbe. Auch optisch sind die Modelle dank eleganter Formgebung, definierten Linien und Lichtkanten sowie dem ins Oberrohr integrierten FIT Master Node LED ein Highlight – nicht nur fürs Kenner-Auge.



4-Link Swingarm

WELTNEUHEIT!



PINION MGU

MOTOR UND SCHALTUNG VEREINT


Bei der neuentwickelten Pinion MGU sind Antrieb und Schaltung in einer kompakten Einheit verbunden und aufeinander abgestimmt. Das Ergebnis ist ein langlebiger, extrem verschleißarmer und leistungsstarker E-Bike-Antrieb für den Dauereinsatz.

KERNMERKMALE

- Kompakter und kraftvoller E-Mittelmotor mit 12 integrierten Gängen
- Konzentration der Massen tief und zentral im Rad
- 10.000 km wartungsfreies E-Biken
- Keine exponierten Schaltkomponenten dank vollständiger Integration
- E-Power inklusive Pinion Smart.Shift Performance der Extraklasse
- Zuverlässiger und pflegeleichter Antriebsstrang, gerade mit Zahnriemen

Die FIT Master Node LED ist das Gehirn des E-Bike Systems und eine auf das Wesentliche reduzierte Steuereinheit, welche mit dem Motor, dem Akku, der FIT Remote Pure und der FIT E-Bike Control App, womit auch individuelle Einstellungen möglich sind, kommuniziert.

Dabei wird mit kleinen farbigen LED's die ausgewählte Unterstützungsstufe und der aktuelle Ladezustand angezeigt. Die Unterstützungsstufen, sowie die Schiebehilfe und die Boost-Funktion, werden mit der unauffälligen FIT Remote Pure bequem vom Lenker aus bedient.



FIT E-BIKE SYSTEM

TECHNISCHE HARMONIE FÜR TOP-PERFORMANCE UND FAHRSPASS

Dank des hochmodernen und speziell abgestimmten FIT E-Bike Systems befinden sich Antrieb, Schaltung und Steuerung in voller Harmonie. Highlights wie das ins Oberrohr integrierte Master Node Display und die minimalistische FIT Remote Pure Lenkerbedienung sorgen für zusätzlichen Fahrspaß.

Dazu überzeugt das FIT E-Bike System durch seine Modularität und eine bewährte Service-Infrastruktur. Gemeinsam mit der Pinion MGU entsteht so ein komplettes, langlebiges und praktisch wartungsfreies Antriebssystem, das es ermöglicht, sich voll und ganz auf das Fahrerlebnis zu konzentrieren.



FIT Remote Pure
Lenkerbedienung



FIT Master Node LED

DIE EINHEIT, DIE ALLES VERBINDET

FÜR EIN MAXIMALES E-BIKE-ERLEBNIS UND MINIMALEN VERSCHLEISS

Die Pinion MGU vereint einen verschleißfreien, bürstenlosen Hochleistungs-E-Bike-Motor und das innovative Pinion-Getriebe mit bis zu 12 Gängen in einem kompakten Paket. Eine ganze Reihe interner Sensoren misst kontinuierlich das Eingangs Drehmoment, die Motordrehzahl, die Position der Schaltwelle und der Kurbelarme sowie die Trittfrequenz und Geschwindigkeit des Bikes und vieles mehr – alles für ein möglichst natürliches Fahrgefühl und blitzschnelle, knackige Schaltvorgänge in allen Situationen und auf jedem Terrain.

Und das Beste daran: Die Pinion MGU arbeitet dauerhaft, zuverlässig und ohne nennenswerten Verschleiß. Sie benötigt nichts weiter als einen Ölwechsel alle 10.000 km. Kombiniert mit dem nahezu wartungsfreien Riemenantrieb bieten die BULLS VUCA Modelle sorgenfreies E-Biken mit voller sportlicher Performance.

Dafür sorgt auch das Antriebsdrehmoment von bis zu 85 Newtonmeter. Gleichzeitig bietet die MGU eine enorme Zuverlässigkeit und eine hochdynamische Leistungsdichte, ohne dass dies zu Lasten der Schaltung geht. Und da es kein Schaltwerk gibt, fallen eine ganze Reihe potenzieller Probleme einfach weg: Nichts kann abreißen, es gibt keine Kabelspannung, die ständig nachgestellt werden muss und kein stundenlanges Herumfummeln, nur um den einen Gangwechsel reibungslos hinzubekommen. Gleichzeitig verfügen die VUCAs, ausgestattet mit 12-Gang MGU, über eine Schaltungsbandbreite von 600 Prozent.

PERFEKTES SCHALTEN – GANZ NATÜRLICH

Dank des von Pinion entwickelten elektronischen Schaltsystems und der hochauflösenden Drehmoment- und Trittfrequenzsensoren, gepaart mit ausgereifter Feinverzahnung, erfolgt der Schaltvorgang bei den VUCA E-Bikes innerhalb eines Sekundenbruchteils und ist butterweich – auch unter Last.

Dabei weiß das System immer, in welchem Gang es sich befindet, und passt seine Leistung perfekt an die Trittfrequenz und Bedürfnisse an. Das Ergebnis ist ein

natürliches, stimmiges Schalt- und Fahrgefühl, wie es kein anderes System auf dem Markt bietet. Genauso wichtig für das Fahrerlebnis ist die Haptik und Ergonomie des TE1 E-Trigger Shifters, damit sich das Schalten an den Fingerspitzen genauso gut anfühlt wie auf den Pedalen.



FIT 720 Wh UltraCore Akku
FIT 960 Wh UltraCore Akku



Pinion TE1 E-Trigger

INTUITIVE STEUERUNG UND SMARTE UNTERSTÜTZUNG

Über die sportlich-reduzierte FIT Remote Pure Steuerung am Lenkergriff lassen sich die vier Unterstützungsstufen intuitiv auswählen. ECO ist dabei auf maximale Reichweite ausgelegt, während FLY die enorme Kraft des Systems jederzeit voll abrufen. Die Stufen FLOW und FLEX hingegen sind adaptive Fahrmodi, die progressiv ausgelegt sind und den Grad der Unterstützung perfekt an jede Fahrsituation und das jeweilige Terrain anpassen. Eine feinfühligte Anfahrhilfe und extra Boost auf Tastendruck ergänzen das Paket.

SCHALTAUTOMATIK UND INDIVIDUELLE ANPASSUNG

Über die FIT App können die Unterstützungsstufen noch einmal individuell angepasst werden. Dazu können weitere Einstellungen vom Schaltverhalten bis zur Aktivierung des Pre.Select Modus vorgenommen werden. Dieser schaltet beim Rollen automatisch in den zur Geschwindigkeit und eingestellten Trittfrequenz passenden Gang. So lässt sich nach Bergabpassagen sofort wieder harmonisch und effizient pedalieren. Beim später verfügbaren Automatikmodus wird dann auf Basis der Kadenz in allen Fahrsituationen in den passenden Gang geschaltet. Für sicheres und energiesparendes Anfahren sorgt die Funktion Start.Select, über die der Gang festgelegt werden kann, der beim Anhalten automatisch eingelegt wird.

ULTRACORE AKKU FÜR MAXIMALE REICHWEITE UND HÖHENMETER

Mit dem FIT UltraCore Akku verfügen die Modelle der VUCA Serie über ein Maximum an Energie. Mit der größtmöglichen Kapazität von bis zu 960 Wattstunden bietet die Batterie, die über die neueste Lithium-Ionen-Technologie verfügt, die Basis für enorme Reichweiten und Trail-Touren mit einer maximalen Anzahl an Höhenmetern.

Ein weiteres Highlight der VUCAs ist die Akku-Integration. Elegant und ergonomisch fügen sie sich nicht nur nahtlos ein, sondern optimieren durch ihre verkürzte Bauweise auch gleichzeitig den Schwerpunkt. Dazu können die Akkus intern und extern geladen werden. Neben einem benutzerfreundlichen Design und der einfachen Handhabung bieten sie ein weiteres Highlight: den Long-Life-Mode. Am E-Bike einstellbar, lädt das Rad in diesem Modus bis 80 Prozent der maximalen Kapazität, was die Lebensdauer der Batterie deutlich erhöht.

FIT
Display
Compact



FIT
Remote
Basic



FIT Display Comfort

DIE FAKTEN

ALLGEMEINE SPEZIFIKATIONEN FÜR E-LINE UND E-LINE S

Antriebsart // Type of Drive	Motor-Gearbox-Unit (MGU)
MGU Model Versionen // MGU model versions	E1.12 // E1.12S
MGU Software Setup // MGU software setup	Comfort / Performance / Speed
Integrierte Getriebschaltung // Integrated gearbox	12 Gänge // Speed
Schalttechnologie // Shifting technology	Pinion Smart.Shift, electric performance shifting
Unterstützungsmodi // Support modes	ECO, FLOW, FLEX, FLY
MGU Nennspannung // MGU nominal voltage	48 V
Max. Unterstützungsgeschwindigkeit // Max. supported speed	25 km/h // 45 km/h
Max. mechanische Leistung // Max. mechanical output	600 W / in Abstimmung // in progress
Vergleichbares Drehmoment 1 // Comparable torque 1	ca. 85 Nm ¹
Maximales Drehmoment 2 // Max. torque 2	bis zu // up to 160 Nm ²
Max. unterstützte Trittfrequenz // Max. assisted cadence	120 rpm
Max. Unterstützung // Max. support	400 %
Max. Eingangsdrehmoment // Maximum input torque	250 Nm
Max. Systemgewicht // 5 Maximum system weight 5	180 kg
Garantie // Warranty	2 Jahre // 2 years
Wartungsintervall // Service interval	10.000 km // 6.200 miles
Gehäusematerial // Housing material	Magnesium Druckguss // Magnesium die-cast
Rahmenanbindung // Frame connection	Pinion MGU Standard
Aufnahme Kettenräder - Spider // Sprocket - Spider mount	Pinion Standard
Aufnahme Kurbel // Cranc axle standard	Pinion Standard
Ketten- / Riemenlinie 0 // Chain- / Beltline 0	55,7 / 58,2 mm
Q-Factor 3 // Q-factor 3	174 mm
I-Factor 4 // I-factor 4	148 mm

MGU SPEZIFISCHE DATEN MGU SPECIFIC FEATURES


E1.12 | E1.12^s

Gangzahl Number of gears	12
Gesamtübersetzung Overall ratio	600 %
Abstufung Gear steps	17,7 %
Getriebeübersetzung leichtester Gang Gain ratio in first gear	1,82
Getriebeübersetzung schnellster Gang Gain ratio in fastest gear	0,3
MGU Gewicht MGU weight	4.100 g

WORLD NOVELTY!



VUCA SERIES

- Revolutionary Pinion 12-speed motor-gearbox unit – **WORLD NOVELTY!**
- Powerful UltraCore battery with up to 960 watt hours
- All-Mountain Fulllys with innovative 4-Link Swingarm suspension and carbon frame
- Fully equipped SUV models (hardtail & full suspension) - also as a 45 km/h speed variant

***NEW
MODEL!***

Models:

VUCA EVO AM 1

VUCA EVO AM 2

VUCA EVO X1

VUCA EVO Speed X1

VUCA EVO FSX1

VUCA EVO Speed FSX1



Carbon frame with aluminium rear triangle


1,8 inch
fork standard

four-link damper control

Pinion gear motor with
belt drive


NEW DEVELOPMENTS SET NEW STANDARDS

Completely redeveloped, the BULLS Vuca series puts a bold exclamation mark on the E-MTB and SUV sector in the new model year. At its heart is the frame design with the innovative swingarm construction of the rear triangle in combination with the new Pinion gear motor and belt drive. The result is a central concentration of the suspended masses and thus particularly agile and precise handling - all with the lowest possible wear and maximum riding pleasure.

The all-mountain models of the Vuca series use the 4-link swingarm adapted from motorbike racing. Based on a four-link damper control with a deep single-link aluminium swingarm, the suspension concept, which is completely new in the e-bike sector, not only ensures compensation of the resulting drive forces, but also maximum stiffness, a particularly fine response and optimum traction in rough terrain.

The VUCA EVO FSX models use the Mono-Link swingarm, which also has the advantages of a closed swingarm. Thanks to the particularly compact and lightweight rear triangle, this made it easy to build sporty low-entry fulllys.

TECHNICAL HIGHLIGHTS, SMART DETAILS AND A SUPER LOOK

In addition to the geared motor and the innovative suspension concepts, the VUCA series features the 1.8-inch fork standard developed by the BULLS engineers. This provides more stiffness in the front area – and thus more control and predictable steering and riding behaviour.

Despite the performance-oriented geometry and top equipment for maximum off-road fun, the VUCAs are prepared for touring thanks to smart details. These include the MonkeyLink interface or the integrated rear lights in the rear triangle – even kickstand and luggage rack mounts are available.

But it is not only in terms of technology and features that the new VUCA series sets new standards. Thanks to their elegant design, defined lines and light edges, as well as the FIT Master Node LED integrated into the top tube, the models are also a visual highlight – and not just for the connoisseur's eye.



4-Link swingarm

WORLD NOVELTY!



PINION MGU

MOTOR AND GEARBOX COMBINED


With the newly developed Pinion MGU, motor and gearbox are combined in a compact unit and matched to each other. The result is a durable, extremely low-wear and powerful e-bike drive for continuous use.

CORE FEATURES

- Compact and powerful electric mid-motor with 12 integrated gears.
- Concentration of masses deep and central in the wheel
- 10,000 km maintenance-free e-biking
- No exposed switching components thanks to complete integration
- E-Power including Pinion Smart.Shift performance in a class of its own.
- Reliable and low-maintenance drive train, straight with toothed belt.

The FIT Master Node LED is the brain of the e-bike system and a control unit reduced to the essentials, which communicates with the motor, the battery, the FIT Remote Pure and the FIT E-Bike Control App, with which individual settings are also possible.

Small coloured LEDs indicate the selected support level and the current charge status. The support levels, as well as the push assistance and the boost function, are conveniently operated from the handlebars with the unobtrusive FIT Remote Pure.



FIT E-BIKE SYSTEM

TECHNICAL HARMONY FOR TOP PERFORMANCE AND DRIVING PLEASURE

Thanks to the ultra-modern and specially tuned FIT e-bike system, the drive, gears and controls are in full harmony. Highlights such as the Master Node Display integrated into the top tube and the minimalist FIT Remote Pure handlebar control provide additional riding pleasure.

In addition, the FIT e-bike system convinces with its modularity and a proven service infrastructure. Together with the Pinion MGU, this creates a complete, durable and practically maintenance-free drive system that allows you to concentrate fully on the riding experience.



FIT Remote Pure
handle bar control



FIT Master Node LED

THE UNITY THAT CONNECTS EVERYTHING

FOR A MAXIMUM E-BIKE EXPERIENCE AND MINIMUM WEAR AND TEAR

The Pinion MGU combines a wear-free, brushless high-performance e-bike motor and the innovative Pinion gearbox with up to 12 gears in one compact package. A whole series of internal sensors continuously measures the input torque, the motor speed, the position of the shift shaft and the crank arms as well as the cadence and speed of the bike and much more - all for the most natural riding experience possible and lightning-fast, crisp shifting in all situations and on any terrain.

And the best thing about it: The Pinion MGU works permanently, reliably and without significant wear. It requires nothing more than an oil change every 10,000 km. Combined with the virtually maintenance-free belt drive, the BULLS VUCA models offer carefree e-biking with full sporty performance.

The drive torque of up to 85 Newton metres also ensures this. At the same time, the MGU offers enormous reliability and a highly dynamic power density, without this being at the expense of the gearstick. And since there is no rear derailleur, a whole series of potential problems simply disappear: nothing can break off, there is no cable tension that has to be constantly readjusted and no fumbling around for hours just to get the one gear change smoothly. At the same time, the VUCAs equipped with 12-speed MGU have a shift bandwidth of 600 percent.

PERFECT SHIFTING – ALL NATURAL

Thanks to the electronic shifting system developed by Pinion and the high-resolution torque and cadence sensors, coupled with sophisticated fine gearing, the shifting process on the VUCA e-bikes takes place within a fraction of a second and is as smooth as butter - even under load.

The system always knows which gear it is in and adapts its performance perfectly to the cadence and needs. The result is a natural, coherent shifting and riding experience that no

other system on the market offers. Equally important to the riding experience is the feel and ergonomics of the TE1 E-Trigger Shifter, so that shifting feels as good at your fingertips as it does on the pedals.



FIT 720 Wh UltraCore battery
FIT 960 Wh UltraCore battery



Pinion TE1 E-Trigger

FIT Display Compact



FIT Remote Basic



FIT Display Comfort

INTUITIVE CONTROL AND SMART SUPPORT

The four support levels can be intuitively selected via the sporty, reduced FIT Remote Pure control on the handlebar grip. ECO is designed for maximum range, while FLY fully utilises the enormous power of the system at all times. The FLOW and FLEX levels, on the other hand, are adaptive riding modes that are designed progressively and adapt the level of support perfectly to every riding situation and the respective terrain. A sensitive starting aid and extra boost at the touch of a button complete the package.

AUTOMATIC SHIFTING AND INDIVIDUAL ADJUSTMENT

Via the FIT app, the support levels can once again be individually adjusted. Further settings can be made, from the shifting behaviour to the activation of the Pre.Select mode. This automatically switches to the gear that matches the speed and set cadence when rolling. This makes it possible to pedal harmoniously and efficiently again immediately after downhill sections. The automatic mode, available later, shifts to the appropriate gear in all riding situations based on the cadence. The Start.Select function ensures safe and energy-saving starting by allowing you to select the gear that is automatically engaged when you come to a stop.

ULTRACORE BATTERY FOR MAXIMUM RANGE AND ALTIMETERS

With the FIT UltraCore battery, the models of the VUCA series have maximum energy. With the largest possible capacity of up to 960 watt hours, the battery, which features the latest lithium-ion technology, provides the basis for enormous ranges and trail tours with a maximum number of altimeters.

Another highlight of the VUCAs is the battery integration. Elegant and ergonomic, they not only blend in seamlessly, but also optimise the centre of gravity at the same time thanks to their shortened design. In addition, the batteries can be charged internally and externally. In addition to a user-friendly design and easy handling, they offer another highlight: the long-life mode. Adjustable on the e-bike, the bike charges up to 80 percent of the maximum capacity in this mode, which significantly increases the battery life.

THE FACTS

GENERAL SPECIFICATIONS FOR E-LINE UND E-LINE S

Antriebsart // Type of Drive	Motor-Gearbox-Unit (MGU)
MGU Model Versionen // MGU model versions	E1.12 // E1.12S
MGU Software Setup // MGU software setup	Comfort / Performance / Speed
Integrierte Getriebeschaltung // Integrated gearbox	12 Gänge // Speed
Schalttechnologie // Shifting technology	Pinion Smart.Shift, electric performance shifting
Unterstützungsmodi // Support modes	ECO, FLOW, FLEX, FLY
MGU Nennspannung // MGU nominal voltage	48 V
Max. Unterstützungsgeschwindigkeit // Max. supported speed	25 km/h // 45 km/h
Max. mechanische Leistung // Max. mechanical output	600 W / in Abstimmung // in progress
Vergleichbares Drehmoment 1 // Comparable torque 1	ca. 85 Nm ¹
Maximales Drehmoment 2 // Max. torque 2	bis zu // up to 160 Nm ²
Max. unterstützte Trittfrequenz // Max. assisted cadence	120 rpm
Max. Unterstützung // Max. support	400 %
Max. Eingangsdrehmoment // Maximum input torque	250 Nm
Max. Systemgewicht // 5 Maximum system weight 5	180 kg
Garantie // Warranty	2 Jahre // 2 years
Wartungsintervall // Service interval	10.000 km // 6.200 miles
Gehäusematerial // Housing material	Magnesium Druckguss // Magnesium die-cast
Rahmenanbindung // Frame connection	Pinion MGU Standard
Aufnahme Kettenräder - Spider // Sprocket - Spider mount	Pinion Standard
Aufnahme Kurbel // Cranc axle standard	Pinion Standard
Ketten- / Riemenlinie 0 // Chain- / Beltline 0	55,7 / 58,2 mm
Q-Factor 3 // Q-factor 3	174 mm
I-Factor 4 // I-factor 4	148 mm

MGU SPEZIFISCHE DATEN MGU SPECIFIC FEATURES


E1.12 | E1.12^s

Gangzahl Number of gears	12
Gesamtübersetzung Overall ratio	600 %
Abstufung Gear steps	17,7 %
Getriebeübersetzung leichtester Gang Gain ratio in first gear	1,82
Getriebeübersetzung schnellster Gang Gain ratio in fastest gear	0,3
MGU Gewicht MGU weight	4.100 g



INFORMATION



BOSCH

SONIC SX – DAS BESTE AUS ZWEI WELTEN

Mit den Light Assist E-Mountainbikes der SONIC SX Serie bietet BULLS maßgeschneiderte E-Power und Energie bei minimalem Gewicht und geringstmöglichem Tritt Widerstand. Damit genießen sportliche Fahrerinnen und Fahrer die Performance eines leichten und leistungsstarken Carbon E-Mountainbikes in Kombination mit der kraftvollen Unterstützung des besonders kompakten Bosch Performance Line SX Antriebs, der für ein natürliches Fahrerlebnis sorgt.

Dank des Vollcarbon-Chassis, der hochwertigen Ausstattung, einem Motorengewicht von nur knapp 2 kg und einem clever reduzierten Akku liegt das Zielgewicht der SONIC SX Modelle bei nur etwa 20 kg. Dabei müssen bei der Maximal-Leistung, die wie beim CX-Antrieb bei 600 Watt liegt, keine Abstriche gemacht werden – alles bei voller Bosch Smart System Konnektivität.

Gleichzeitig ist der Tritt Widerstand über 25 km/h im Vergleich deutlich geringer, wodurch auch oberhalb der Unterstützungsgrenze sportlich und effektiv gefahren werden kann. Die nötige Energie liefert der leichte 400 Wh Akku. Er lässt sich seitlich bequem und ergonomisch entnehmen und bei Bedarf durch den Bosch Range Extender um 250 Wh erweitern.

Mit den Light Assist E-Mountainbikes der SONIC SX Serie bewegt sich BULLS am Puls der Zeit. Dank einem Maximum an Performance, einem Minimum an Gewicht und einer kraftvollen Unterstützungsleistung, die für zusätzliche sportliche Sicherheit sorgt, vereinen die SX-Modelle das Beste aus zwei Welten. Das Ergebnis sind superleichte und dynamische E-Mountainbikes für maximale Agilität und Fahrfreude.

Key Facts:

- SONIC Carbon-Chassis
- leichter und leistungsstarker Bosch Performance Line SX Antrieb
- erweiterbarer 400Wh-Akku
- kaum vorhandener Tritt Widerstand
- natürliches Fahrgefühl

THE BEST OF BOTH WORLDS

With the Light Assist e-mountain bikes of the SONIC SX series, BULLS offers customised e-power and energy with minimal weight and the lowest possible pedalling resistance. This means that sporty riders enjoy the performance of a lightweight and powerful carbon e-mountain bike combined with the powerful support of the particularly compact Bosch Performance Line SX drive, which ensures a natural riding experience.

Thanks to the full carbon chassis, the high-quality equipment, a motor weight of just under 2 kg and a cleverly reduced battery, the target weight of the SONIC SX models is only about 20 kg. At the same time, there is no need to compromise on maximum power, which, as with the CX drive, is 600 watts – all with full Bosch Smart System connectivity.

At the same time, the pedalling resistance above 25 km/h is significantly lower in comparison, which means that you can also ride sportily and effectively above the assistance limit. The necessary energy is supplied by the lightweight 400 Wh battery. It can be conveniently and ergonomically removed from the side and, if necessary, extended by 250 Wh with the Bosch Range Extender.

With the Light Assist e-mountain bikes of the SONIC SX series, BULLS has its finger on the pulse. Thanks to a maximum of performance, a minimum of weight and a powerful assistance power that provides additional sporty safety, the SX models combine the best of both worlds. The result is super-light and dynamic e-mountain bikes for maximum agility and riding pleasure.

Key Facts:

- SONIC carbon chassis
- light and powerful Bosch Performance Line SX drive
- expandable 400Wh battery
- hardly any pedalling resistance
- natural riding feel

BOSCH PERFORMANCE LINE SX





BOSCH

KOMPAKT, SMART UND KOMPLETT VERNETZT

Als komplett vernetzte Einheit aus Farbdisplay und Steuerung verbindet das Purion 200 alle Funktionen in einer kompakten Einheit. Positioniert direkt in Daumennähe, ist der Lenkerbereich aufgeräumt und es entsteht Platz für das Smartphone oder ein zusätzliches Display. Dabei überzeugt das Purion 200 durch eine gestochen scharfe Anzeige und eine einfache und ergonomische Steuerung aller Funktionen.

COMPACT, SMART AND FULLY CONNECTED

As a fully networked unit consisting of colour display and control, the Purion 200 combines all functions in one compact unit. Positioned directly near the thumb, the handlebar area is tidy and there is space for a smartphone or an additional display. At the same time, the Purion 200 impresses with a razor-sharp display and simple and ergonomic control of all functions.





BOSCH

AKKU-LÄNGENADAPTER FÜR DAS SMARTE SYSTEM VON BOSCH

Bosch führt für sein smartes System zwei Akkugrößen. Neben dem großen 750 Wh Akku gibt es auch eine 625 Wh und 500 Wh Variante.

Um die kleineren Akkus auf die Länge des 750 Wh Akkus zu bringen und somit kompatibel für unsere Rahmen zu machen, werden Längenadapter benötigt.


Für den 500 Wh Akku werden zwei Adapter benötigt, und für den 625 Wh Akku wird ein Adapter benötigt (siehe Abb.)

BATTERY LENGTH ADAPTER FOR THE SMART SYSTEM FROM BOSCH

Bosch is having two battery sizes for its smart system. In addition to the large 750 Wh battery, there is also a 625 Wh and 500 Wh variant.

To bring the smaller batteries to the length of the 750 Wh battery and thus make it compatible for our frames length adapters are needed.

For the 500 Wh battery two adapters are needed, and for the 625 Wh battery one adapter is needed (see picture).



1 x BOSCH AKKU LÄNGENADAPTER

061-22252


UVP je € 19,95



Oberseite



Unterseite



ABS Technology by

**BOSCH**

BOSCH ABS MIT NEUEM BREMSSYSTEM

ABS fürs Gelände: Volle Kontrolle – maximaler Fahrspaß

Mit drei neuen Copperhead EVO Modellen und dem Iconic EVO 3 SUV sorgt BULLS für maximale Fahrsicherheit im Gelände. Ausgestattet mit dem Bosch Anti-Blockier-System der neusten Generation und besonders leistungsstarken Bremsen bieten sie maximale Kontrolle und sicheren Fahrspaß auf Trails und allen anderen Strecken.

Für anspruchsvolles Gelände und energiegeladene Trailrunden steht das vollgefederte Copperhead EVO AM 2 ABS bereit. Hier kommt das Bosch ABS, durch das ein Überbremsen, Wegrutschen und Überschlagen wirkungsvoll verhindert wird, gemeinsam mit dem TRP Trail EVO ABS Bremssystem zum Einsatz. Dabei ist das Bosch System dank verschiedener ABS Modi wie Trail optimal auf das jeweilige Einsatzgebiet abgestimmt.

Das Copperhead EVO 2 ABS und das Copperhead EVO 3 XXL mit einem zulässigen Gesamtgewicht von 150 kg sind mit TEKTRÖ Volans Bremsen ausgestattet. Dank dieser Kombination aus Bosch ABS und TEKTRÖ Bremse bietet auch das Iconic EVO 3 maximale Fahrsicherheit für Alltag und sportliche Touren auf wechselndem Untergrund.

Eine ständige Sensormessung verhindert das Blockieren und Wegrutschen des Vorderrads sowie das Abheben des Hinterrads. Das Ergebnis ist maximale Kontrolle auf jedem Untergrund. Zusätzlich kann über das KIOX-Display eine individuelle Bremsstatistik abgerufen werden.

BOSCH ABS WITH NEW BRAKING SYSTEM



ABS for off-road: Full control – maximum riding fun

With three new Copperhead EVO models and the Iconic EVO 3 SUV, BULLS ensures maximum riding safety off-road. Equipped with the second-generation Bosch anti-lock braking system and particularly powerful brakes, they offer maximum control and safe riding fun on trails and all other tracks.

For demanding terrain and energetic trail rides, the full-suspension Copperhead EVO AM 2 ABS is ready. Here, the Bosch ABS, which effectively prevents overbraking, slipping and rolling over, is used together with the TRP Trail EVO ABS braking system. Thanks to different ABS modes such as Trail, the Bosch system is optimally adapted to the respective area of use.

The Copperhead EVO 2 ABS and the Copperhead EVO 3 XXL with a maximum weight of 150 kg are equipped with TEKTRÖ Volans brakes. Thanks to this combination of Bosch ABS and TEKTRÖ brakes, the Iconic EVO 3 also offers maximum riding safety for everyday use and sporty tours on changing terrain.

Constant sensor measurement prevents the front wheel from locking and slipping away, as well as the rear wheel from lifting off. The result is maximum control on any surface. In addition, individual braking statistics can be called up via the KIOX display.



SPORTLICHE E-POWER IM MINIMALISTISCHEN DESIGN

E-Bikes machen vor allem eins: jede Menge Spaß. Kombiniert mit nahezu unsichtbarem Antrieb und besonders geringem Systemgewicht bieten die neuen BULLS Light Assist E-Bikes neben maximalem Fun-Faktor und starker Performance ein besonders stylisches und minimalistisches Design.

Ausgestattet mit dem neuen BAFANG R600 Mini-Nabenmotor am Hinterrad, vollintegriertem Unterrohr-Akku und FIT E-Bike-System verbinden sie modernste Technologie und sportlichen Minimalismus zu einem herausragenden Fahrerlebnis. Dabei ist der moderne Heckantrieb nicht nur besonders leicht, sondern auch extrem leichtgängig, so dass auch oberhalb von 25 km/h schnell und ohne nennenswerten Widerstand gefahren werden kann.

Modellvarianten von Urban bis Gravel

Verschiedene Modellvarianten in den Bereichen Trekking, Urban und Gravel bis hin zu den sportlichen Kids E-MTBs sorgen für sportliche Vielfalt und zuverlässige Unterstützung auf allen Strecken. Mit dem schlanken 550 Wh-Akku (275 Wh bei den 20/24 Zoll Kids E-MTBs) verfügen die angesagten Light Assist E-Bikes über genügend Energie für tägliche Pendelstrecken, sportliche Ausfahrten und Touren.

Dank des innovativen und modularen FIT E-Bike-Systems verfügen sie über elegante Bedienelemente und Displays. Soft- und Hardware sind dabei optimal aufeinander abgestimmt und bieten durch digitale Vernetzung und App-Anbindung ein topmodernes E-Bike-Erlebnis für maximalen Fahrspaß im Alltag und auf sportlichen Touren.

SPORTY E-POWER IN A MINIMALIST DESIGN

E-bikes are first and foremost fun. Combined with an almost invisible drive and particularly low system weight, the new BULLS Light Assist e-bikes offer a particularly stylish and minimalist design in addition to maximum fun factor and strong performance.

Equipped with the new BAFANG R600 mini hub motor on the rear wheel, fully integrated down tube battery and FIT e-bike system, they combine state-of-the-art technology and sporty minimalism to create an outstanding riding experience. At the same time, the modern rear-wheel drive is not only particularly light, but also extremely smooth-running, so that even above 25 km/h you can ride quickly and without significant resistance.

Model variants from Urban to Gravel

Different model variants in the areas of trekking, urban and gravel through to the sporty Kids E-MTBs ensure sporty diversity and reliable support on all routes. With the slim 550 Wh battery (275 Wh for the 20/24 inch Kids E-MTBs), the trendy Light Assist e-bikes have enough energy for daily commutes, sporty rides and tours.

Thanks to the innovative and modular FIT e-bike-system, they have elegant controls and displays. Software and hardware are optimally coordinated and, thanks to digital networking and app connection, offer a state-of-the-art e-bike experience for maximum riding pleasure in everyday life and on sporty tours.

Antrieb R600



Master Node LED


Remote Basic +
Display Compact


SuperTube 550



SuperTube 275



MONKEYLINK EINFACH, SCHNELL UND SICHER

Rüsten Sie Ihr Mountainbike, wenn es noch keine MonkeyLink Schnittstellen besitzt, ganz einfach nach. Mit nur wenigen Einzelteilen ist eine Nachrüstung auf den neuen MonkeyLink Standard ganz leicht möglich. Dank der magnetischen Zuführung und der mechanischen Arretierung werden die Komponenten sicher und einfach – fast magisch – am Fahrrad angebracht. Leucht Komponenten der Recharge-Serie werden über den integrierten Akku mit Strom versorgt und können über einen USB-Anschluss bequem geladen werden.

TWIST BikeBase

Mit dem universellen TWIST BikeBase-Zubehör können alle BULLS-Bikes ganz einfach für die Aufnahme von MonkeyLink-Zubehör ausgerüstet werden oder mit einer zusätzlichen Base (TWIST BikeBase) erweitert werden. Dank kraftvoller Magnete bringen sich die MonkeyLink-Komponenten dann selbst in die richtige Position und rasten mit einem Twist sicher ein.



Weitere Informationen zu
MonkeyLink findest Sie hier.
Here you will find further
informations on MonkeyLink.

MONKEYLINK SIMPLE, QUICK AND SAFE

If your mountain bike does not have any MonkeyLink interfaces yet, it's quite simple to upgrade. You can very easily upgrade to the latest MonkeyLink standard at any time, and it requires just a few parts. Thanks to the magnetic insertion and the mechanical locking mechanism, the components can attach to the bike safely and easily – almost magically. Light components from the Recharge range are powered by an integrated rechargeable battery that can be conveniently charged via USB.

TWIST BikeBase

With the universal TWIST BikeBase accessory, all BULLS bikes accessories can easily be fitted to accommodate MonkeyLink accessories or extended with an additional base (TWIST BikeBase). Thanks to powerful magnets, MonkeyLink components bring themselves into the right position and lock securely in place with a twist.



PRODUKT **NEUHEIT**

Battery Pack Connect

Das MonkeyLink-Battery Pack Connect ermöglicht die Nutzung von Connect Scheinwerfern und Zubehör ohne E-Antrieb. Kapazität 10.000 mAh | USB-C Ein- und Ausgang zum Aufladen des Battery Packs oder Laden von Endgeräten | Abschaltautomatik bei Nichtnutzung | MonkeyLink Adapter Connect mit 50 mm Kabel | 700 mm Kabel | 2 Stück Velcro Straps

Battery Pack Connect

The MonkeyLink-Battery Pack Connect allows the use of Connect headlamps and accessories without electric drive Capacity: 10,000 mAh | USB-C input and output for charging the Battery Pack or charging end devices | Automatic switch-off when not in use | MonkeyLink Adapter Connect with 50 mm cable | 700 mm cable | 2 pieces Velcro Straps

Art.-Nr.: 070-50576

UVP:
€ 149,95



MONKEY LINK CONNECT



ML-SkyeLight Connect Set 60 Lux* Rückleuchte mit integriertem Z-Reflektor

ML-SkyeLight Connect Set 60 Lux* Rear light with integrated Z-reflector

070-50550 **Set 99,95 €**

ML-SkyeLight Connect Set 80 Lux* mit Tagfahrlicht und Bremslichtfunktion

ML-SkyeLight Connect Set 80 Lux* with daytime running light with daytime running light and brake light function

070-50551 **Set 129,95 €**

ML-SkyeLight Connect Set 110 Lux* Tagfahrlicht, Bremslichtfunktion, Fernlichtfunktion und USB-C-Schnellladefunktion

ML-SkyeLight Connect Set 110 Lux Daytime running light, brake light function, high beam function and USB-C fast charging function:

070-50552 **Set 189,95 €**

* Set bestehend aus Frontscheinwerfer und Rückleuchte. Werkzeuglose Winkelverstellung, zugelassen gemäß StVZO.

Set consisting of headlight and rear light. Toolless angle adjustment, approved according to StVZO.

MONKEY LINK TWIST BIKEBASE

SNAP!
+CONNECT



TWIST!
+RELEASE



FIDLOCK
ready



**ML-TWIST
MonkeyBottle 450 ml**
050-28479
34,95 €



ML-TWIST Wallet
080-40992
39,95 €



**ML-TWIST
MonkeyBottle 590 ml**
050-28502
37,95 €

**TWIST
BikeBase**
050-28481
9,99 €



**TWIST
UniBase**
050-28488
19,99 €



**ML-TWIST
BordoMount**
050-28493
29,95 €

**Set (Verriegelung
mit Zahlencode):**
050-31841

**Set (Verriegelung
mit Schlüssel):**
050-31840



**ML-TWIST
AnyBottle**
050-28491
19,99 €



**TWIST
UniConnector**
050-28492
39,95 €

MONKEYLOAD

ZWEI SYSTEME FÜR EINE OPTIMALE GEPÄCK- TRÄGER-NUTZUNG

Viele BULLS-Modelle sind bereits serienmäßig mit dem MonkeyLoad-Systemgepäckträger ausgestattet. Damit sind sie bereit für die besonders einfache und sichere Anbringung des maximal funktionalen MonkeyLoad-S- und T-Zubehörs.

MonkeyLoad-S: Die Packtasche mit System

Viele bewährte Gepäckträger-Taschen haben eines gemeinsam: In der Handhabung sind sie nicht sonderlich intuitiv. Genau hier unterscheidet sich MonkeyLoad-S von herkömmlichen Seitentaschen. Im Gegensatz zu konventionellen Systemen rastet die innovative Halterung an der unteren und nicht an der oberen Gepäckträger-Strebe ein. Danach klappt die MonkeyLoad-Packtasche über den speziellen Verschlussmechanismus selbsttätig ein. So ist die Tasche nicht nur in Sekundenschnelle in Position, sondern es entfällt gleichzeitig auch das im Alltag oft lästige Anbringen der unteren Halterung bei herkömmlichen Taschen.

Über das nachrüstbare Schloss kann das System zusätzlich gesichert werden und die werkzeuglose Winkelverstellung sorgt für maximale Fußfreiheit beim Fahren. Zum Abnehmen muss die MonkeyLoad-Seitentasche nur nach oben gezogen werden und die Verriegelung löst sich automatisch – einfach, schnell und intuitiv.



NORTHWIND
EINZELTASCHE
DIVE 3.0
MONKEYLOAD-S

Volumen: 21 Liter
Maße (L x B x H): 30 x 15 x 50 cm

080-40884 | schwarz
080-40847 | grau

je 84,95 €

MONKEYLOAD

TWO SYSTEMS TO MAKE THE MOST OF CARRIERS

Many BULLS models already come equipped with the MonkeyLoad system carrier as standard. This prepares them for the very simple task of safely attaching maximum-functional MonkeyLoad S and T accessories.

MonkeyLoad-S: The saddle bag with a system

Lots of proven carrier saddle bags have one thing in common: They are not particularly intuitive to use. This is exactly where MonkeyLoad-S sets itself apart from conventional side bags. Unlike conventional systems, the innovative bracket locks into place on the lower and not on the upper carrier strut.

The MonkeyLoad saddle bag then automatically clips in place with the special fastening mechanism. Not only is the bag in position in a matter of seconds this way, but it also eliminates the way the lower bracket is mounted for conventional bags, which can be annoying to use every day.

The system can be additionally secured using the retrofittable lock and the tool-free angle-adjustment feature to allow maximum foot movement during rides. The MonkeyLoad side bag is easy to remove by simply lifting it upwards and automatically releasing the catch – it's simple, quick and intuitive.



SCHLOSS MONKEYLOAD-S
Schloss für MonkeyLoad-Taschen.

050-20319

17,99 €

MonkeyLoad-T: Die Basis für das „Einfach-Sicher-System“

Mit einer innovativen Gepäckträger-Basis macht MonkeyLoad-T Schluss mit dem mühsamen und oft unsicheren Anbringen von Körben und Taschen – wie bei MonkeyLink und MonkeyLoad üblich: Ein Klick und alles sitzt.

Dank der MonkeyLoad-T-Aufsatzplatte mit spezieller Dämpfungsschicht rasten Taschen und Körbe ganz einfach ein – nichts klappert, alles passt, sitzt fest und sicher. Nur noch abschließen und abfahren. Genauso einfach wie das Anbringen funktioniert auch das Abnehmen: Aufschließen, den Arretierungsmechanismus mit zwei Fingern leicht nach vorne ziehen und das entsprechende Zubehör kann ganz einfach und schnell wieder entfernt werden.

MonkeyLoad-T-Platte

Auch einzeln zum Nachrüsten erhältlich.

051-21602



19,99 €

MonkeyLoad-T: The basis for the 'simply secure system'

With an innovative carrier base, MonkeyLoad-T puts an end to the tedious and often unsafe fastening of baskets and bags – as is customary with MonkeyLink and MonkeyLoad: one click and everything fits as it should.

Thanks to the ML-T-top plate with special cushioning layer, bags and baskets simply snap into place – nothing rattles, and everything fits, safe and secure. Simply lock in place and off you go! And the bags are just as easy to remove as they are to attach: Unlock, slide the locking mechanism forward slightly with two fingers, and the corresponding accessories can easily and quickly be removed.

NORTHWIND SMARTBAG ONE4ALL ML-T

Diese äußerst praktische und multifunktionelle Gepäckträgertasche hat ein Fassungsvermögen von ca. 7 Litern. Dank der mitgelieferten Regenhaube ist das Gepäck wasserdicht verstaut. Durch den abnehmbaren Schultergurt kann die Tasche auch bequem über der Schulter getragen werden. Diese Gepäckträgertasche eignet sich für diverse Systemgepäckträger, wie z.B. i-RACK II, Carrymore, Racktime oder Mik. Standardmäßig wird diese Tasche mit MonkeyLoad-T ausgeliefert.

Volumen: 7 Liter

Maße (L x B x H): 30 x 16 x 14 cm

080-40846

69,95 €



NORTHWIND SMARTBAG DIVE 3.0

Die Smartbag Dive 3.0 kommt in besonders cleverem Gewand daher. Das wasserdichte Außenmaterial hält den Inhalt selbst bei schlechten Wetterbedingungen zuverlässig trocken. Der praktische Kordelzug ermöglicht zudem das Festmachen von weiterem Gepäck. Mit 10 Litern Stauraum bietet sie viel Platz für alles, was mit auf die Tour muss! Das macht die Allround-Gepäckträgertasche auch ideal für Pendler.

Volumen: 10 Liter

Maße (L x B x H): 30 x 19 x 18 cm

080-40885 | schwarz

080-40842 | grau

je 99,95 €



BULLS OR.C

UNSERE BULLS OR.C E-BIKES:
OUR OR.C E-BIKES:

SONIC EVO AM TEAM CARBON

SONIC EVO EN-SL DAYTONA

E-STREAM EVO AM 6

VUCA EVO AM 2

SONIC EVO AM SX-I

Highend-E-MTBs und maximale Kompetenz im BULLS OR.C

Hochklassige E-Mountainbikes verlangen bestmögliche Beratungskompetenz und Service. Genau aus diesem Grund haben wir das BULLS OR.C Label geschaffen. Eine exklusive Zahl von Fachhändlern stellt im Offroad-Center nicht nur die Verfügbarkeit der fünf Top-E-MTBs des Modelljahres sicher, sondern verfügt gleichzeitig über die maximale Kompetenz im Hinblick auf Beratung und Service. Kunden, die sich für das **SONIC EVO AM TEAM CARBON**, das **SONIC EVO EN-SL DAYTONA**, **E-STREAM EVO AM 6**, **VUCA EVO AM 2** und das **SONIC EVO AM SX-I** interessieren, sollten daher besonders auf das BULLS OR.C Label achten.

High-end eMTBs and maximum expertise in the BULLS OR.C

High-class eMTBs require the best possible consulting expertise and service. This is precisely why we created the BULLS OR.C label. An exclusive number of specialist retailers not only ensure the availability of the five top eMTBs of the model year in the Offroad Centre, but also offer maximum expertise in terms of consultations and service. So customers interested in the **SONIC EVO EN-SL DAYTONA**, the **SONIC EVO AM TEAM CARBON**, **E-Stream EVO AM 6**, **VUCA EVO AM 2** and the **SONIC EVO AM SX-I** should pay particular attention to the BULLS OR.C label.

ZULÄSSIGES GESAMTGEWICHT BIKES

PERMISSIBLE TOTAL WEIGHT

PERMISSIBLE TOTAL WEIGHT

50 KG MAX. SYSTEM

JUNIOR

Tokee Runner
Tokee Lite 14
Tokee Lite 16
Tokee Ultra Lite 16

80 KG MAX. SYSTEM

JUNIOR

Tokee Lite 18
Tokee Lite 20
Tokee Lite 24
Tokee Ultra Lite 20
Tokee Ultra Lite 24
Tokee 20
Tokee 24
Tokee Disc 20
Tokee Disc 24

JUNIOR

Tokee Street 20 7-speed outer
Tokee Street 20 3-speed inner
Tokee Street 24 7-speed outer
Tokee Street 24 3-speed inner
Sharptail Street 24 7-speed outer
Sharptail Street 24 7-speed inner
Zarena Street 24 7-speed outer
Zarena Street 24 7-speed inner

115 KG MAX. SYSTEM

MOUNTAIN

Wild Creed RS
Wild Creed Team

Pumptrack / DIRT / BMX

Duro DJ
Duro DJ Pro
Barbar

JUNIOR

Tokee Ultra Lite 26
Tokee Disc 26
Sharptail Street 26 21-speed
Zarena Street 26 21-speed

125 KG MAX. SYSTEM

MOUNTAIN

Pulsar 1 26
Pulsar 1 27,5
Pulsar 2 26
Pulsar 2 27,5
King Boa 27,5
Wildtail 1 26
Wildtail 1 27,5
Wildtail 1 29
Wildtail 2 27,5
Wildtail 2 29
Sharptail 1 27,5
Sharptail 1 29
Sharptail 2 27,5
Sharptail 2 29
Sharptail 3 27,5
Sharptail 3 29
Copperhead 1 27,5
Copperhead 1 29
Copperhead 2 27,5
Copperhead 2 29
Copperhead 3 27,5
Copperhead 3 29
Copperhead 3 S
Copperhead 3 RS
Bushmaster S
Bushmaster RS
Black Adder
Black Adder RS

MOUNTAIN

Black Adder Team
Wild Edge
Wild Edge Trail
Wild Edge Team
Duro
Copperhead FSX 1
Copperhead FSX 2
Wild Ronin
Wild Ronin RS
Wild Ronin Team
Nandi 26
Nandi 27,5
Zarena 1 27,5
Zarena 1 29
Zarena 2 27,5
Zarena 2 29
Aminga 1 27,5
Aminga 1 29
Aminga 2 29
Aminga 3 27,5
Aminga 3 29
Wildtail Street
Big Free 1
Big Free 2
Sharptail Street 1 26 21-speed
Sharptail Street 1 26 7-speed
Sharptail Street 1 27,5 21-speed
Sharptail Street 1 27,5 7-speed

MOUNTAIN

Sharptail Street 2 27,5
Sharptail Street 2 29
Sharptail Street 3 27,5
Sharptail Street 3 29
Nandi Street 27,5
Zarena Street 1 27,5
Zarena Street 2 27,5

GRAVEL

Daily Grinder 1
Daily Grinder 2
Daily Grinder 3
Espresso Grinder
Speed Grinder
Grinder 1
Grinder 2
Grinder 3
Trail Grinder
Grinder 4
Machete

ROAD

Harrier 1
Harrier 2
Harrier Disc 1
Harrier Disc 2
Harrier Disc 3
Alpin Hawk 1
Alpin Hawk 2

135 KG MAX. SYSTEM

CROSS

Pulsar Cross
Wildcross
Crossbike 1
Crossbike 2
Cross Flyer
Cross Mover
Cross Rider

CROSS

Wildcross Street
Pulsar Cross Street
Cross Bike Street
Street Flyer
Street Mover
Cross Rider Street

ZULÄSSIGES GESAMTGEWICHT E-BIKES

PERMISSIBLE TOTAL WEIGHT

PERMISSIBLE TOTAL WEIGHT

100 KG MAX. SYSTEM

JUNIOR

Twenty4 E
Tokee Disc EVO 20
Tokee Disc EVO 24

115 KG MAX. SYSTEM

JUNIOR

Twenty6 EVO
Tokee Disc EVO 26

130 KG MAX. SYSTEM

MOUNTAIN

SONIC EVO SX 1
SONIC EVA SX 1
SONIC EVO SX 2
SONIC EVO SX Dakar
SONIC EVO AM SX 1
SONIC EVA AM SX 1
SONIC EVO AM SX 2
SONIC EVO AM SX-1
SONIC EVO AM-SL 1
SONIC EVO AM-SL 2
SONIC EVO AM-SL 3
SONIC EVO EN-SL 1
SONIC EVO EN-SL 2
SONIC EVO EN-SL Daytona
E-Stream EVO 1 27,5
E-Stream EVO 1 29
E-Stream EVO TR 1
E-Stream EVA TR 1
E-Stream EVA TR 2

MOUNTAIN

Copperhead EVO 1 27,5
Copperhead EVO 1 29
Copperhead EVO 2 27,5
Copperhead EVO 2 ABS 29
Copperhead EVO 3 27,5
Copperhead EVO AM 1
Copperhead EVO AM 2 ABS
Copperhead EVO AM 3
Aminga CX
Aminga EVA 1
Aminga EVA 2
Aminga EVA 3
Aminga EVA TR 1
Aminga EVA TR 2

MOUNTAIN

LT EVO Performance 27,5
LT EVO Performance 29
LT EVA Performance 27,5
LT CX 27,5
LT CX 29
LT Performance 27,5
LT CX PRO
LT EVO CX 27,5
LT EVO CX 29

SUV

LT EVO Performance SUV

135 KG MAX. SYSTEM

SUV

Iconic EVO 1
Iconic EVO Belt
Iconic EVO 2
Allground EVO

URBAN

Sturmvogel EVO 5F Belt
Urban EVO 1
Urban EVO 2
Urban EVO 3
Espresso Grinder EVO
Grinder EVO

TREKKING

Cross Flyer EVO 1
Cross Flyer EVO 2
Streetliner EVO
Tourer EVO 10

150 KG MAX. SYSTEM

MOUNTAIN

SONIC EVO
SONIC EVA
SONIC EVO EN 2
SONIC EVO TR 1
SONIC EVA TR 1
SONIC EVO TR 2
SONIC EVO TR 3
SONIC EVO TR-1
SONIC EVO AM 1
SONIC EVO AM 2
SONIC EVO AM 2 ABS
SONIC EVO AM 3 ABS
SONIC EVO AM 4
SONIC EVO AM-I
SONIC EVO AM Team
VUCA EVO AM 1
VUCA EVO AM 2

MOUNTAIN

E-Stream EVO AM 2
E-Stream EVO AM 3
E-Stream EVO 2 Street 27,5
E-Stream EVO AM 4
E-Stream EVO AM 6
Copperhead EVO 2 XXL 27,5
Copperhead EVO 2 XXL 29
Copperhead EVO 2 XXL Street 27,5
Copperhead EVO 3 XXL ABS

SUV


VUCA EVO X 1
VUCA EVO FSX 1
Iconic EVO 3
Iconic EVO 3 ABS
Iconic EVO TR 1

TREKKING

Cross Rider EVO 2
Cross Lite EVO 1
Cross Lite EVO 2
Cross Lite EVO 3
Lacuba EVO 9
Lacuba EVO 10
Lacuba EVO 11
Lacuba EVO 12
Lacuba EVO NV Belt Automatic
Lacuba EVO 11 SUV

SPEED

VUCA EVO Speed X1
VUCA EVO Speed FSX1
Tourer EVO 11 Speed



GEOMETRIES

Pulsar 126

Rahmengröße	XS	S	M	L	XL
Sitzrohrlänge	370	410	460	510	560
Oberrohr	545	560	575	590	605
Steuerrohr	130	130	140	155	185
Radstand	1035	1050	1068	1084	1100
Kettenstrebe	430	430	430	430	430
Sitzwinkel	73	73	73	73	73
Lenkwinkel	70	70	70	70	70
Tretlageroffset	40	40	35	35	35
Stack	587	587	592	606	634
Reach	365	380	394	405	411

Pulsar 226

Rahmengröße	XS	S	M	L
Sitzrohrlänge	370	410	460	510
Oberrohr	545	560	575	590
Steuerrohr	130	130	140	155
Radstand	1035	1050	1068	1084
Kettenstrebe	430	430	430	430
Sitzwinkel	73	73	73	73
Lenkwinkel	70	70	70	70
Tretlageroffset	40	40	35	35
Stack	587	587	592	606
Reach	365	380	394	405

Pulsar 127,5 Pulsar 227,5

Rahmengröße	S	M	L	XL
Sitzrohrlänge	410	460	510	560
Oberrohr	565	585	605	625
Steuerrohr	100	120	145	175
Radstand	1065	1088	1109	1133
Kettenstrebe	440	440	440	440
Sitzwinkel	73	73	73	73
Lenkwinkel	70	70	70	70
Tretlageroffset	45	40	40	35
Stack	576	589	613	636
Reach	389	405	418	431

King Boa

Rahmengröße	S	M	L	XL
Sitzrohrlänge	410	460	510	560
Oberrohr	560	575	590	635
Steuerrohr	130	130	140	175
Radstand	1065	1080	1095	1110
Kettenstrebe	430	430	430	430
Sitzwinkel	73	73	73	73
Lenkwinkel	69	69	69	69
Tretlageroffset	38	38	38	38
Stack	596	596	605	605
Reach	378	393	405	420

Wildtail 126

Rahmengröße	XS	S	M	L	XL
Sitzrohrlänge	370	410	460	510	560
Oberrohr	555	570	585	600	615
Steuerrohr	130	130	140	155	185
Radstand	1056	1071	1089	1105	1122
Kettenstrebe	430	430	430	430	430
Sitzwinkel	73	73	73	73	73
Lenkwinkel	69	69	69	69	69
Tretlageroffset	40	40	35	35	35
Stack	583	583	587	601	629
Reach	377	392	405	416	423

Wildtail 127,5 Wildtail 227,5

Rahmengröße	S	M	L	XL
Sitzrohrlänge	410	460	510	560
Oberrohr	575	595	615	635
Steuerrohr	100	120	145	175
Radstand	1085	1109	1130	1155
Kettenstrebe	440	440	440	440
Sitzwinkel	73	73	73	73
Lenkwinkel	69	69	69	69
Tretlageroffset	45	40	40	35
Stack	571	585	608	631
Reach	400	416	429	442

Sharptail 127,5 Sharptail 227,5 Sharptail 327,5

Rahmengröße	S	M	L	XL
Sitzrohrlänge	410	460	510	560
Oberrohr	575	595	615	635
Steuerrohr	100	120	145	175
Radstand	1085	1109	1130	1155
Kettenstrebe	440	440	440	440
Sitzwinkel	73	73	73	73
Lenkwinkel	69	69	69	69
Tretlageroffset	45	40	40	35
Stack	571	585	608	631
Reach	400	416	429	442

Wildtail 129 Wildtail 229

Rahmengröße	S	M	L	XL
Sitzrohrlänge	410	460	510	560
Oberrohr	585	605	625	645
Steuerrohr	100	100	120	145
Radstand	1107	1118	1132	1149
Kettenstrebe	455	455	460	460
Sitzwinkel	73,5	73	72,5	72
Lenkwinkel	69,5	70	70,5	70,5
Tretlageroffset	65	60	60	55
Stack	611	608	629	648
Reach	404	419	427	434

Sharptail 129 Sharptail 229

Sharptail 329

Rahmengröße	S	M	L	XL	XXL
Sitzrohrlänge	410	460	510	560	600
Oberrohr	585	605	625	645	655
Steuerrohr	100	100	120	145	190
Radstand	1107	1118	1132	1149	1160
Kettenstrebe	455	455	460	460	460
Sitzwinkel	73,5	73	72,5	72	72
Lenkwinkel	69,5	70	70,5	70,5	70,5
Tretlageroffset	65	60	60	55	55
Stack	611	608	629	648	690
Reach	404	419	427	434	431

Copperhead 127,5 Copperhead 227,5

Rahmengröße	S	M	L	XL
Sitzrohrlänge	400	440	490	530
Oberrohr	595	615	635	655
Steuerrohr	100	110	135	180
Radstand	1107	1130	1151	1173
Kettenstrebe	425	425	425	425
Sitzwinkel	74	74	74	74
Lenkwinkel	68,5	68,5	68,5	68,5
Tretlageroffset	45	40	40	40
Stack	579	583	606	648
Reach	429	448	461	469

Copperhead 327,5

Copperhead 1 29
Copperhead 2 29
Copperhead 3 29

Copperhead 3 S 29
Copperhead 3 RS 29

Bushmaster S
Bushmaster RS

Black Adder
Black Adder RS
Black Adder Team

GEOMETRIES

Rahmengröße	S	M	L	XL	XXL
Sitzrohrlänge	400	440	490	530	600
Oberrohr	595	615	635	655	675
Steuerrohr	100	100	110	135	180
Radstand	1107	1130	1151	1173	1193
Kettenstrebe	435	435	435	435	435
Sitzwinkel	74	74	74	74	74
Lenkwinkel	69	69	69	69	69
Tretlageroffset	65	60	60	60	60
Stack	613	608	617	640	682
Reach	419	441	458	471	479

Rahmengröße	S	M	L	XL
Sitzrohrlänge	410	440	480	540
Oberrohr	599	614	633	653
Steuerrohr	95	100	110	140
Radstand	1113	1131	1151	1175
Kettenstrebe	430	430	430	430
Sitzwinkel	74	74	74	74
Lenkwinkel	69	69	69	69
Tretlageroffset	65	60	60	55
Stack	611	610	620	643
Reach	424	439	455	469

Rahmengröße	S	M	L	XL
Sitzrohrlänge	410	440	480	520
Oberrohr	585	610	625	650
Steuerrohr	95	100	110	135
Radstand	1111	1136	1152	1180
Kettenstrebe	430	430	430	430
Sitzwinkel	74,5	74,5	74,5	74,5
Lenkwinkel	68	68	68	68
Tretlageroffset	60	60	60	60
Stack	605	610	619	642
Reach	417	441	453	472

Wild Edge
Wild Edge Team

Rahmengröße	M	L	XL
Sitzrohrlänge	440	480	540
Oberrohr	612	630	653
Steuerrohr	100	110	140
Radstand	1139	1158	1184,5
Kettenstrebe	432	432	432
Sitzwinkel	74	74	74
Lenkwinkel	68	68	68
Tretlageroffset	40	40	40
Stack	585	595	623
Reach	444	459	474

Wild Edge Trail

Rahmengröße	M	L	XL
Sitzrohrlänge	440	480	540
Oberrohr	614	631	655
Steuerrohr	100	110	140
Radstand	1145	1164	1191
Kettenstrebe	432	432	432
Sitzwinkel	73,3	73,3	73,3
Lenkwinkel	67,3	67,3	67,3
Tretlageroffset	34,5	34,5	34,5
Stack	591	600	628
Reach	437	452	466

Duro

Rahmengröße	M	L	XL
Sitzrohrlänge	400	430	450
Oberrohr	630	650	670
Steuerrohr	100	115	130
Radstand	1189	1212	1236
Kettenstrebe	420	420	420
Sitzwinkel	76	76	76
Lenkwinkel	66	66	66
Tretlageroffset	60	60	55
Stack	628	642	651
Reach	473	490	508

Copperhead FSX 1
Copperhead FSX 2

Rahmengröße	S	M	L	XL
Sitzrohrlänge	410	440	480	510
Oberrohr	582	603	625	647
Steuerrohr	110	110	120	130
Radstand	1173	1193	1218	1241
Kettenstrebe	436	436	436	436
Sitzwinkel	76	76	76	76
Lenkwinkel	66,5	66,5	66,5	66,5
Tretlageroffset	30	30	30	30
Stack	612	612	621	631
Reach	429	450	470	490

Wild Ronin
Wild Ronin RS Wild Ronin Team

Rahmengröße	S	M	L	XL
Sitzrohrlänge	410	440	480	510
Oberrohr	582	603	625	647
Steuerrohr	110	110	120	130
Radstand	1173	1193	1217	1241
Kettenstrebe	435	435	435	435
Sitzwinkel	76	76	76	76
Lenkwinkel	66,5	66,5	66,5	66,5
Tretlageroffset	30	30	30	30
Stack	612	612	621	631
Reach	430	450	470	490

Wild Creed RS
Wild Creed Team

Rahmengröße	M	L	XL
Sitzrohrlänge	440	470	500
Oberrohr	610	632	654
Steuerrohr	105	115	125
Radstand	1203	1228	1252
Kettenstrebe	436	436	436
Sitzwinkel	75,5	75,5	75,5
Lenkwinkel	65,5	65,5	65,5
Tretlageroffset	25	25	25
Stack	618	627	636
Reach	450	470	490

Nandi 26

Rahmengröße	XS	S	M	L
Sitzrohrlänge	370	410	460	510
Oberrohr	545	555	570	585
Steuerrohr	130	130	140	155
Radstand	1043	1053	1071	1087
Kettenstrebe	425	425	425	425
Sitzwinkel	73	73	73	73
Lenkwinkel	69	69	69	69
Tretlageroffset	35	35	30	30
Stack	578	578	582	596
Reach	368	378	392	403

Nandi 27,5
Nandi Street 27,5
Zarena 1 27,5

Rahmengröße	XS	S	M	L
Sitzrohrlänge	370	410	460	510
Oberrohr	565	570	580	590
Steuerrohr	105	105	115	130
Radstand	1075	1080	1093	1104
Kettenstrebe	440	440	440	440
Sitzwinkel	73	73	73	73
Lenkwinkel	69	69	69	69
Tretlageroffset	45	45	40	40
Stack	576	576	580	594
Reach	389	394	403	408

Zarena 2 27,5
Zarena Street 1
Zarena Street 2

Zarena 1 29
Zarena 2 29

Rahmengröße	XS	S	M	L
Sitzrohrlänge	370	410	460	510
Oberrohr	565	575	590	605
Steuerrohr	105	105	115	115
Radstand	1106	1110	1115	1131
Kettenstrebe	455	455	455	460
Sitzwinkel	74,5	74	73,5	73
Lenkwinkel	69	69	69,5	69,5
Tretlageroffset	60	60	60	55
Stack	609	609	620	615
Reach	396	400	406	417

Aminga 1 27,5
Aminga 3 27,5

Rahmengröße	XS	S	M	L
Sitzrohrlänge	370	400	440	490
Oberrohr	560	585	605	610
Steuerrohr	90	100	115	135
Radstand	1066	1094	1115	1122
Kettenstrebe	425	425	425	425
Sitzwinkel	74	74	74	74
Lenkwinkel	69	69	69	69
Tretlageroffset	45	40	40	40
Stack	571	576	590	608
Reach	369	420	436	436

Aminga 1 29
Aminga 2 29 Aminga 3 29

Rahmengröße	XS	S	M	L
Sitzrohrlänge	370	400	440	490
Oberrohr	560	585	605	610
Steuerrohr	90	100	100	100
Radstand	1071	1099	1119	1124
Kettenstrebe	435	435	435	435
Sitzwinkel	74	74	74	74
Lenkwinkel	69	69	69	69
Tretlageroffset	65	60	60	60
Stack	606	610	610	610
Reach	386	410	430	435

Sharptail Street 2 29
Sharptail Street 3 29

Rahmengröße	S	M	L	XL	XXL
Sitzrohrlänge	410	460	510	560	600
Oberrohr	585	605	625	645	655
Steuerrohr	100	100	120	145	190
Radstand	1107	1118	1132	1149	1160
Kettenstrebe	455	455	460	460	460
Sitzwinkel	73,5	73	72,5	72	72
Lenkwinkel	69,5	70	70,5	70,5	70,5
Tretlageroffset	65	60	60	55	55
Stack	611	608	629	648	690
Reach	404	419	427	434	431

Wildtail Street

Rahmengröße	Gent				Trapez			
	XS	S	M	L	XS	S	M	L
Sitzrohrlänge	370	410	460	510	370	410	460	510
Oberrohr	545	560	575	590	545	560	575	590
Steuerrohr	130	130	140	155	130	130	140	155
Radstand	1035	1050	1068	1084	1035	1050	1068	1084
Kettenstrebe	430	430	430	430	430	430	430	430
Sitzwinkel	73	73	73	73	73	73	73	73
Lenkwinkel	70	70	70	70	70	70	70	70
Tretlageroffset	40	40	35	35	40	40	35	35
Stack	587	587	592	606	587	587	592	606
Reach	365	380	394	405	365	380	394	405

Big Free 1
Sharptail Street 1 26

Rahmengröße	Gent				Trapez			
	XS	S	M	L	XS	S	M	L
Sitzrohrlänge	370	410	460	510	370	410	460	510
Oberrohr	555	570	585	600	555	570	585	600
Steuerrohr	130	130	140	155	130	130	140	155
Radstand	1056	1071	1088	1104	1056	1071	1088	1104
Kettenstrebe	430	430	430	430	430	430	430	430
Sitzwinkel	73	73	73	73	73	73	73	73
Lenkwinkel	69	69	69	69	69	69	69	69
Tretlageroffset	40	40	35	35	40	40	35	35
Stack	575	575	579	593	575	575	579	593
Reach	379	394	408	419	379	394	408	419

Sharptail Street 1 27,5

Rahmengröße	Gent					Trapez		
	XS	S	M	L	XL	S	M	L
Sitzrohrlänge	370	410	460	510	560	410	460	510
Oberrohr	555	575	595	615	635	575	595	615
Steuerrohr	100	100	120	145	175	120	120	145
Radstand	1065	1085	1109	1130	1155	1087	1109	1130
Kettenstrebe	440	440	440	440	440	440	440	440
Sitzwinkel	73	73	73	73	73	73	73	73
Lenkwinkel	69	69	69	69	69	69	69	69
Tretlageroffset	45	45	40	40	35	45	40	40
Stack	571	571	585	608	631	590	585	608
Reach	380	400	416	429	442	395	416	429

Sharptail Street 2 27,5

Rahmengröße	Sharptail Street 3 27,5				Big Free 2 27,5			
	S	M	L	XL	S	M	L	XL
Sitzrohrlänge	410	460	510	560	410	460	510	560
Oberrohr	575	595	615	635	575	595	615	635
Steuerrohr	100	120	145	175	100	120	145	175
Radstand	1085	1109	1130	1155	1085	1109	1130	1155
Kettenstrebe	440	440	440	440	440	440	440	440
Sitzwinkel	73	73	73	73	73	73	73	73
Lenkwinkel	69	69	69	69	69	69	69	69
Tretlageroffset	45	40	40	35	45	40	40	35
Stack	571	585	608	631	571	585	608	631
Reach	400	416	429	442	400	416	429	442

Barbar

Rahmengröße	M
Sitzrohrlänge	242
Oberrohr	469
Steuerrohr	100
Radstand	883
Kettenstrebe	365
Sitzwinkel	71
Lenkwinkel	74,5
Tretlageroffset	38 *
Stack	360
Reach	374

Duro DJ Pro

Rahmengröße	M
Sitzrohrlänge	315
Oberrohr	608
Steuerrohr	105
Radstand	1050
Kettenstrebe	348
Sitzwinkel	71
Lenkwinkel	68,5
Tretlageroffset	20
Stack	554
Reach	417

* Tretlager liegt über der Laufdachse

Daily Grinder 1
Daily Grinder 2

Rahmengröße	Gent					Trapez		
	S	M	L	XL	XL	S	M	L
Sitzrohrlänge	450	470	510	550	550	450	470	510
Oberrohr	546	569	587	610	610	536	560	577
Steuerrohr	135	160	189	213	213	135	160	189
Radstand	1049	1074	1093	1117	1117	1039	1065	1083
Kettenstrebe	450	450	450	450	450	450	450	450
Sitzwinkel	74	74	74	74	74	74	74	74
Lenkwinkel	71	71	71	71	71	71	71	71
Tretlageroffset	70	70	70	70	70	70	70	70
Stack	575	598	626	648	648	575	598	626
Reach	381	397	408	424	424	371	388	398

Daily Grinder 3

Rahmengröße	Gent					Trapez		
	S	M	L	XL	XL	S	M	L
Sitzrohrlänge	450	470	510	550	550	450	470	510
Oberrohr	546	569	587	610	610	536	560	577
Steuerrohr	135	160	189	213	213	135	160	189
Radstand	1049	1074	1093	1117	1117	1039	1065	1083
Kettenstrebe	450	450	450	450	450	450	450	450
Sitzwinkel	74	74	74	74	74	74	74	74
Lenkwinkel	71	71	71	71	71	71	71	71
Tretlageroffset	70	70	70	70	70	70	70	70
Stack	575	598	626	648	648	575	598	626
Reach	381	397	408	424	424	371	388	398

Grinder 1
Grinder 2

Rahmengröße	Gent					Trapez		
	S	M	L	XL	XL	S	M	L
Sitzrohrlänge	450	470	510	550	550	450	470	510
Oberrohr	546	570	587	610	610	536	560	577
Steuerrohr	135	160	189	213	213	135	160	189
Radstand	1017	1042	1061	1085	1085	1009	1034	1053
Kettenstrebe	420	420	420	420	420	420	420	420
Sitzwinkel	74	74	74	74	74	74	74	74
Lenkwinkel	71	71	71	71	71	71	71	71
Tretlageroffset	70	70	70	70	70	70	70	70
Stack	575	599	626	649	649	575	598	626
Reach	381	398	407	424	424	371	388	398

Grinder 3
Grinder 4

Rahmengröße	Gent					Trapez		
	S	M	L	XL	XL	S	M	L
Sitzrohrlänge	450	470	510	550	550	450	470	510
Oberrohr	546	570	587	610	610	536	560	577
Steuerrohr	135	160	189	213	213	135	160	189
Radstand	1017	1042	1061	1085	1085	1009	1034	1053
Kettenstrebe	420	420	420	420	420	420	420	420
Sitzwinkel	74	74	74	74	74	74	74	74
Lenkwinkel	71	71	71	71	71	71	71	71
Tretlageroffset	70	70	70	70	70	70	70	70
Stack	575	599	626	649	649	575	598	626
Reach	381	398	407	424	424	371	388	398

Trail Grinder
Speed Grinder

Rahmengröße	Gent					Trapez		
	S	M	L	XL	XL	S	M	L
Sitzrohrlänge	450	470	510	550	550	450	470	510
Oberrohr	546	570	587	610	610	536	560	577
Steuerrohr	135	160	189	213	213	135	160	189
Radstand	1017	1042	1061	1085	1085	1009	1034	1053
Kettenstrebe	420	420	420	420	420	420	420	420
Sitzwinkel	74	74	74	74	74	74	74	74
Lenkwinkel	71	71	71	71	71	71	71	71
Tretlageroffset	70	70	70	70	70	70	70	70
Stack	575	599	626	649	649	575	598	626
Reach	381	398	407	424	424	371	388	398

Duro DJ

Rahmengröße	M	L
Sitzrohrlänge	320	360
Oberrohr	549	577
Steuerrohr	100	110
Radstand	1042	1071
Kettenstrebe	400	400
Sitzwinkel	74	74
Lenkwinkel	68,5	68,5
Tretlageroffset	20	20
Stack	547	556
Reach	392	418

Espresso Grinder

Rahmengröße	S	M	L	XL	XXL
Sitzrohrlänge	450	470	510	550	610
Oberrohr	576	600	617	640	620
Steuerrohr	135	160	189	213	160
Radstand	1049	1074	1093	1117	1116
Kettenstrebe	420	420	420	420	445
Sitzwinkel	74	74	74	74	73,5
Lenkwinkel	71	71	71	71	71
Tretlageroffset	70	70	70	70	55
Stack	575	598	626	648	638
Reach	411	428	438	454	431

Machete

Rahmengröße	S	M	L	XL
Sitzrohrlänge	450	470	510	550
Oberrohr	546	570	587	610
Steuerrohr	135	160	189	213
Radstand	1016	1041	1060	1084
Kettenstrebe	419	419	419	419
Sitzwinkel	74	74	74	74
Lenkwinkel	71	71	71	71
Tretlageroffset	70	70	70	70
Stack	575	599	626	649
Reach	381	398	407	424

Harrier 1
Harrier 2

Rahmengröße	XS	S	M	L	XL	XXL
Sitzrohrlänge	470	510	540	560	580	600
Oberrohr	514	527	541	556	571	588
Steuerrohr	135	154	173	185	205	225
Radstand	989	994	991	997	1006	1022
Kettenstrebe	410	410	410	410	412	414
Sitzwinkel	75,25	75	74,5	74	73,5	73,25
Lenkwinkel	70	71	72,5	73	73,25	73,25
Tretlageroffset	80	75	72,5	70	70	70
Stack	539	556	577	588	608	627
Reach	372	378	381	388	391	399

Harrier Disc 1
Harrier Disc 2 Harrier Disc 3

Rahmengröße	XS	S	M	L	XL	XXL
Sitzrohrlänge	470	510	540	560	580	600
Oberrohr	514	527	541	556	571	588
Steuerrohr	135	154	173	185	205	225
Radstand	994	1001	997	1003	1010	1024
Kettenstrebe	415	415	415	415	415	415
Sitzwinkel	75,25	75	74,5	74	73,5	73,25
Lenkwinkel	70	71	72,5	73	73,25	73,25
Tretlageroffset	80	75	72,5	70	70	70
Stack	548	556	586	597	617	636
Reach	368	376	378	385	388	397

Pulsar Cross
Wildcross
Crossbike 1

Cross Bike 2
Cross Flyer
Wildcross Street

Pulsar Cross Street
Cross Bike Street
Street Flyer

Rahmengröße	S	M	L	XL	XXL
Sitzrohlänge	440	480	540	580	610
Oberrohr	565	580	590	600	620
Steuerrohr	130	130	135	150	160
Radstand	1069	1074	1085	1095	1116
Kettenstrebe	445	445	445	445	445
Sitzwinkel	74,5	73,5	73,5	73,5	73,5
Lenkwinkel	71	71	71	71	71
Tretlageroffset	60	55	55	55	55
Stack	614	609	614	628	638
Reach	395	400	408	414	431

Cross Rider

Rahmengröße	Gent				Trapez		
	S	M	L	XL	S	M	L
Sitzrohlänge	480	540	580	610	440	480	540
Oberrohr	590	600	610	630	565	580	590
Steuerrohr	130	135	150	160	130	130	135
Radstand	1084	1095	1105	1126	1069	1074	1085
Kettenstrebe	445	445	445	445	445	445	445
Sitzwinkel	73,5	73,5	73,5	73,5	74,5	73,5	73,5
Lenkwinkel	71	71	71	71	71	71	71
Tretlageroffset	55	55	55	55	60	55	55
Stack	609	614	628	638	614	609	614
Reach	410	418	424	441	395	400	408

Tokee Lite 16
Tokee Ultra Lite 16

Sitzrohlänge	210
Oberrohr	380
Steuerrohr	100
Radstand	696
Kettenstrebe	290
Sitzwinkel	68
Lenkwinkel	68
Tretlageroffset	0
Stack	325
Reach	249

Tokee Lite 18

Sitzrohlänge	230
Oberrohr	420
Steuerrohr	100
Radstand	766
Kettenstrebe	305
Sitzwinkel	70
Lenkwinkel	68
Tretlageroffset	15
Stack	376
Reach	283

Cross Mover
Street Mover

Cross Rider Street

Rahmengröße	Gent				Trapez		
	M	L	XL	XXL	S	M	L
Sitzrohlänge	480	540	580	620	440	480	540
Oberrohr	590	600	615	630	580	590	600
Steuerrohr	130	135	155	175	130	130	135
Radstand	1098	1108	1124	1140	1086	1098	1108
Kettenstrebe	445	445	445	445	445	445	445
Sitzwinkel	73,5	73,5	73,5	73,5	73,5	73,5	73,5
Lenkwinkel	70	70	70	70	70	70	70
Tretlageroffset	55	55	55	55	60	55	55
Stack	614	619	637	656	618	614	619
Reach	408	417	426	436	397	408	417

Tokee Runner

Sitzrohlänge	100
Oberrohr	330
Steuerrohr	60
Radstand	566
Kettenstrebe	235
Sitzwinkel	70
Lenkwinkel	70
Tretlageroffset	-
Stack	-
Reach	-

Tokee Lite 14

Rahmengröße	Boy	Girl
Sitzrohlänge	170	170
Oberrohr	330	330
Steuerrohr	90	90
Radstand	633	633
Kettenstrebe	266	266
Sitzwinkel	68	68
Lenkwinkel	67	67
Tretlageroffset	10 *	10 *
Stack	285	285
Reach	215	215

* Tretlager liegt über der Laufradachse

Tokee 20
Tokee Street 20 7-speed

Rahmengröße	Boy	Girl
Sitzrohlänge	280	280
Oberrohr	450	450
Steuerrohr	100	100
Radstand	875	875
Kettenstrebe	365	365
Sitzwinkel	73	73
Lenkwinkel	70	70
Tretlageroffset	20	20
Stack	430	430
Reach	319	319

Tokee 24
Tokee Street 24 7-speed

Rahmengröße	Boy	Girl
Sitzrohlänge	320	320
Oberrohr	500	500
Steuerrohr	120	120
Radstand	970	970
Kettenstrebe	410	410
Sitzwinkel	73	73
Lenkwinkel	70	70
Tretlageroffset	45	45
Stack	538	538
Reach	336	336

Tokee Disc 20

Sitzrohlänge	250
Oberrohr	440
Steuerrohr	80
Radstand	840
Kettenstrebe	340
Sitzwinkel	71
Lenkwinkel	68
Tretlageroffset	20
Stack	427
Reach	293

Tokee Disc 24

Sitzrohlänge	300
Oberrohr	490
Steuerrohr	80
Radstand	963
Kettenstrebe	410
Sitzwinkel	72
Lenkwinkel	68
Tretlageroffset	45
Stack	517
Reach	322

Tokee Disc 26

Sitzrohlänge	320
Oberrohr	540
Steuerrohr	80
Radstand	1032
Kettenstrebe	420
Sitzwinkel	73
Lenkwinkel	68
Tretlageroffset	50
Stack	536
Reach	376

Tokee Street 20 3-speed

Rahmengröße	Boy	Girl
Sitzrohlänge	280	280
Oberrohr	450	450
Steuerrohr	100	100
Radstand	872	872
Kettenstrebe	362	362
Sitzwinkel	73	73
Lenkwinkel	70	70
Tretlageroffset	20	20
Stack	430	430
Reach	319	319

Tokee Street 24 3-speed

Rahmengröße	Boy	Girl
Sitzrohlänge	320	320
Oberrohr	500	500
Steuerrohr	120	120
Radstand	972	972
Kettenstrebe	412	412
Sitzwinkel	73	73
Lenkwinkel	70	70
Tretlageroffset	45	45
Stack	538	538
Reach	336	336

Sharptail Street 24
7-speed outer
Zarena Street 24
7-speed outer


Sitzrohlänge	320
Oberrohr	500
Steuerrohr	100
Radstand	961
Kettenstrebe	402
Sitzwinkel	73
Lenkwinkel	70
Tretlageroffset	45
Stack	519
Reach	341

Sharptail Street 24
7-speed inner
Zarena Street 24
7-speed inner

Sitzrohlänge	320
Oberrohr	500
Steuerrohr	100
Radstand	961
Kettenstrebe	402
Sitzwinkel	73
Lenkwinkel	70
Tretlageroffset	45
Stack	519
Reach	341

Sharptail Street 26
21-speed
Zarena Street 26
21-speed

Sitzrohlänge	320
Oberrohr	510
Steuerrohr	100
Radstand	984
Kettenstrebe	415
Sitzwinkel	73
Lenkwinkel	69,5
Tretlageroffset	50
Stack	561
Reach	339



GEOMETRIES

SONIC EVO SX 1
SONIC EVA SX 1

Rahmengröße	S	M	L	XL
Sitzrohrlänge	400	440	470	510
Oberrohr	585	616	643	666
Steuerrohr	100	110	130	140
Radstand	1158	1192	1220	1244
Kettenstrebe	445	445	445	445
Sitzwinkel	75	75	75	75
Lenkwinkel	67	67	67	67
Tretlageroffset	62,5	62,5	62,5	62,5
Stack	629	638	657	666
Reach	420	450	470	490

SONIC EVO SX 2
SONIC EVO SX DAKAR

SONIC EVO AM SX 1
SONIC EVA AM SX 1

Rahmengröße	S	M	L	XL
Sitzrohrlänge	400	440	470	510
Oberrohr	580	620	640	663
Steuerrohr	100	110	130	140
Radstand	1184	1218	1246	1270
Kettenstrebe	450	450	450	450
Sitzwinkel	75	75	75	75
Lenkwinkel	65,5	65,5	65,5	65,5
Tretlageroffset	37,5	37,5	37,5	37,5
Stack	624	633	650	669
Reach	420	450	470	490

SONIC EVO AM SX 2
SONIC EVO AM SX-I

SONIC EVO AM SL 1
SONIC EVO AM SL 2

Rahmengröße	S	M	L	XL
Sitzrohrlänge	410	440	470	510
Oberrohr	592	613	635	657
Steuerrohr	120	120	130	140
Radstand	1194	1214	1238	1262
Kettenstrebe	450	450	450	450
Sitzwinkel	75,5	75,5	75,5	75,5
Lenkwinkel	66	66	66	66
Tretlageroffset	30	30	30	30
Stack	628	628	637	646
Reach	430	450	470	490

SONIC EVO AM SL 3

SONIC EVO EN SL 1
SONIC EVO EN SL 2
SONIC EVO EN-SL Daytona

Rahmengröße	S	M	L	XL
Sitzrohrlänge	410	440	470	510
Oberrohr	595	615	637	660
Steuerrohr	120	120	130	140
Radstand	1202	1223	1246	1271
Kettenstrebe	450	450	450	450
Sitzwinkel	74,5	74,5	74,5	74,5
Lenkwinkel	65	65	65	65
Tretlageroffset	23	23	23	23
Stack	635	635	644	653
Reach	420	441	460	481

SONIC EVO
SONIC EVA

Rahmengröße	S	M	L	XL	XXL
Sitzrohrlänge	400	440	480	520	560
Oberrohr	591	619	637	658	678
Steuerrohr	120	120	130	140	140
Radstand	1142	1176	1194	1218	1238
Kettenstrebe	450	450	450	450	450
Sitzwinkel	73,5	73,5	73,5	73,5	73,5
Lenkwinkel	67,5	67,5	67,5	67,5	67,5
Tretlageroffset	62,5	62,5	62,5	62,5	62,5
Stack	629	647	656	665	667
Reach	410	430	450	470	490

SONIC EVO EN 2

Rahmengröße	M	L
Sitzrohrlänge	445	475
Oberrohr	594	625
Steuerrohr	115	120
Radstand	1248	1281
Kettenstrebe	447	447
Sitzwinkel	77	77
Lenkwinkel	64	64
Tretlageroffset	22,5	22,5
Stack	641	645
Reach	450	480

SONIC EVA TR 1

Rahmengröße	S	M	L
Sitzrohrlänge	400	440	480
Oberrohr	579	604	627
Steuerrohr	120	120	120
Radstand	1150	1175	1198
Kettenstrebe	450	450	450
Sitzwinkel	74	74	74
Lenkwinkel	67,5	67,5	67,5
Tretlageroffset	30	30	30
Stack	607	607	616
Reach	405	430	450

SONIC EVO TR 1

Rahmengröße	S	M	L	XL	XXL
Sitzrohrlänge	410	440	470	510	540
Oberrohr	584	614	632	657	675
Steuerrohr	120	120	120	130	140
Radstand	1201	1230	1249	1274	1285
Kettenstrebe	465	465	465	465	465
Sitzwinkel	73,5	73,5	73,5	73,5	73,5
Lenkwinkel	66	66	66	66	66
Tretlageroffset	42,5	42,5	42,5	42,5	42,5
Stack	628	628	628	638	646
Reach	424	454	474	494	509

SONIC EVO TR 2
SONIC EVO TR-i

Rahmengröße	S	M	L	XL
Sitzrohrlänge	410	440	470	510
Oberrohr	602	611	631	657
Steuerrohr	120	110	130	130
Radstand	1199	1225	1238	1271
Kettenstrebe	465	465	465	465
Sitzwinkel	74,5	73,5	74,5	73,5
Lenkwinkel	66,4	66	66,4	66
Tretlageroffset	45	42,5	45	42,5
Stack	616	619	626	637
Reach	429	454	464	495

SONIC TR 3, I 29 Carbon 750

Rahmengröße	M	L	XL
Sitzrohrlänge	440	480	510
Oberrohr	611	634	657
Steuerrohr	110	120	130
Radstand	1225	1250	1271
Kettenstrebe	465	465	465
Sitzwinkel	73,5	73,5	73,5
Lenkwinkel	66	66	66
Tretlageroffset	42,5	42,5	42,5
Stack	619	628	637
Reach	454	474	495

SONIC EVO AM 2 29/27,5
SONIC EVO AM 2 ABS 29/27,5
SONIC EVO AM 3 ABS 29/27,5
SONIC EVO AM 4 29/27,5
SONIC EVO AM-TEAM 29/27,5

SONIC EVO AM 1 29/27,5

Rahmengröße	S	M	L	XL	XXL
Sitzrohrlänge	410	440	470	510	540
Oberrohr	586	616	634	658	676
Steuerrohr	120	120	120	130	140
Radstand	1193	1222	1243	1267	1286
Kettenstrebe	450	450	450	450	450
Sitzwinkel	75	75	75	75	75
Lenkwinkel	65,5	65,5	65,5	65,5	65,5
Tretlageroffset	15	15	15	15	15
Stack	632	632	632	641	650
Reach	420	450	470	490	505

Rahmengröße	S	M	L	XL
Sitzrohrlänge	410	440	470	510
Oberrohr	586	616	634	658
Steuerrohr	110	110	120	130
Radstand	1193	1218	1238	1269
Kettenstrebe	450	450	450	450
Sitzwinkel	75	75	75	75
Lenkwinkel	65,5	65,5	65,5	65,5
Tretlageroffset	15	15	15	15
Stack	632	632	630	640
Reach	420	450	470	490

SONIC Evo AM-I Carbon 750

Rahmengröße	M	L	XL
Sitzrohrlänge	440	470	510
Oberrohr	616	634	658
Steuerrohr	110	120	130
Radstand	1218	1238	1269
Kettenstrebe	450	450	450
Sitzwinkel	75	75	75
Lenkwinkel	65,5	65,5	65,5
Tretlageroffset	15	15	15
Stack	632	630	640
Reach	450	470	490

VUCA EVO AM 1
VUCA EVO AM 2

Rahmengröße	S	M	L	XL
Sitzrohrlänge	410	440	480	540
Oberrohr	610	620	640	660
Steuerrohr	105	105	120	140
Radstand	1217	1227	1250	1273
Kettenstrebe	455	455	455	455
Sitzwinkel	75	75	75	75
Lenkwinkel	66	66	66	66
Tretlageroffset	30	30	30	30
Stack	626	626	640	658
Reach	442	452	472	484

E-Stream EVO 1 29

Rahmengröße	Gent				Wave			
	S	M	L	XL	S	M	L	XL
Sitzrohrlänge	410	440	480	540	410	440	480	540
Oberrohr	610	620	640	660	610	620	640	660
Steuerrohr	105	105	120	140	160	160	160	180
Radstand	1191	1201	1223	1246	1200	1210	1230	1253
Kettenstrebe	455	455	455	455	455	455	455	455
Sitzwinkel	75	75	75	75	75	75	75	75
Lenkwinkel	66,5	66,5	66,5	66,5	66,5	66,5	66,5	66,5
Tretlageroffset	55	55	55	55	55	55	55	55
Stack	619	619	633	651	669	669	669	688
Reach	444	454	470	486	431	441	461	476
Durchstiegshöhe	-	-	-	-	457	457	457	457

E-Stream EVO 127,5

Rahmengröße	Lady				Wave		
	XS	S	M	L	XS	S	M
Sitzrohrlänge	390	410	440	480	390	410	440
Oberrohr	600	610	620	640	600	610	620
Steuerrohr	95	105	105	120	160	160	160
Radstand	1165	1176	1187	1209	1174	1184	1194
Kettenstrebe	437	437	437	437	437	437	437
Sitzwinkel	75	75	75	75	75	75	75
Lenkwinkel	66,5	66,5	66,5	66,5	66,5	66,5	66,5
Tretlageroffset	45	45	45	45	45	45	45
Stack	600	609	609	623	660	660	660
Reach	439	447	457	473	423	433	443
Durchstiegshöhe	-	-	-	-	441	441	441

E-Stream EVO TR 1
E-Stream EVA TR 1
E-Stream EVA TR 2

Rahmengröße	XS	S	M	L
Sitzrohrlänge	390	410	440	480
Oberrohr	600	600	610	630
Steuerrohr	95	105	105	120
Radstand	1175	1177	1187	1209
Kettenstrebe	437	437	437	437
Sitzwinkel	75,5	75,5	75,5	75,5
Lenkwinkel	66,5	66,5	66,5	66,5
Tretlageroffset	30	30	30	30
Stack	595	604	604	618
Reach	446	444	454	470

E-Stream EVO AM 2
E-Stream EVO AM 3

E-Stream EVO AM 4
E-Stream EVO AM 6

Rahmengröße	XS	S	M	L
Sitzrohrlänge	410	440	480	540
Oberrohr	610	620	640	660
Steuerrohr	105	105	120	140
Radstand	1210	1222	1243	1265
Kettenstrebe	455	456	456	455
Sitzwinkel	75	75	75	75
Lenkwinkel	66	66	66	66
Tretlageroffset	30	30	30	30
Stack	619	621	634	651
Reach	444	454	468	486

E-Stream Evo 2 Street 27,5

Rahmengröße	Lady				Wave		
	XS	S	M	L	XS	S	M
Sitzrohrlänge	390	410	440	480	390	410	440
Oberrohr	600	610	620	640	600	610	620
Steuerrohr	95	105	105	120	160	160	160
Radstand	1165	1176	1187	1209	1174	1184	1194
Kettenstrebe	437	437	437	437	437	437	437
Sitzwinkel	75	75	75	75	75	75	75
Lenkwinkel	66,5	66,5	66,5	66,5	66,5	66,5	66,5
Tretlageroffset	45	45	45	45	45	45	45
Stack	600	609	609	623	660	660	660
Reach	439	447	457	473	423	433	443

Copperhead EVO 1 27,5
Copperhead EVO 2 27,5
Copperhead EVO 3 27,5
Copperhead EVO 2 XXL 27,5
Copperhead EVO 2 XXL Street 27,5

Rahmengröße	Gent					Trapez				Wave			
	S	M	L	XL	XXL	S	M	L	XL	S	M	L	XL
Sitzrohrlänge	410	440	480	540	600	410	440	480	540	410	440	480	540
Oberrohr	615	620	635	660	685	615	620	635	660	615	620	635	660
Steuerrohr	125	125	130	140	180	125	125	130	140	160	160	160	180
Radstand	1182	1187	1196	1223	1254	1182	1187	1196	1223	1165	1190	1198	1226
Kettenstrebe	440	440	440	440	440	440	440	440	440	450	450	450	450
Sitzwinkel	74,5	74,5	74	74	74	74,5	74,5	74	74	74,5	74,5	74	74
Lenkwinkel	66	66	66	66	66	66	66	66	66	67	67	67	67
Tretlageroffset	60	60	60	60	60	60	60	60	60	60	60	60	60
Stack	638	638	642	652	688	638	638	642	652	675	675	675	694
Reach	438	443	451	473	488	438	443	451	473	428	433	441	461
Durchstiegshöhe	-	-	-	-	-	-	-	-	-	433	433	433	433

Copperhead EVO 1 29
Copperhead EVO 2 29
Copperhead EVO 2 ABS 29
Copperhead EVO 2 XXL 29
Copperhead EVO 3 XXL ABS

Rahmengröße	Gent					Wave			
	S	M	L	XL	XXL	S	M	L	XL
Sitzrohrlänge	410	440	480	540	600	410	440	480	540
Oberrohr	615	620	635	660	685	615	620	635	660
Steuerrohr	125	125	130	140	180	160	160	160	180
Radstand	1195	1194	1209	1236	1267	1194	1191	1208	1235
Kettenstrebe	455	455	455	455	455	460	460	460	460
Sitzwinkel	74,5	74	74	74	74	74,5	74	74	74
Lenkwinkel	66	66	66	66	66	67	67	67	67
Tretlageroffset	65	65	65	65	65	65	65	65	65
Stack	643	643	647	657	693	691	691	691	710
Reach	437	437	449	472	486	423	422	437	456
Durchstiegshöhe	-	-	-	-	-	433	433	433	433

Copperhead EVO AM 1 29/27,5
Copperhead EVO AM 2 ABS 29/27,5
Copperhead EVO AM 3 29/27,5

Rahmengröße	S	M	L	XL
Sitzrohrlänge	410	440	480	540
Oberrohr	630	630	640	665
Steuerrohr	125	125	130	140
Radstand	1238	1238	1244	1269
Kettenstrebe	445	445	445	445
Sitzwinkel	75	75	74,5	74,5
Lenkwinkel	66	66	66	66
Tretlageroffset	5	5	5	5
Stack	619	619	624	633
Reach	464	464	467	489

Aminga CX 27,5

Rahmengröße	XS	S	M	L
Sitzrohrlänge	370	410	440	480
Oberrohr	590	595	610	635
Steuerrohr	120	120	120	130
Radstand	1126	1125	1136	1164
Kettenstrebe	430	430	430	430
Sitzwinkel	74,5	74	73,5	73,5
Lenkwinkel	67,5	67,5	67,5	67,5
Tretlageroffset	50	50	45	40
Stack	612	612	607	612
Reach	420	419	430	454

Aminga EVA 2
Aminga EVA 3

Rahmengröße	Lady				Wave			
	XS	S	M	L	XS	S	M	L
Sitzrohrlänge	370	410	440	480	370	410	440	480
Oberrohr	580	590	610	635	580	590	610	635
Steuerrohr	125	125	125	130	160	160	160	160
Radstand	1118	1128	1148	1174	1120	1130	1150	1175
Kettenstrebe	440	440	440	440	450	450	450	450
Sitzwinkel	73,5	73,5	73,5	73,5	73,5	73,5	73,5	73,5
Lenkwinkel	67,5	67,5	67,5	67,5	68,5	68,5	68,5	68,5
Tretlageroffset	57,5	57,5	57,5	57,5	57,5	57,5	57,5	57,5
Stack	643	643	643	648	681	681	681	681
Reach	389	399	419	443	378	388	408	433
Durchstiegshöhe	-	-	-	-	438	438	438	438

Aminga EVA TR 1

Rahmengröße	S	M	L	XL
Sitzrohrlänge	410	440	480	540
Oberrohr	630	630	640	665
Steuerrohr	125	125	130	140
Radstand	1220	1220	1225	1251
Kettenstrebe	445	445	445	445
Sitzwinkel	75	75	74,5	74,5
Lenkwinkel	66	66	66	66
Tretlageroffset	25	25	25	65
Stack	610	610	615	624
Reach	467	467	470	492

Aminga EVA 1

Rahmengröße	XS	S	M	L
Sitzrohrlänge	370	410	440	480
Oberrohr	615	615	620	635
Steuerrohr	125	125	125	130
Radstand	1182	1182	1180	1190
Kettenstrebe	440	440	440	440
Sitzwinkel	74,5	74,5	74	73,5
Lenkwinkel	66	66	66	66
Tretlageroffset	60	60	60	60
Stack	638	638	638	642
Reach	438	438	438	445
Durchstiegshöhe	-	-	-	-

Aminga EVA TR 2

Rahmengröße	S	M	L	XL
Sitzrohrlänge	410	440	480	540
Oberrohr	605	615	640	665
Steuerrohr	125	125	130	140
Radstand	1178	1177	1203	1230
Kettenstrebe	445	445	445	445
Sitzwinkel	74,5	74	74	74
Lenkwinkel	67	67,5	67,5	67,5
Tretlageroffset	25	25	25	25
Stack	612	614	619	628
Reach	435	439	463	485

LT EVO Performance 27,5

Rahmengröße	S	M	L	XL
Sitzrohrlänge	410	440	480	540
Oberrohr	615	625	635	660
Steuerrohr	150	150	150	175
Radstand	1188	1197	1200	1230
Kettenstrebe	465	465	465	465
Sitzwinkel	74	73,5	73,5	73,5
Lenkwinkel	67,5	67,5	67,5	67,5
Tretlageroffset	35	35	35	35
Stack	619	619	619	643
Reach	437	442	452	470

LT EVA Performance 27,5

Rahmengröße	XS	S	M	L
Sitzrohrlänge	370	410	440	480
Oberrohr	615	615	625	635
Steuerrohr	150	150	150	150
Radstand	1188	1188	1197	1200
Kettenstrebe	465	430	430	430
Sitzwinkel	74	74	73,5	73,5
Lenkwinkel	67,5	67,5	67,5	67,5
Tretlageroffset	35	35	35	35
Stack	619	619	619	619
Reach	437	437	442	452

LT EVO Performance 29

LT EVO Performance SUV 29

Rahmengröße	S	M	L	XL	XXL
Sitzrohrlänge	410	440	480	540	600
Oberrohr	615	625	635	660	685
Steuerrohr	150	150	150	175	175
Radstand	1201	1205	1215	1243	1268
Kettenstrebe	480	480	480	480	480
Sitzwinkel	74	73,5	73,5	73,5	73,5
Lenkwinkel	67,5	67,5	67,5	67,5	67,5
Tretlageroffset	55	55	55	55	55
Stack	652	652	657	675	675
Reach	426	432	442	460	485

LT CX 29

LT CX PRO 29

Rahmengröße	S	M	L	XL	XXL
Sitzrohrlänge	410	440	480	540	600
Oberrohr	590	610	635	660	685
Steuerrohr	120	120	130	140	180
Radstand	1142	1162	1188	1214	1268
Kettenstrebe	455	455	455	455	455
Sitzwinkel	73,5	73,5	73,5	73,5	73,5
Lenkwinkel	67,5	67,5	67,5	67,5	67,5
Tretlageroffset	57,5	57,5	57,5	57,5	57,5
Stack	639	639	648	657	694
Reach	401	421	443	465	479

LT CX 27,5

Rahmengröße	XS	S	M	L	XL
Sitzrohrlänge	370	410	440	480	540
Oberrohr	590	595	610	635	660
Steuerrohr	120	120	120	130	140
Radstand	1125	1125	1136	1164	1190
Kettenstrebe	430	430	430	430	430
Sitzwinkel	74,5	74	73,5	73,5	73,5
Lenkwinkel	67,5	67,5	67,5	67,5	67,5
Tretlageroffset	50	50	45	40	40
Stack	612	612	607	612	621
Reach	420	420	430	454	476

LT Performance 27,5

Rahmengröße	S	M	L	XL
Sitzrohrlänge	410	440	480	540
Oberrohr	595	610	635	660
Steuerrohr	120	120	130	140
Radstand	1160	1171	1199	1225
Kettenstrebe	465	465	465	465
Sitzwinkel	74	73,5	73,5	73,5
Lenkwinkel	67,5	67,5	67,5	67,5
Tretlageroffset	50	45	40	40
Stack	612	607	612	621
Reach	419	430	454	476

LT EVO CX 27,5

Rahmengröße	S	M	L	XL
Sitzrohrlänge	410	440	480	540
Oberrohr	620	630	640	665
Steuerrohr	130	130	130	140
Radstand	1185	1195	1194	1201
Kettenstrebe	440	440	440	440
Sitzwinkel	74,5	74,5	74	73,5
Lenkwinkel	66	66	66,5	67,5
Tretlageroffset	60	60	60	60
Stack	630	630	633	638
Reach	445	455	458	476

LT EVO CX 29

Rahmengröße	S	M	L	XL	XXL
Sitzrohrlänge	410	440	480	540	600
Oberrohr	615	625	635	660	685
Steuerrohr	150	150	150	175	175
Radstand	1171	1175	1185	1213	1238
Kettenstrebe	450	450	450	450	450
Sitzwinkel	74	73,5	73,5	73,5	73,5
Lenkwinkel	67,5	67,5	67,5	67,5	67,5
Tretlageroffset	55	55	55	55	55
Stack	652	652	652	675	675
Reach	428	432	442	460	485

VUCA EVO X1

VUCA EVO SPEED X1

Rahmengröße	Gent				Wave			
	S	M	L	XL	S	M	L	XL
Sitzrohrlänge	410	440	480	540	410	440	480	540
Oberrohr	615	615	635	660	615	615	635	660
Steuerrohr	105	120	130	140	160	160	160	180
Radstand	1178	1180	1195	1221	1185	1185	1198	1226
Kettenstrebe	455	455	455	455	455	455	455	455
Sitzwinkel	74	74	74	74	74	74	74	74
Lenkwinkel	67	67	67,5	67,5	67	67	67,5	67,5
Tretlageroffset	55	55	55	55	55	55	55	55
Stack	629	643	654	664	679	679	682	701
Reach	435	431	447	470	420	420	439	459
Durchstiegshöhe	-	-	-	-	457	457	457	457

VUCA EVO FSX1

VUCA EVO SPEED FSX1

Rahmengröße	Gent				Wave			
	S	M	L	XL	S	M	L	XL
Sitzrohrlänge	410	440	480	540	410	440	480	540
Oberrohr	610	610	635	660	610	610	635	660
Steuerrohr	105	120	130	140	160	160	160	180
Radstand	1204	1206	1233	1259	1212	1212	1237	1265
Kettenstrebe	470	470	470	470	470	470	470	470
Sitzwinkel	75	75	75	75	75	75	75	75
Lenkwinkel	67,5	67,5	67,5	67,5	67,5	67,5	67,5	67,5
Tretlageroffset	25	25	25	25	25	25	25	25
Stack	601	615	624	634	652	652	652	670
Reach	449	445	468	490	435	435	460	480
Durchstiegshöhe	-	-	-	-	457	457	457	457

Iconic EVO 1
Iconic EVO 2

Rahmengröße	Gent					Wave			
	S	M	L	XL	XXL	S	M	L	XL
Sitzrohrlänge	410	440	480	540	600	410	440	480	540
Oberrohr	615	620	635	660	685	615	620	635	660
Steuerrohr	125	125	130	140	180	160	160	160	180
Radstand	1181	1186	1196	1223	1254	1185	1190	1198	1226
Kettenstrebe	440	440	440	440	440	450	450	450	450
Sitzwinkel	74,5	74,5	74	74	74	74,5	74,5	74	74
Lenkwinkel	66	66	66	66	66	67	67	67	67
Tretlageroffset	60	60	60	60	60	60	60	60	60
Stack	638	638	642	652	688	675	675	675	694
Reach	438	443	451	473	488	428	433	441	461
Durchstiegshöhe	-	-	-	-	-	436	436	436	436

Iconic EVO TR 1

Rahmengröße	S	M	L	XL
Sitzrohrlänge	410	440	480	540
Oberrohr	630	630	640	665
Steuerrohr	125	125	130	140
Radstand	1220	1220	1225	1251
Kettenstrebe	445	445	445	445
Sitzwinkel	75	75	74,5	74,5
Lenkwinkel	66	66	66	66
Tretlageroffset	25	25	25	65
Stack	610	610	615	624
Reach	467	467	470	492

Iconic Evo Belt

Rahmengröße	Gent					Wave			
	S	M	L	XL	XXL	S	M	L	XL
Sitzrohrlänge	410	440	480	540	600	410	440	480	540
Oberrohr	615	620	635	660	685	615	620	635	660
Steuerrohr	125	125	130	140	180	160	160	160	180
Radstand	1197	1202	1211	1237	1269	1190	1195	1204	1231
Kettenstrebe	455	455	455	455	455	455	455	455	455
Sitzwinkel	74,5	74,5	74	74	74	74,5	74,5	74	74
Lenkwinkel	66	66	66	66	66	67	67	67	67
Tretlageroffset	60	60	60	60	60	60	60	60	60
Stack	638	638	642	652	688	675	675	675	694
Reach	438	443	451	473	488	428	433	441	461
Durchstiegshöhe	-	-	-	-	-	436	436	436	436

Allground Evo

Rahmengröße	Gent				Trapez		
	S	M	L	XL	S	M	L
Sitzrohrlänge	450	500	550	600	450	500	550
Oberrohr	625	630	640	650	625	630	640
Steuerrohr	140	140	160	180	140	140	160
Radstand	1200	1205	1217	1228	1200	1205	1217
Kettenstrebe	490	490	490	490	490	490	490
Sitzwinkel	73,5	73,5	73,5	73,5	73,5	73,5	73,5
Lenkwinkel	68,5	68,5	68,5	68,5	68,5	68,5	68,5
Tretlageroffset	65	65	65	65	65	65	65
Stack	669	669	687	706	669	669	687
Reach	427	432	436	441	427	432	436
Durchstiegshöhe	-	-	-	-	438	438	438

Sturmvoegel Evo 5F Belt

Rahmengröße	Gent				Wave		
	S	M	L	XL	S	M	L
Sitzrohrlänge	410	440	480	540	410	440	480
Oberrohr	590	610	635	660	590	610	635
Steuerrohr	120	140	140	160	140	160	180
Radstand	1134	1156	1181	1208	1130	1152	1179
Kettenstrebe	465	465	465	465	465	465	465
Sitzwinkel	73	73	73	73	72,5	72,5	72,5
Lenkwinkel	68	68	68	68	68	68	68
Tretlageroffset	60	60	60	60	60	60	60
Stack	599	618	618	637	618	637	655
Reach	407	421	446	465	395	409	428
Durchstiegshöhe	-	-	-	-	453	453	453

Urban EVO 1
Urban EVO 2

Rahmengröße	Gent				Trapez			
	S	M	L	XL	S	M	L	XL
Sitzrohrlänge	450	470	510	550	450	470	510	540
Oberrohr	570	585	600	615	560	575	590	660
Steuerrohr	135	150	180	210	130	150	170	180
Radstand	1070	1086	1102	1118	1059	1075	1090	1226
Kettenstrebe	460	460	460	460	460	460	460	455
Sitzwinkel	73	73	73	73	73	73	73	74
Lenkwinkel	71	71	71	71	71	71	71	67,5
Tretlageroffset	70	70	70	70	70	70	70	55
Stack	575	590	618	646	571	590	608	701
Reach	394	405	411	417	386	395	404	459
Durchstiegshöhe	-	-	-	-	438	438	438	438

Espresso Grinder EVO

Rahmengröße	S	M	L	XL
Sitzrohrlänge	450	470	510	550
Oberrohr	576	600	617	640
Steuerrohr	135	160	189	213
Radstand	1062	1087	1106	1130
Kettenstrebe	435	435	435	435
Sitzwinkel	74	74	74	74
Lenkwinkel	71	71	71	71
Tretlageroffset	70	70	70	70
Stack	575	599	626	649
Reach	411	428	437	454

Grinder EVO

Rahmengröße	S	M	L	XL
Sitzrohrlänge	450	470	510	550
Oberrohr	546	570	587	610
Steuerrohr	135	160	189	213
Radstand	1032	1057	1076	1100
Kettenstrebe	435	435	435	435
Sitzwinkel	74	74	74	74
Lenkwinkel	71	71	71	71
Tretlageroffset	70	70	70	70
Stack	575	599	626	649
Reach	381	398	407	424

Cross Flyer Evo 1

Rahmengröße	Gent				Trapez			Wave		
	S	M	L	XL	S	M	L	S	M	L
Sitzrohrlänge	450	500	550	600	450	500	550	450	500	550
Oberrohr	625	630	640	650	625	630	640	625	630	640
Steuerrohr	140	160	180	200	140	160	180	180	180	200
Radstand	1193	1194	1206	1218	1193	1194	1206	1196	1196	1207
Kettenstrebe	480	480	480	480	480	480	480	480	480	480
Sitzwinkel	73,5	73,5	73,5	73,5	73,5	73,5	73,5	73	73	73
Lenkwinkel	68	68,5	68,5	68,5	68	68,5	68,5	67,5	68	68
Tretlageroffset	65	65	65	65	65	65	65	65	65	65
Stack	660	682	700	719	660	682	700	695	698	716
Reach	429	428	433	437	429	428	433	413	417	421
Durchstiegshöhe	-	-	-	-	-	-	-	441	441	441

Cross Rider EVO 2
Cross Lite EVO 1Cross Lite EVO 2
Cross Lite EVO 3

Cross Flyer EVO 2

Rahmengröße	Gent				Trapez			Wave		
	S	M	L	XL	S	M	L	S	M	L
Sitzrohrlänge	450	500	550	600	450	500	550	450	500	550
Oberrohr	625	630	640	650	625	630	640	625	630	640
Steuerrohr	140	160	180	200	140	160	180	180	180	200
Radstand	1173	1174	1185	1197	1173	1174	1185	1186	1186	1197
Kettenstrebe	460	460	460	460	460	460	460	470	470	470
Sitzwinkel	73,5	73,5	73,5	73,5	73,5	73,5	73,5	73	73	73
Lenkwinkel	68	68,5	68,5	68,5	68	68,5	68,5	67,5	68	68
Tretlageroffset	65	65	65	65	65	65	65	65	65	65
Stack	660	682	700	719	660	682	700	695	698	716
Reach	429	428	433	437	429	428	433	413	417	421
Durchstiegshöhe	-	-	-	-	-	-	-	441	441	441

Lacuba EVO 9
Lacuba EVO 10Lacuba EVO 11
Lacuba EVO 12

Rahmengröße	Gent				Trapez			Wave		
	S	M	L	XL	S	M	L	S	M	L
Sitzrohrlänge	450	500	550	600	450	500	550	450	500	550
Oberrohr	610	610	620	630	610	610	620	610	620	630
Steuerrohr	140	160	180	200	140	160	180	180	180	200
Radstand	1158	1160	1172	1184	1158	1160	1172	1149	1159	1171
Kettenstrebe	465	465	465	465	465	465	465	465	465	465
Sitzwinkel	73,5	73,5	73,5	73,5	73,5	73,5	73,5	72,5	72,5	72,5
Lenkwinkel	68	68	68	68	68	68	68	68	68	68
Tretlageroffset	65	65	65	65	65	65	65	65	65	65
Stack	638	657	675	694	638	657	675	675	675	694
Reach	421	416	420	425	421	416	420	397	407	411
Durchstiegshöhe	-	-	-	-	-	-	-	450	450	450

Lacuba EVO NV BELT Automatic

Rahmengröße	Gent				Trapez			Wave		
	S	M	L	XL	S	M	L	S	M	L
Sitzrohrlänge	450	500	550	600	450	500	550	450	500	550
Oberrohr	610	610	620	630	610	610	620	610	620	630
Steuerrohr	140	160	180	200	140	160	180	180	180	200
Radstand	1163	1165	1177	1189	1163	1165	1177	1154	1164	1176
Kettenstrebe	470	470	470	470	470	470	470	470	470	470
Sitzwinkel	73,5	73,5	73,5	73,5	73,5	73,5	73,5	72,5	72,5	72,5
Lenkwinkel	68	68	68	68	68	68	68	68	68	68
Tretlageroffset	65	65	65	65	65	65	65	65	65	65
Stack	638	657	675	694	638	657	675	675	675	694
Reach	421	416	420	425	421	416	420	397	407	411
Durchstiegshöhe	-	-	-	-	-	-	-	450	450	450

Lacuba EVO 11 SUV

Rahmengröße	Gent			Trapez			Wave		
	S	M	L	S	M	L	S	M	L
Sitzrohrlänge	450	500	550	450	500	550	450	500	550
Oberrohr	610	610	630	610	610	620	610	620	630
Steuerrohr	140	140	160	140	160	180	160	160	180
Radstand	1158	1158	1180	1158	1160	1172	1148	1157	1169
Kettenstrebe	465	465	465	465	465	465	465	465	465
Sitzwinkel	73,5	73,5	73,5	73,5	73,5	73,5	72,5	72,5	72,5
Lenkwinkel	68	68	68	68	68	68	68	68	68
Tretlageroffset	65	65	65	65	65	65	65	65	65
Stack	638	638	657	638	657	675	657	657	675
Reach	421	421	436	421	416	420	403	413	417
Durchstiegshöhe	-	-	-	-	-	-	450	450	450

Streetliner Evo

Rahmengröße	S	M	L	XL
Sitzrohrlänge	450	500	550	600
Oberrohr	600	610	620	630
Steuerrohr	140	160	180	200
Radstand	1107	1122	1133	1144
Kettenstrebe	460	460	460	460
Sitzwinkel	73	73	73	73
Lenkwinkel	70	70	70	70
Tretlageroffset	70	70	70	70
Stack	638	657	675	694
Reach	405	409	413	418

Tourer Evo 10
Tourer Evo 11 Speed

Rahmengröße	Gent				Trapez			Wave		
	S	M	L	XL	S	M	L	S	M	L
Sitzrohrlänge	450	500	550	600	450	500	550	450	500	550
Oberrohr	610	610	620	630	610	610	620	610	620	630
Steuerrohr	140	160	180	200	140	160	180	180	180	200
Radstand	1162	1165	1177	1188	1162	1165	1177	1154	1164	1178
Kettenstrebe	470	470	470	470	470	470	470	470	470	470
Sitzwinkel	73,5	73,5	73,5	73,5	73,5	73,5	73,5	72,5	72,5	72,5
Lenkwinkel	68	68	68	68	68	68	68	68	68	68
Tretlageroffset	65	65	65	65	65	65	65	65	65	65
Stack	638	657	675	694	638	657	675	675	675	694
Reach	421	416	420	425	421	416	420	397	407	411

Twenty 4 E

Rahmengröße	S
Sitzrohrlänge	320
Oberrohr	515
Steuerrohr	120
Radstand	998
Kettenstrebe	430
Sitzwinkel	73
Lenkwinkel	71
Tretlageroffset	30
Stack	528
Reach	354

Twenty 6 EVO

Rahmengröße	M	L
Sitzrohrlänge	320	370
Oberrohr	535	550
Steuerrohr	110	120
Radstand	1067	1083
Kettenstrebe	445	445
Sitzwinkel	73,5	73,5
Lenkwinkel	68	68
Tretlageroffset	45	45
Stack	576	586
Reach	364	377

Tokee Disc EVO 20

Rahmengröße	S
Sitzrohrlänge	250
Oberrohr	440
Steuerrohr	100
Radstand	840
Kettenstrebe	340
Sitzwinkel	71
Lenkwinkel	68
Tretlageroffset	20
Stack	427
Reach	293

Tokee Disc EVO 24

Rahmengröße	S
Sitzrohrlänge	300
Oberrohr	490
Steuerrohr	100
Radstand	963
Kettenstrebe	410
Sitzwinkel	72
Lenkwinkel	68
Tretlageroffset	45
Stack	517
Reach	322

Tokee Disc EVO 26

Rahmengröße	S
Sitzrohrlänge	320
Oberrohr	540
Steuerrohr	100
Radstand	1032
Kettenstrebe	420
Sitzwinkel	73
Lenkwinkel	68
Tretlageroffset	50
Stack	536
Reach	376



MOUNTAIN

CROSS COUNTRY

26 - 29 Zoll

[illegible]

PULSAR 1 26

light mint
504-00637

CROSS COUNTRY / MOUNTAIN



ONLINE ORDER



grey matt
504-00537



Rahmen	Frame	6061 aluminium	Kassette	Cassette	SHIMANO MF-TZ500-6, 14-28T
Rahmenhöhe	Framesize	XS/S	Bremsen	Brakes	TEKTRO V-Brake
Gabel	Fork	SR SUNTOUR M3010 63 mm	Lenker	Handlebar	MTB riserbar
Schaltwerk	Gearshift	SHIMANO Tourney RD-TY200	Vorbau	Stem	Ahead stem
Umwerfer	Front derailleur	SHIMANO Tourney FD-TY500	Sattelstütze	Seatpost	Alloy
Gänge	Gear	derailleur gear 18-speed	Sattel	Saddle	BULLS sportive Comfort
Schalthebel	Shifter	SHIMANO SL-RS36 Revoshift	Felgen	Rims	DBM-2
Kurbelgarnitur	Crankset	STYX 42/34/24T	Bereifung	Tires	STYX Ace of Pace 57-559

PULSAR 1 27,5

grey matt
504-04041

CROSS COUNTRY / MOUNTAIN



ONLINE ORDER



light mint
504-04141



Rahmen	Frame	6061 aluminium	Kassette	Cassette	SHIMANO MF-TZ500-6, 14-28T
Rahmenhöhe	Framesize	S/M/L	Bremsen	Brakes	TEKTRO V-Brake
Gabel	Fork	SR SUNTOUR XCE-28 100 mm	Lenker	Handlebar	MTB riserbar
Schaltwerk	Gearshift	SHIMANO Tourney RD-TY200	Vorbau	Stem	Ahead stem
Umwerfer	Front derailleur	SHIMANO Tourney FD-TY500	Sattelstütze	Seatpost	Alloy
Gänge	Gear	derailleur gear 18-speed	Sattel	Saddle	BULLS sportive Comfort
Schalthebel	Shifter	SHIMANO SL-RS36 Revoshift	Felgen	Rims	DBM-2
Kurbelgarnitur	Crankset	STYX 42/34/24T	Bereifung	Tires	STYX Ace of Pace 57-584

PULSAR 2 26

light grey
504-01137

CROSS COUNTRY / MOUNTAIN



ONLINE ORDER



frozen dark blue matt
504-01037



Rahmen Frame	6061 aluminium	Kurbelgarnitur Crankset	STYX 42/34/24T
Rahmenhöhe Framesize	XS/S	Kassette Cassette	SHIMANO MF-TZ500-7, 14-28T
Gabel Fork	SR SUNTOUR XCE-28 80 mm	Bremsen Brakes	TEKTRO V-Brake
Schaltwerk Gearshift	SHIMANO Tourney RD-TY300	Lenker Handlebar	MTB riserbar
Umwerfer Front derailleur	SHIMANO Tourney FD-TY500	Vorbau Stem	Ahead stem
Gänge Gear	derailleur gear 21-speed	Sattelstütze Seatpost	Alloy
Schalthebel Shifter	SHIMANO ST-EF41 EZ fire plus, shift/brake lever	Sattel Saddle	BULLS sportive Comfort
		Felgen Rims	DBM-2
		Bereifung Tires	STYX Ace of Pace 57-559

PULSAR 2 27,5

light grey
504-04641

CROSS COUNTRY / MOUNTAIN



ONLINE ORDER



frozen dark blue matt
504-04541



Rahmen Frame	6061 aluminium	Kurbelgarnitur Crankset	STYX 42/34/24T
Rahmenhöhe Framesize	S/M/L	Kassette Cassette	SHIMANO MF-TZ500-7, 14-28T
Gabel Fork	SR SUNTOUR XCE-28 100 mm	Bremsen Brakes	TEKTRO V-Brake
Schaltwerk Gearshift	SHIMANO Tourney RD-TY300	Lenker Handlebar	MTB riserbar
Umwerfer Front derailleur	SHIMANO Tourney FD-TY500	Vorbau Stem	Ahead stem
Gänge Gear	derailleur gear 21-speed	Sattelstütze Seatpost	Alloy
Schalthebel Shifter	SHIMANO ST-EF41 EZ fire plus, shift/brake lever	Sattel Saddle	BULLS sportive Comfort
		Felgen Rims	DBM-2
		Bereifung Tires	STYX Ace of Pace 57-584

KING BOA 27,5

dark petrol
423000009941

NEW!

CROSS COUNTRY / MOUNTAIN



ONLINE ORDER



emerald green
423000019941



Rahmen Frame	6061 aluminium	Kassette Cassette	SHIMANO MF-TZ500-7 14-28T
Rahmenhöhe Framesize	S/L/XL	Bremsen Brakes	TEKTRO MD-M280, mechanic disc brake, TEKTRO 160 mm 6-bolt, TEKTRO 160 mm 6-bolt
Gabel Fork	SR SUNTOUR XCE-28 80 mm	Lenker Handlebar	MTB riserbar
Schaltwerk Gearshift	SHIMANO Tourney FD-TY600	Vorbau Stem	STYX Ahead stem
Umwerfer Front derailleur	SHIMANO Tourney RD-TY300	Sattelstütze Seatpost	30,9 mm aluminium
Gänge Gear	derailleur gear 21-speed	Sattel Saddle	BULLS MTB
Schalthebel Shifter	SHIMANO ST-EF41 EZ fire plus, shift/brake lever	Felgen Rims	Double Wall
Kurbelgarnitur Crankset	42/34/24T	Bereifung Tires	MTB 57-584

WILDTAIL 1 26

liquid copper matt
504-01637

CROSS COUNTRY / MOUNTAIN



ONLINE ORDER



black matt
504-01537



light emerald green matt
504-01737



heavy meavy green matt
504-01837



Rahmen Frame	6061 aluminium	Kassette Cassette	SHIMANO MF-TZ500-7, 14-28T
Rahmenhöhe Framesize	XS/S	Bremsen Brakes	TEKTRO MD-M280, mechanic disc brake, 160 mm / 6-Bolt, 160 mm / 6-Bolt
Gabel Fork	SR SUNTOUR XCE-28 80 mm	Lenker Handlebar	STYX riserbar
Schaltwerk Gearshift	SHIMANO Tourney RD-TY300	Vorbau Stem	STYX Ahead stem
Umworfer Front derailleur	SHIMANO Tourney FD-TY500	Sattelstütze Seatpost	STYX aluminium
Gänge Gear	derailleur gear 21-speed	Sattel Saddle	BULLS sportive Comfort
Schalthebel Shifter	SHIMANO ST-EF41 EZ fire plus, shift/ brake lever	Felgen Rims	DDM-2
Kurbelgarnitur Crankset	STYX 42/34/24T	Bereifung Tires	STYX Ace of Pace 57-559

WILDTAIL 1 27,5

black matt
504-05041

CROSS COUNTRY / MOUNTAIN



ONLINE ORDER



liquid copper matt
504-05141



light emerald green matt
504-05241



heavy meavy green matt
504-05341



Rahmen Frame	6061 aluminium	Kassette Cassette	SHIMANO MF-TZ500-7, 14-28T
Rahmenhöhe Framesize	S/M/L	Bremsen Brakes	TEKTRO MD-M280, mechanic disc brake, 160 mm / 6-Bolt, 160 mm / 6-Bolt
Gabel Fork	SR SUNTOUR XCE-28 100 mm	Lenker Handlebar	STYX riserbar
Schaltwerk Gearshift	SHIMANO Tourney RD-TY300	Vorbau Stem	STYX Ahead stem
Umwerfer Front derailleur	SHIMANO Tourney FD-TY500	Sattelstütze Seatpost	STYX aluminium
Gänge Gear	derailleur gear 21-speed	Sattel Saddle	BULLS sportive Comfort
Schalthebel Shifter	SHIMANO ST-EF41 EZ fire plus, shift/brake lever	Felgen Rims	DDM-2
Kurbelgarnitur Crankset	STYX 42/34/24T	Bereifung Tires	STYX Ace of Pace 57-584

WILDTAIL 1 29

liquid copper matt
504-10141

CROSS COUNTRY / MOUNTAIN

1
PROSPEKT
8-SEITER

2
PROSPEKT
12-SEITER

2
PROSPEKT
8-SEITER

3
PROSPEKT
12-SEITER

3
PROSPEKT
8-SEITER



ONLINE ORDER



black matt
504-10041



light emerald green matt
504-10241



heavy meavy green matt
504-10341



Rahmen Frame	6061 aluminium	Kassette Cassette	SHIMANO MF-TZ500-7, 14-28T
Rahmenhöhe Framesize	S/M/L/XL	Bremsen Brakes	TEKTRO MD-M280, mechanic disc brake, 160 mm / 6-Bolt 160 mm / 6-Bolt
Gabel Fork	SR SUNTOUR XCE-28 100 mm	Lenker Handlebar	STYX riserbar
Schaltwerk Gearshift	SHIMANO Tourney RD-TY300	Vorbau Stem	STYX Ahead stem
Umwerfer Front derailleur	SHIMANO Tourney FD-TY500	Sattelstütze Seatpost	STYX aluminium
Gänge Gear	derailleur gear 21-speed	Sattel Saddle	BULLS sportive Comfort
Schalthebel Shifter	SHIMANO ST-EF41 EZ fire plus, shift/brake lever	Felgen Rims	DDM-2
Kurbelgarnitur Crankset	STYX 42/34/24T	Bereifung Tires	STYX Ace of Pace 57-622

WILDTAIL 2 27,5

quantum silver
504-05741

CROSS COUNTRY / MOUNTAIN



ONLINE ORDER



light grey
504-05541



pro blue matt
504-05641



Rahmen	Frame	6061 aluminium	Kassette	Cassette	SHIMANO CS-HG200-8, 12-32T
Rahmenhöhe	Framesize	S/M/L	Bremsen	Brakes	TEKTRO HD-M275, hydraulic disc brake, 160 mm / 6-Bolt, 160 mm / 6-Bolt
Gabel	Fork	SR SUNTOUR XCE-28 100 mm	Lenker	Handlebar	STYX riserbar
Schaltwerk	Gearshift	SHIMANO Altus RD-M310	Vorbau	Stem	STYX Ahead stem
Umwerfer	Front derailleur	SHIMANO Tourney FD-TY500	Sattelstütze	Seatpost	STYX aluminium
Gänge	Gear	derailleur gear 24-speed	Sattel	Saddle	BULLS sportive Comfort
Schalthebel	Shifter	SHIMANO Altus SL-M315 rapidfire plus	Felgen	Rims	DDM-2
Kurbelgarnitur	Crankset	SHIMANO Tourney 42/34/24T	Bereifung	Tires	STYX Ace of Pace 57-584

WILDTAIL 2 29

pro blue matt
504-10641

CROSS COUNTRY / MOUNTAIN



ONLINE ORDER



light grey
504-10541



quantum silver
504-10741



Rahmen Frame	6061 aluminium	Kassette Cassette	SHIMANO CS-HG200-8, 12-32T
Rahmenhöhe Framesize	S/M/L/XL	Bremsen Brakes	TEKTRO HD-M275, hydraulic disc brake, 160 mm / 6-Bolt, 160 mm / 6-Bolt
Gabel Fork	SR SUNTOUR XCE-28 100 mm	Lenker Handlebar	STYX riserbar
Schaltwerk Gearshift	SHIMANO Altus RD-M310	Vorbau Stem	STYX Ahead stem
Umwerfer Front derailleur	SHIMANO Tourney FD-TY500	Sattelstütze Seatpost	STYX aluminium
Gänge Gear	derailleur gear 24-speed	Sattel Saddle	BULLS sportive Comfort
Schalthebel Shifter	SHIMANO Altus SL-M315 rapidfire plus	Felgen Rims	DDM-2
Kurbelgarnitur Crankset	SHIMANO Tourney 42/34/24T	Bereifung Tires	STYX Ace of Pace 57-622

SHARPTAIL 1 27,5

emerald green matt
631-05541

CROSS COUNTRY / MOUNTAIN



ONLINE ORDER



black matt
631-05741



Rahmen Frame	6061 aluminium	Bremsen Brakes	TEKTRO MD-M280 mechanical disc, 160/160 mm
Rahmenhöhe Framesize	S/M/L/XL	Lenker Handlebar	STYX riserbar
Gabel Fork	SR SUNTOUR XCE 28, 100 mm	Vorbau Stem	STYX
Schaltwerk Gearshift	SHIMANO Altus RD-M310	Sattelstütze Seatpost	STYX aluminium
Umwerfer Front derailleur	SHIMANO Tourney FD-TY500	Sattel Saddle	BULLS Sportive Comfort
Gänge Gear	derailleur gear 24-speed	Felgen Rims	STYX DDM-2
Schalthebel Shifter	SHIMANO ST-EF500	Bereifung Tires	Ace of Pace, 57-584, 27,5 x 2,25
Kurbelgarnitur Crankset	SHIMANO Tourney FC-TY301 42/34/24T		

SHARPTAIL 1 29

black matt
631-11241

CROSS COUNTRY / MOUNTAIN



ONLINE ORDER



emerlad green matt
631-11041



Rahmen Frame	6061 aluminium	Bremsen Brakes	TEKTRO MD-M280 mechanical disc, 160/160 mm
Rahmenhöhe Framesize	S/M/L/XL	Lenker Handlebar	STYX riserbar
Gabel Fork	SR SUNTOUR XCE 28, 100 mm	Vorbau Stem	STYX
Schaltwerk Gearshift	SHIMANO Altus RD-M310	Sattelstütze Seatpost	STYX aluminium
Umwерfer Front derailleur	SHIMANO Tourney FD-TY500	Sattel Saddle	BULLS Sportive Comfort
Gänge Gear	derailleur gear 24-speed	Felgen Rims	STYX DDM-2
Schalthebel Shifter	SHIMANO ST-EF500	Bereifung Tires	Ace of Pace, 57-622, 29 x 2,25
Kurbelgarnitur Crankset	SHIMANO Tourney FC-TY301 42/34/24T		

SHARPTAIL 2 27,5

black matt
504-06741

CROSS COUNTRY / MOUNTAIN



ONLINE ORDER



light grey
504-06641



liquid cyan matt,
shadow blue
504-06541



Rahmen Frame	6061 aluminium	Lenker Handlebar	STYX riserbar
Rahmenhöhe Framesize	S/M/L	Vorbau Stem	MTB-S, CCS Slot Mount ready
Gabel Fork	SR SUNTOUR XCM 100 mm	Sattelstütze Seatpost	STYX aluminium
Schaltwerk Gearshift	SHIMANO Altus RD-M310	Sattel Saddle	BULLS Sportive Ergo
Umwerfer Front derailleur	SHIMANO Tourney FD-TY500	Felgen Rims	DDM-2
Gänge Gear	derailleur gear 24-speed	Bereifung Tires	SUPERO Edge Anti-Puncture 57-584
Schalthebel Shifter	SHIMANO Altus SL-M315 rapidfire plus	Scheinwerfer Front light	MonkeyLink Recharge (lighting not included)
Kurbelgarnitur Crankset	SHIMANO Tourney 42/34/24T	Rücklicht Rear light	MonkeyLink Recharge (lighting not included)
Kassette Cassette	SHIMANO CS-HG200-8, 12-32T		
Bremsen Brakes	TEKTRO HD-M275, hydraulic disc brake, 160 mm / 6-Bolt, 160 mm / 6-Bolt		

SHARPTAIL 2 29

light grey
504-11741

CROSS COUNTRY / MOUNTAIN



ONLINE ORDER



black matt
504-11541



liquid cyan matt,
shadow blue
504-11841




Rahmen Frame	6061 aluminium	Lenker Handlebar	STYX riserbar
Rahmenhöhe Framesize	S/M/L/XL	Vorbau Stem	MTB-S, CCS Slot Mount ready
Gabel Fork	SR SUNTOUR XCM 100 mm	Sattelstütze Seatpost	STYX aluminium
Schaltwerk Gearshift	SHIMANO Altus RD-M310	Sattel Saddle	BULLS Sportive Ergo
Umworfer Front derailleur	SHIMANO Tourney FD-TY500	Felgen Rims	DDM-2
Gänge Gear	derailleur gear 24-speed	Bereifung Tires	SUPERO Edge Anti-Puncture 57-622
Schalthebel Shifter	SHIMANO Altus SL-M315 rapidfire plus	Scheinwerfer Front light	MonkeyLink Recharge (lighting not included)
Kurbelgarnitur Crankset	SHIMANO Tourney 42/34/24T	Rücklicht Rear light	MonkeyLink Recharge (lighting not included)
Kassette Cassette	SHIMANO CS-HG200-8, 12-32T		
Bremsen Brakes	TEKTRO HD-M275, hydraulic disc brake, 160 mm / 6-Bolt, 160 mm / 6-Bolt		

SHARPTAIL 3 27,5

sapphire black matt
504-07041

CROSS COUNTRY / MOUNTAIN



Model 2023 checked



ONLINE ORDER



silver matt
504-07141



hyper red matt
504-07241




Rahmen Frame	6061 aluminium	Lenker Handlebar	STYX riserbar
Rahmenhöhe Framesize	XS/S/M/L	Vorbau Stem	MTB-S, CCS Slot Mount ready
Gabel Fork	SR SUNTOUR XCM HLO 100 mm	Sattelstütze Seatpost	STYX aluminium
Schaltwerk Gearshift	SHIMANO Altus RD-M2000	Sattel Saddle	BULLS Sportive Ergo
Umworfer Front derailleur	SHIMANO Altus FD-M2000	Felgen Rims	DDM-2
Gänge Gear	derailleur gear 27-speed	Bereifung Tires	SUPERO Edge Anti-Puncture 57-584
Schalthebel Shifter	SHIMANO Altus SL-M2010	Scheinwerfer Front light	MonkeyLink Recharge (lighting not included)
Kurbelgarnitur Crankset	SHIMANO FC-MT101C 40/30/22T	Rücklicht Rear light	MonkeyLink Recharge (lighting not included)
Kassette Cassette	SHIMANO CS-HG200-9, 11-36T		
Bremsen Brakes	TEKTRO HD-M275, hydraulic disc brake, 180 mm / 6-Bolt, 180 mm / 6-Bolt		

SHARPTAIL 3 29

hyper red matt
504-12241

CROSS COUNTRY / MOUNTAIN



Model 2023 checked



ONLINE ORDER



silver matt
504-12041



sapphire black matt
504-12141



Rahmen Frame	6061 aluminium	Lenker Handlebar	STYX riserbar
Rahmenhöhe Framesize	S/M/L/XL/XXL	Vorbau Stem	MTB-S, CCS Slot Mount ready
Gabel Fork	SR SUNTOUR XCM HLO 100 mm	Sattelstütze Seatpost	STYX aluminium
Schaltwerk Gearshift	SHIMANO Altus RD-M2000	Sattel Saddle	BULLS Sportive Ergo
Umwерfer Front derailleur	SHIMANO Altus FD-M2000	Felgen Rims	DDM-2
Gänge Gear	derailleur gear 27-speed	Bereifung Tires	SUPERO Edge Anti-Puncture 57-622
Schalthebel Shifter	SHIMANO Altus SL-M2010	Scheinwerfer Front light	MonkeyLink Recharge (lighting not included)
Kurbelgarnitur Crankset	SHIMANO FC-MT101C 40/30/22T	Rücklicht Rear light	MonkeyLink Recharge (lighting not included)
Kassette Cassette	SHIMANO CS-HG200-9, 11-36T		
Bremsen Brakes	TEKTRO HD-M275, hydraulic disc brake, 180 mm / 6-Bolt, 180 mm / 6-Bolt		

COPPERHEAD 1 27,5

swap green matt
504-08140

CROSS COUNTRY / MOUNTAIN



Model 2023 checked



ONLINE ORDER



nano grey
504-08040



Rahmen Frame	6061 aluminium, internal cable routing	Lenker Handlebar	STYX riserbar
Rahmenhöhe Framesize	S/M/L	Vorbau Stem	MTB-S, CCS Slot Mount ready
Gabel Fork	SR SUNTOUR XCM HLO 100 mm	Sattelstütze Seatpost	STYX aluminium
Schaltwerk Gearshift	SHIMANO Deore RD-M5120 shadow+ derailleur gear 10-speed	Sattel Saddle	BULLS Sportive Ergo
Gänge Gear	SHIMANO Deore SL-M4100	Felgen Rims	DDM-2
Schalthebel Shifter	SHIMANO Deore FC-M5100 32T	Bereifung Tires	SUPERO Edge Anti-Puncture 57-584
Kurbelgarnitur Crankset	SHIMANO Deore 10s 11-46T	Scheinwerfer Front light	MonkeyLink Recharge (lighting not included)
Kassette Cassette	TEKTRO HD-M275, TEKTRO HD-R280	Rücklicht Rear light	MonkeyLink Recharge (lighting not included)
Bremsen Brakes	hydraulic disc brake 180 mm / 6-Bolt, 180 mm / 6-Bolt		

COPPERHEAD 1 29

nano grey
504-13040

CROSS COUNTRY / MOUNTAIN



Model 2023 checked



ONLINE ORDER



swap green matt
504-13140



Rahmen Frame	6061 aluminium, internal cable routing	Lenker Handlebar	STYX riserbar
Rahmenhöhe Framesize	S/M/L/XL/XXL	Vorbau Stem	MTB-S, CCS Slot Mount ready
Gabel Fork	SR SUNTOUR XCM HLO 100 mm	Sattelstütze Seatpost	STYX aluminium
Schaltwerk Gearshift	SHIMANO Deore RD-M5120 shadow+ derailleur gear 10-speed	Sattel Saddle	BULLS Sportive Ergo
Gänge Gear	SHIMANO Deore SL-M4100	Felgen Rims	DDM-2
Schalthebel Shifter	SHIMANO Deore FC-M5100 32T	Bereifung Tires	SUPERO Edge Anti-Puncture 57-622
Kurbelgarnitur Crankset	SHIMANO Deore 10s 11-46T	Scheinwerfer Front light	MonkeyLink Recharge (lighting not included)
Kassette Cassette	TEKTRO HD-M275, TEKTRO HD-R280, hydraulic disc brake, 180 mm / 6-Bolt, 180 mm / 6-Bolt	Rücklicht Rear light	MonkeyLink Recharge (lighting not included)

COPPERHEAD 2 27,5

metallic orange
504-08640

CROSS COUNTRY / MOUNTAIN



ONLINE ORDER



black matt
504-08540



Rahmen Frame	6061 aluminium, internal cable routing	Lenker Handlebar	STYX riserbar
Rahmenhöhe Framesize	S/M/L	Vorbau Stem	MTB-S, CCS Slot Mount ready
Gabel Fork	SR SUNTOUR XCM RL 100 mm	Sattelstütze Seatpost	STYX aluminium
Schaltwerk Gearshift	SHIMANO Deore RD-M5120 shadow+	Sattel Saddle	BULLS Sportive Ergo
Umwерfer Front derailleur	SHIMANO Deore FD-M4100	Felgen Rims	DDM-2
Gänge Gear	derailleur gear 20-speed	Bereifung Tires	SCHWALBE Smart Sam K-Guard 57-584
Schalthebel Shifter	SHIMANO Deore SL-M5100 / SL-M4100	Scheinwerfer Front light	MonkeyLink Recharge (lighting not included)
Kurbelgarnitur Crankset	SHIMANO Deore FC-M4100-2, 36/26T	Rücklicht Rear light	MonkeyLink Recharge (lighting not included)
Kassette Cassette	SHIMANO Deore 10-speed, 11-42T		
Bremsen Brakes	TEKTRO HD-M275, TEKTRO HD-R280, hydraulic disc brake, 180 mm / 6-Bolt, 180 mm / 6-Bolt		

COPPERHEAD 2 29

black matt
504-13540

CROSS COUNTRY / MOUNTAIN



ONLINE ORDER



metallic orange
504-13640



Rahmen Frame	6061 aluminium, internal cable routing	Lenker Handlebar	STYX riserbar
Rahmenhöhe Framesize	S/M/L/XL/XXL	Vorbau Stem	MTB-S, CCS Slot Mount ready
Gabel Fork	SR SUNTOUR XCM RL 100 mm	Sattelstütze Seatpost	STYX aluminium
Schaltwerk Gearshift	SHIMANO Deore RD-M5120 shadow+	Sattel Saddle	BULLS Sportive Ergo
Umworfer Front derailleur	SHIMANO Deore FD-M4100	Felgen Rims	DDM-2
Gänge Gear	derailleur gear 20-speed	Bereifung Tires	SCHWALBE Smart Sam K-Guard 57-622
Schalthebel Shifter	SHIMANO Deore SL-M5100 / SL-M4100	Scheinwerfer Front light	MonkeyLink Recharge (lighting not included)
Kurbelgarnitur Crankset	SHIMANO Deore FC-M4100-2, 36/26T	Rücklicht Rear light	MonkeyLink Recharge (lighting not included)
Kassette Cassette	SHIMANO Deore 10-speed, 11-42T		
Bremsen Brakes	TEKTRO HD-M275, TEKTRO HD-R280, hydraulic disc brake, 180 mm / 6-Bolt, 180 mm / 6-Bolt		

COPPERHEAD 3 27,5

pro blue matt
504-09040

CROSS COUNTRY / MOUNTAIN



ONLINE ORDER



heavy meavy green
504-09140



black matt
504-09240



Rahmen Frame	Super light 6061 aluminium, triple butted, smooth welding, internal cable routing	Lenker Handlebar	BULLS Sport-SL double butted riserbar
Rahmenhöhe Framesize	S/M/L	Vorbau Stem	MTB-SL, 3D forged, CCS Slot Mount ready
Gabel Fork	RockShox Judy Gold RL-R 100 mm	Sattelstütze Seatpost	BULLS aluminium
Schaltwerk Gearshift	SHIMANO Deore RD-M5100 shadow+ derailleur gear 11-speed	Sattel Saddle	BULLS Sportive Ergo
Gänge Gear	SHIMANO Deore SL-M5100	Felgen Rims	DDM-2
Schalthebel Shifter	SHIMANO Deore FC-M5100 32T	Bereifung Tires	SCHWALBE Racing Ralph Performance 57-584
Kurbelgarnitur Crankset	SHIMANO Deore 11s, 11-51T	Scheinwerfer Front light	MonkeyLink Recharge (lighting not included)
Kassette Cassette	SHIMANO BR-MT200, hydraulic disc brake, 180 mm / Center Lock, 180 mm / Center Lock	Rücklicht Rear light	MonkeyLink Recharge (lighting not included)

COPPERHEAD 3 29

heavy meavy green
504-14140

CROSS COUNTRY / MOUNTAIN



ONLINE ORDER



black matt
504-14240



pro blue matt
504-14040



Rahmen Frame	super light 6061 aluminium, triple butted, smooth welding, internal cable routing	Lenker Handlebar	BULLS Sport-SL double butted riserbar
Rahmenhöhe Framesize	S/M/L/XL/XXL	Vorbau Stem	MTB-SL, 3D forged, CCS Slot Mount ready
Gabel Fork	RockShox Judy Gold RL-R 100 mm	Sattelstütze Seatpost	BULLS aluminium
Schaltwerk Gearshift	SHIMANO Deore RD-M5100 shadow+ derailleur gear 11-speed	Sattel Saddle	BULLS Sportive Ergo
Gänge Gear	SHIMANO Deore SL-M5100	Felgen Rims	DDM-2
Schalthebel Shifter	SHIMANO Deore FC-M5100 32T	Bereifung Tires	SCHWALBE Racing Ralph Performance 57-622
Kurbelgarnitur Crankset	SHIMANO Deore 11s, 11-51T	Scheinwerfer Front light	MonkeyLink Recharge (lighting not included)
Kassette Cassette	SHIMANO BR-MT200, hydraulic disc brake 180 mm / Center Lock, 180 mm / Center Lock	Rücklicht Rear light	MonkeyLink Recharge (lighting not included)

COPPERHEAD 3S

frozen dark blue matt
504-15240



CROSS COUNTRY / MOUNTAIN

1
PROSPEKT
8-SEITER

2
PROSPEKT
12-SEITER

2
PROSPEKT
8-SEITER

3
PROSPEKT
12-SEITER

3
PROSPEKT
8-SEITER



Model 2023 checked



ONLINE ORDER



indigo blau
504-15140



light grey
504-15040



Rahmen Frame	super light 6061 aluminium, trippel butted, smooth welding, internal cable routing	Lenker Handlebar	BULLS Sport-SL double butted riserbar
Rahmenhöhe Framesize	S/M/L/XL/XXL	Vorbau Stem	MTB-SL, 3D forged, CCS Slot Mount ready
Gabel Fork	RockShox Judy Gold RL-R 100 mm	Sattelstütze Seatpost	BULLS aluminium
Schaltwerk Gearshift	SHIMANO Deore XT RD-M8100 shadow+ derailleur gear 12-speed	Sattel Saddle	BULLS Sportive Ergo
Gänge Gear	SHIMANO Deore SL-M6100, rapidfire+	Felgen Rims	XC-21 Evo, tubeless ready
Schalthebel Shifter	SHIMANO FC-MT511 32T	Bereifung Tires	SCHWALBE Racing Ralph Performance 57-622
Kurbelgarnitur Crankset	SHIMANO BR-MT200, hydraulic disc brake 180 mm / Center Lock, 180 mm / Center Lock	Scheinwerfer Front light	MonkeyLink Recharge (lighting not included)
Kassette Cassette		Rücklicht Rear light	MonkeyLink Recharge (lighting not included)

COPPERHEAD 3 RS

black matt
524201359940

NEW!

CROSS COUNTRY / MOUNTAIN



ONLINE ORDER



Rahmen Frame	super lite 6061 aluminium, tripple butted, smooth welding, internal cable routing, thru axle	Lenker Handlebar	BULLS Sport-SL double butted riserbar
Rahmenhöhe Framesize	S/M/L/XL/XXL	Vorbau Stem	BULLS MTB-SL, 3D forged, CCS Slot Mount ready
Gabel Fork	RockShox Reba RL R 100 mm	Sattelstütze Seatpost	BULLS aluminium 31,6 mm
Schaltwerk Gearshift	SHIMANO Deore XT RD-M8100	Sattel Saddle	SELLE ROYAL Sirio S1
Gänge Gear	derailleur gear 12-speed	Felgen Rims	BULLS XC-21 Evo tubeless ready
Schalthebel Shifter	SHIMANO Deore XT SL-M8100, rapidfire+, i-spec-EV	Bereifung Tires	SCHWALBE Racing Ray / Racing Ralph Evo Super Race TLE 57-622
Kurbelgarnitur Crankset	SHIMANO Deore XT FC-M8100 32T	Scheinwerfer Front light	MonkeyLink Recharge (lighting not included)
Kassette Cassette	SHIMANO Deore, CS-M6100 10-51T	Rücklicht Rear light	MonkeyLink Recharge (lighting not included)
Bremsen Brakes	SHIMANO BR-M7100, SHIMANO BR-M7110-R, hydraulic disc brake,, SHIMANO SM-RT30 CL 180 mm, SHIMANO SM-RT30 180 mm CL		

BUSHMASTER S

monza grey-matt, UD carbon matt
524201459941

NEW!

CROSS COUNTRY / MOUNTAIN



ONLINE ORDER



Rahmen Frame	carbon fibre monocoque, thru axle	Lenker Handlebar	BULLS Sport-SL double butted riserbar
Rahmenhöhe Framesize	S/M/L/XL	Vorbau Stem	BULLS MTB-SL, 3D forged, CCS Slot
Gabel Fork	RockShox JUDY Gold RL R 100 mm	Sattelstütze Seatpost	Mount ready
Schaltwerk Gearshift	SHIMANO Deore XT RD-M8100	Sattel Saddle	BULLS aluminium 31,6 mm
Gänge Gear	derailleur gear 12-speed	Felgen Rims	BULLS Sportive Ergo
Schalthebel Shifter	SHIMANO Deore SL-M6100, rapidfire+	Bereifung Tires	BULLS XC-22 Evo, tubeless ready
Kurbelgarnitur Crankset	SHIMANO FC-MT511-1		SCHWALBE Racing Ralph
Kassette Cassette	SHIMANO Deore, CS-M6100 10-51T		Performance 57-622
Bremsen Brakes	SHIMANO BR-MT201, hydraulic disc brake SHIMANO SM-RT30 CL 180 mm, SHIMANO SM-RT30 180 mm CL		

BUSHMASTER RS

carbon matt, black
504-17041

CROSS COUNTRY / MOUNTAIN



ONLINE ORDER



Rahmen Frame	carbon fibre, monocoque, tapered headtube, internal cable routing, telescope seatpost ready	Bremsen Brakes	SHIMANO SLX, hydraulic disc brake, 180 mm / Center Lock, 180 mm / Center Lock
Rahmenhöhe Framesize	S/M/L/XL	Lenker Handlebar	BULLS Sport-SL double butted riserbar
Gabel Fork	RockShox Reba RL-R 100 mm	Vorbau Stem	MTB-SL, 3D forged, CCS Slot Mount ready
Schaltwerk Gearshift	SHIMANO Deore XT RD-M8100 shadow+ derailleur gear 12-speed	Sattelstütze Seatpost	BULLS lite aluminium
Gänge Gear	SHIMANO Deore XT SL-M8100, rapidfire+, i-spec-EV	Sattel Saddle	SELLE ROYAL Sirio S1
Schalthebel Shifter	SHIMANO Deore XT FC-M8100 32T	Felgen Rims	XC-21 Evo, tubeless ready
Kurbelgarnitur Crankset	SHIMANO Deore XT FC-M8100 32T	Bereifung Tires	SCHWALBE Racing Ray / Racing Ralph Super Race, TLE 57-622
Kassette Cassette	SHIMANO Deore 12-speed, 10-51T		

BLACK ADDER

emerald green, UD carbon
524204609941

NEW!

CROSS COUNTRY / MOUNTAIN



ONLINE ORDER



Rahmen Frame	super lite carbon fibre monocoque, thru axle, telescope seatpost ready		
Rahmenhöhe Framesize	S/M/L/XL	Bremsen Brakes	SHIMANO BR-MT200, SHIMANO UR300, hydraulic disc brake, SHIMANO SM-RT10 180 mm CL, SHIMANO SM-RT10 180 mm CL
Gabel Fork	RockShox Reba RL R 100 mm	Lenker Handlebar	RUMBLE Altimate 35 Flat Top
Schaltwerk Gearshift	SHIMANO Deore RD-M6100	Vorbau Stem	RUMBLE Altimate
Gänge Gear	derailleur gear 12-speed	Sattelstütze Seatpost	FSA carbon 31,6 mm
Schalthebel Shifter	SHIMANO Deore SL-M6100, rapidfire+, I-spec-EV	Sattel Saddle	BULLS XC
Kurbelgarnitur Crankset	SHIMANO FC-MT511 32T	Felgen Rims	RYDE XC-21S Tubeless ready
Kassette Cassette	SHIMANO CS-M6100-12 10-51T	Bereifung Tires	SCHWALBE Racing Ray / Racing Ralph Evo Super Race TLE 57-622

BLACK ADDER RS

UD carbon, black
524204659941

NEW!

CROSS COUNTRY / MOUNTAIN



ONLINE ORDER



Rahmen Frame	super lite carbon fibre monocoque, thru axle, telescope seatpost ready	Bremsen Brakes	SHIMANO XT BR-M8100, hydraulic disc brake, SHIMANO RT-MT800 180 mm CL, SHIMANO RT-MT800 180 mm CL
Rahmenhöhe Framesize	S/M/L/XL	Lenker Handlebar	RUMBLE Altimate 35 Flat Top
Gabel Fork	RockShox SID SL Select+ 100 mm	Vorbau Stem	RUMBLE Altimate
Schaltwerk Gearshift	SHIMANO Deore XT RD-M8100	Sattelstütze Seatpost	FSA carbon 31,6 mm
Gänge Gear	derailleur gear 12-speed	Sattel Saddle	ERGON SM10 Stealth
Schalthebel Shifter	SHIMANO Deore XT SL-M8100, rapidfire+, i-spec-EV	Laufрад Wheelset	MAVIC E-Crossmax 29" CL
Kurbelgarnitur Crankset	SHIMANO Deore XT FC-M8100 32T	Bereifung Tires	SCHWALBE Racing Ray / Racing Ralph Evo Super Race TLE 57-622
Kassette Cassette	SHIMANO SLX CS-M7100 10-51T		

BLACK ADDER TEAM

UD carbon, blue
524204709941

NEW!

CROSS COUNTRY / MOUNTAIN



ONLINE ORDER



Rahmen Frame	super lite carbon fibre monocoque, thru axle, telescope seatpost ready	Bremsen Brakes	SHIMANO XTR BR-M9100, hydraulic disc brake, SHIMANO RT-MT900 180 mm CL, SHIMANO RT-MT900 160 mm CL
Rahmenhöhe Framesize	S/M/L/XL	Lenker Handlebar	RUMBLE Altimate PRO Carbon handlebar stem unit
Gabel Fork	RockShox SID SL Ultimate 100 mm	Sattelstütze Seatpost	FSA KFX carbon 31,6 mm
Schaltwerk Gearshift	SHIMANO XTR RD-M9100 derailleur gear 12-speed	Sattel Saddle	ERGON SM10 Stealth
Gänge Gear	SHIMANO XTR SL-M9100, rapidfire+, I-spec-EV	Laufрад Wheelset	MAVIC Crossmax Carbon SL R 29" CL
Schalthebel Shifter	SHIMANO XTR FC-M9100 32T	Bereifung Tires	SCHWALBE Racing Ray / Racing Ralph Evo Super Race TLE 57-622
Kurbelgarnitur Crankset	SHIMANO XTR CS-M9101 10-51T		
Kassette Cassette			

WILD EDGE

UD carbon, light grey
504-43044

CROSS COUNTRY / MOUNTAIN



ONLINE ORDER



Rahmen Frame	super lite carbon fibre monocoque, tapered headtube, internal cable routing, telescope seatpost ready	Kassette Cassette	SHIMANO Deore 12-speed, 10-51T
Rahmenhöhe Framesize	M/L/XL	Bremsen Brakes	SHIMANO BR-MT410, hydraulic disc brake 180 mm / Center Lock, 180 mm / Center Lock
Gabel Fork	RockShox Reba RL-R 100 mm	Lenker Handlebar	RACE FACE Ride
Dämpfer Shock	RockShox SIDLuxe Select+ RL-R 100 mm	Vorbau Stem	RACE FACE Ride
Schaltwerk Gearshift	SHIMANO Deore RD-M6100 shadow+ derailleur gear 12-speed	Sattelstütze Seatpost	BULLS lite aluminium
Gänge Gear	SHIMANO Deore SL-M6100, rapidfire+, I-spec-EV	Sattel Saddle	SELLE ROYAL Sirio S1
Schalthebel Shifter		Felgen Rims	RYDE XC-21S, tubeless ready
Kurbelgarnitur Crankset	SHIMANO FC-MT511 32T	Bereifung Tires	SCHWALBE Racing Ray / Racing Ralph Twin Skin TLR 57-622

WILD EDGE TRAIL

blue, UD carbon
504-43544

CROSS COUNTRY / MOUNTAIN



ONLINE ORDER



Rahmen	Frame	super lite carbon fibre, monocoque, tapered headtube, internal cable routing, telescope seatpost ready	Kassette	Cassette	SHIMANO SLX 12-speed 10-51T
Rahmenhöhe	Framesize	M/L/XL	Bremsen	Brakes	SHIMANO Deore XT BR-M8100, hydraulic disc brake, 180 mm / Center Lock, 180 mm / Center Lock
Gabel	Fork	RockShox SID Select RL-R 110 mm	Lenker	Handlebar	RACE FACE Turbine
Dämpfer	Shock	RockShox SIDLuxe Select+ RL-R 100 mm	Vorbau	Stem	RACE FACE Turbine
Schaltwerk	Gearshift	SHIMANO Deore XT RD-M8100 shadow+ derailleur gear 12-speed	Sattelstütze	Seatpost	LIMOTEC Alpha 1 lite, 31,6 / M 100 mm, L 125 mm, XL 150 mm
Gänge	Gear	SHIMANO Deore XT SL-M8100, rapidfire+, I-spec-EV	Sattel	Saddle	SELLE ROYAL Sirio S1
Schalthebel	Shifter	SHIMANO Deore XT FC-M8100 32T	Laufgrad	Wheelset	MAVIC Crossmax
Kurbelgarnitur	Crankset		Bereifung	Tires	SCHWALBE Wicked Will Evo, Super Race, TLE 62-622

WILD EDGE TEAM

light grey, blue, UD carbon
504-44044

CROSS COUNTRY / MOUNTAIN



ONLINE ORDER



Rahmen Frame	super lite carbon fibre, monocoque, tapered headtube, internal cable routing, telescope seatpost ready	Kurbelgarnitur Crankset	SHIMANO XTR FC-M9100 32T
Rahmenhöhe Framesize	M/L/XL	Kassette Cassette	SHIMANO XTR 12-fach 10-51T
Gabel Fork	RockShox SID SL Ultimate RL-R 100 mm	Bremsen Brakes	SHIMANO XTR, hydraulic disc brake, 180 mm / Center Lock, 160 mm / Center Lock
Dämpfer Shock	RockShox SIDLuxe Ultimate RL-R 100 mm	Lenker Handlebar	FSA KFX Flat
Schaltwerk Gearshift	SHIMANO XTR RD-M9100 shadow+ derailleur gear 12-speed	Vorbau Stem	FSA KFX
Gänge Gear	SHIMANO XTR SL-M9100, rapidfire+, I-spec-EV	Sattelstütze Seatpost	FSA KFX carbon 31,6 mm
Schalthebel Shifter		Sattel Saddle	ERGON SM10 Stealth
		Laufрад Wheelset	MAVIC Crossmax Carbon SL R
		Bereifung Tires	SCHWALBE Racing Ray / Racing Ralph Super Race, TLE 57-622

TRAIL
HARDTAIL

[illegible]

DURO

light grey, black
631-16040

TRAIL HARDTAIL / MOUNTAIN



ONLINE ORDER



Rahmen Frame	double butted 6061 aluminium, internal cable routing, tapered head tube, smooth welded, boost thru axle	Kassette Cassette	SHIMANO Deore CS-M6100-12 10-51T
Rahmenhöhe Framesize	M/L/XL	Bremsen Brakes	SHIMANO BR-MT420/410, 203/180 mm
Gabel Fork	RockShox Pike Select RC, 130 mm	Lenker Handlebar	BULLS double butted riserbar
Schaltwerk Gearshift	SHIMANO Deore RD-M6100-SGS Shadow Plus	Vorbau Stem	MTB-SL, CCS Mount ready
Gänge Gear	derailleur gear 12-speed	Sattelstütze Seatpost	Limotec Alpha 1 M 150 mm / L 170 mm / XL 200 mm
Schalthebel Shifter	SHIMANO Deore SL-M6100	Sattel Saddle	BULLS Sportive Ergo
Kurbelgarnitur Crankset	SHIMANO Deore FC-MT511 32T	Felgen Rims	RYDE Disc 30 tubeless ready
		Bereifung Tires	SCHWALBE Nobby Nic Evo, Super Ground TLE, 62-622, 29 x 2,4

ALL MOUNTAIN

[illegible]

COPPERHEAD FSX 1

dark petrol matt, red
504-38041

ALL MOUNTAIN / MOUNTAIN



ONLINE ORDER



Rahmen Frame	6061 aluminium, double butted, hydroforming, internal cable routing, thru axle, ISCG 05	Bremsen Brakes	TEKTRO HD-M275, hydraulic disc brake, 203 mm / 6-Bolt, 180 mm / 6-Bolt
Rahmenhöhe Framesize	S/M/L/XL	Vorbau Stem	MTB-S, CCS Slot Mount ready
Gabel Fork	RockShox Recon Silver RL 140 mm	Sattelstütze Seatpost	LIMOTEC Alpha 1, 30,9 / S 125 mm, M, L, XL 150 mm
Dämpfer Shock	RockShox Deluxe Select RT 140 mm	Sattel Saddle	BULLS Sportive Ergo
Schaltwerk Gearshift	SHIMANO Deore RD-M5100 shadow+ derailleur gear 11-speed	Felgen Rims	RYDE Disc 30, tubeless ready
Gänge Gear	SHIMANO Deore SL-M5100	Bereifung Tires	SCHWALBE Nobby Nic Super Ground TLE 62-622
Schalthebel Shifter	SHIMANO Deore FC-M5100 30T		
Kurbelgarnitur Crankset	SHIMANO Deore FC-M5100 30T		
Kassette Cassette	SHIMANO Deore 11s, 11-51T		

COPPERHEAD FSX 2

emerald green matt, silver matt, black matt
631-37641

ALL MOUNTAIN / MOUNTAIN

1
PROSPEKT
8-SEITER

2
PROSPEKT
12-SEITER

3
PROSPEKT
12-SEITER



ONLINE ORDER



black matt, dark chrome
silver
631-37541



Rahmen Frame	double butted 6061 aluminium, internal cable routing, tapered headtube, ISCG05 mount, boost thru axle	Kurbelgarnitur Crankset	SHIMANO Deore FC-MT511-1, 30T
Rahmenhöhe Framesize	S/M/L/XL	Kassette Cassette	SHIMANO Deore CS-M6100, 10-51T
Gabel Fork	RockShox Recon Silver RL, 140 mm	Bremsen Brakes	SHIMANO BR-MT420/410 hydraulic disc, 203/180 mm Center Lock
Dämpfer Shock	RockShox Deluxe Select+ RL, 140 mm	Lenker Handlebar	BULLS double butted riserbar
Schaltwerk Gearshift	SHIMANO Deore RD-M6100-SGS Shadow Plus	Vorbau Stem	BULLS
Gänge Gear	12-speed	Sattelstütze Seatpost	Limotec Alpha 1 dropper post (S 125 mm; M, L, XL 150 mm)
Schalthebel Shifter	SHIMANO Deore SL-M6100-IR Rapidfire Plus	Sattel Saddle	BULLS Sportive Ergo
		Felgen Rims	RYDE Disc 30 tubeless ready
		Bereifung Tires	SCHWALBE Nobby Nic Evo, Super Ground, TLE 62-622, 29 x 2,4

WILD RONIN

light emerald, emerald green
504-44541

ALL MOUNTAIN / MOUNTAIN



ONLINE ORDER



Rahmen Frame	carbon fibre monocoque, internal cable routing, thru axle, ISCG 05	Bremsen Brakes	SHIMANO BR-MT420/410, hydraulic disc brake, 203 mm / Center Lock, 203 mm / Center Lock
Rahmenhöhe Framesize	S/M/L/XL	Lenker Handlebar	RACE FACE Chester
Gabel Fork	RockShox 35 Silver TK 140 mm	Vorbau Stem	RACE FACE Ride
Dämpfer Shock	RockShox Deluxe Select+ RL 140 mm	Sattelstütze Seatpost	LIMOTEC Alpha 1, 31,6 / S 125 mm, M, L 150 mm, XL 170 mm
Schaltwerk Gearshift	SHIMANO Deore RD-M6100 shadow+ derailleur gear 12-speed	Sattel Saddle	SELLE ROYAL Vivo
Gänge Gear	SHIMANO Deore SL-M6100, rapidfire+, I-spec-EV	Felgen Rims	RODI Tryp 30, tubeless ready
Schalthebel Shifter		Bereifung Tires	SCHWALBE NOBBY NIC Perf, Folding 62-622
Kurbelgarnitur Crankset	SHIMANO FC-MT511 32T		
Kassette Cassette	SHIMANO Deore 12-speed, 10-51T		

WILD RONIN RS

UD carbon, black
504-45041

ALL MOUNTAIN / MOUNTAIN



ONLINE ORDER



Rahmen Frame	carbon fibre monocoque, internal cable routing, thru axle, ISCG 05	Bremsen Brakes	SHIMANO Deore XT BR-M8120, hydraulic disc brake, 203 mm / Center Lock, 203 mm / Center Lock
Rahmenhöhe Framesize	S/M/L/XL	Lenker Handlebar	RACE FACE Chester
Gabel Fork	RockShox Pike Select RC 140 mm	Vorbau Stem	RACE FACE Ride
Dämpfer Shock	RockShox Deluxe Select+ RL 140 mm	Sattelstütze Seatpost	LIMOTEC Alpha 1 lite, 31,6 / S 125 mm, M, L 150 mm, XL 170 mm
Schaltwerk Gearshift	SHIMANO Deore XT RD-M8100 shadow+	Sattel Saddle	SELLE ROYAL Vivo
Gänge Gear	derailleur gear 12-speed	Lauftrad Wheelset	MAVIC Crossmax
Schalthebel Shifter	SHIMANO SLX SL-M7100, rapidfire+, I-Spec EV	Bereifung Tires	SCHWALBE Nobby Nic Super Ground TLE 62-622
Kurbelgarnitur Crankset	SHIMANO SLX FC-M7100 32T		
Kassette Cassette	SHIMANO SLX 12-speed 10-51T		

WILD RONIN TEAM

light grey, UD carbon, silver chrome
504-45541

ALL MOUNTAIN / MOUNTAIN



ONLINE ORDER



Rahmen Frame	carbon fibre monocoque, internal cable routing, thru axle, ISCG 05	Bremsen Brakes	SHIMANO Deore XT BR-M8120, hydraulic disc brake, 203 mm / Center Lock, 203 mm / Center Lock
Rahmenhöhe Framesize	S/M/L/XL	Lenker Handlebar	RACE FACE Turbine R
Gabel Fork	RockShox Pike Ultimate RCT3 140 mm	Vorbau Stem	RACE FACE Aeffect R
Dämpfer Shock	RockShox Deluxe Ultimate RCT 140 mm	Sattelstütze Seatpost	LIMOTEC Alpha 1 lite, 31,6 / S 125 mm, M, L 150 mm, XL 170 mm
Schaltwerk Gearshift	SHIMANO Deore XT RD-M8100 shadow+ derailleur gear 12-speed	Sattel Saddle	ERGON SM10 Stealth
Gänge Gear	SHIMANO Deore XT SL-M8100, rapidfire+, i-spec-EV	Laufрад Wheelset	MAVIC Crossmax Carbon XL R
Schalthebel Shifter		Bereifung Tires	SCHWALBE Nobby Nic Super Ground TLE 62-622
Kurbelgarnitur Crankset	SHIMANO Deore XT FC-M8100 32T		
Kassette Cassette	SHIMANO Deore XT 12s 10-51T		

ENDURO

[illegible]

WILD CREED RS

deep berry, black
631-50044

ENDURO / MOUNTAIN



ONLINE ORDER



Rahmen Frame	carbon fibre, monocoque, tapered headtube, internal cable routing, ISCG05 mount, teleskope seatpost, boost thru axle	Kurbelgarnitur Crankset	SHIMANO SLX FC-M7100-1, 32T
Rahmenhöhe Framesize	M/L/XL	Kassette Cassette	SHIMANO SLX CS-M7100-12, 10-51T
Gabel Fork	RockShox Lyrik Select RC 160 mm	Bremsen Brakes	SHIMANO BR-MT520 hydraulic disc, 203/203 mm Center Lock
Dämpfer Shock	RockShox Super Deluxe Select+ RT 160 mm	Lenker Handlebar	RACE FACE Chester
Schaltwerk Gearshift	SHIMANO Deore XT RD-M8100-SGS Shadow Plus	Vorbau Stem	RACE FACE Chester
Gänge Gear	12-speed	Sattelstütze Seatpost	LIMOTEC Alpha 1 Light dropper post M + L 150 mm, XL 170 mm
Schalthebel Shifter	SHIMANO SLX SL-M7100-RA	Sattel Saddle	SELLE ROYAL Vivo
		Felgen Rims	RODI TRYP30, Tubeless ready
		Bereifung Tires	SCHWALBE Magic Mary / Big Betty Super Gravity Soft SnakeSkin 62-622, 29 x 2,4

WILD CREED TEAM

air blue, black
631-50544

ENDURO / MOUNTAIN



ONLINE ORDER



Rahmen Frame	carbon fibre, monocoque, tapered headtube, internal cable routing, ISCG05 mount, telescope seatpost, boost thru axle	Kassette Cassette	SHIMANO Deore XT CS-M8100-12, 10-51T
Rahmenhöhe Framesize	M/L/XL	Bremsen Brakes	SHIMANO Deore XT BR-M8120 hydraulic disc, 203/203 mm Center Lock
Gabel Fork	RockShox Lyrik Ultimate RC2, 160 mm	Lenker Handlebar	RACE FACE Turbine R
Dämpfer Shock	RockShox Super Deluxe Coil Ultimate RCT, 160 mm	Vorbau Stem	RACE FACE Affect R
Schaltwerk Gearshift	SHIMANO XTR RD-M9100-SGS	Sattelstütze Seatpost	LIMOTEC Alpha 1 Light dropper post, M + L 150 mm, XL 170 mm
Gänge Gear	12-speed	Sattel Saddle	Fizik Alpaca Terra
Schalthebel Shifter	SHIMANO Deore XT SL-M8100	Laufрад Wheelset	DT Swiss EXC1501 Spline
Kurbelgarnitur Crankset	SHIMANO Deore XT FC-M8100, 32T	Bereifung Tires	SCHWALBE Magic Mary / Big Betty Evo, Super Gravity 62-622, 29 x 2,4

WOMEN

[illegible]

NANDI 26

vivid red
504-18137

WOMEN / MOUNTAIN



ONLINE ORDER



light grey
504-18037



deep berry matt
504-18237



Rahmen Frame	6061 aluminium	Kassette Cassette	SHIMANO MF-TZ500-7, 14-28T
Rahmenhöhe Framesize	XS/S/M/L	Bremsen Brakes	TEKTRO MD-M280, mechanic disc brake, 160 mm / 6-Bolt, 160 mm / 6-Bolt
Gabel Fork	SR SUNTOUR XCE-28 80 mm	Lenker Handlebar	STYX riserbar
Schaltwerk Gearshift	SHIMANO Tourney RD-TY300	Vorbau Stem	STYX Ahead stem
Umwerfer Front derailleur	SHIMANO Tourney FD-TY500	Sattelstütze Seatpost	STYX aluminium
Gänge Gear	derailleur gear 21-speed	Sattel Saddle	BULLS sportive Comfort
Schalthebel Shifter	SHIMANO ST-EF41 EZ fire plus, shift/brake lever	Felgen Rims	DDM-2
Kurbelgarnitur Crankset	STYX 42/34/24T	Bereifung Tires	STYX Ace of Pace 57-559

NANDI 27,5

deep berry matt
504-18737

WOMEN / MOUNTAIN



ONLINE ORDER



vivid red
504-18637



light grey
504-18537



Rahmen Frame	6061 aluminium	Kassette Cassette	SHIMANO MF-TZ500-7, 14-28T
Rahmenhöhe Framesize	XS/S/M/L	Bremsen Brakes	TEKTRO MD-M280, mechanic disc brake, 160 mm / 6-Bolt, 160 mm / 6-Bolt
Gabel Fork	SR SUNTOUR XCE-28 100 mm	Lenker Handlebar	STYX riserbar
Schaltwerk Gearshift	SHIMANO Tourney RD-TY300	Vorbau Stem	STYX Ahead stem
Umwерfer Front derailleur	SHIMANO Tourney FD-TY500	Sattelstütze Seatpost	STYX aluminium
Gänge Gear	derailleur gear 21-speed	Sattel Saddle	BULLS sportive Comfort
Schalthebel Shifter	SHIMANO ST-EF41 EZ fire plus, shift/brake lever	Felgen Rims	DDM-2
Kurbelgarnitur Crankset	STYX 42/34/24T	Bereifung Tires	STYX Ace of Pace 57-584

ZARENA 1 27,5

grey matt
504-19037

WOMEN / MOUNTAIN



ONLINE ORDER



sage
504-19137



Rahmen	Frame	6061 aluminium	Kassette	Cassette	SHIMANO CS-HG200-8, 12-32T
Rahmenhöhe	Framesize	XS/S/M/L	Bremsen	Brakes	TEKTRO MD-M280, mechanic disc brake, 160 mm / 6-Bolt, 160 mm / 6-Bolt
Gabel	Fork	SR SUNTOUR XCE-28 100 mm	Lenker	Handlebar	STYX riserbar
Schaltwerk	Gearshift	SHIMANO Altus RD-M310	Vorbau	Stem	STYX Ahead stem
Umwerfer	Front derailleur	SHIMANO Tourney FD-TY500	Sattelstütze	Seatpost	STYX aluminium
Gänge	Gear	derailleur gear 24-speed	Sattel	Saddle	BULLS sportive Comfort
Schalthebel	Shifter	SHIMANO ST-EF500 EZ fire shift/ brake lever	Felgen	Rims	DDM-2
Kurbelgarnitur	Crankset	SHIMANO Tourney 42/34/24T	Bereifung	Tires	STYX Ace of Pace 57-584

ZARENA 1 29

sage
504-19637

WOMEN / MOUNTAIN



ONLINE ORDER



grey matt
504-19537



Rahmen Frame	6061 aluminium	Kassette Cassette	SHIMANO CS-HG200-8, 12-32T
Rahmenhöhe Framesize	XS/S/M/L	Bremsen Brakes	TEKTRO MD-M280, mechanic disc brake, 160 mm / 6-Bolt, 160 mm / 6-Bolt
Gabel Fork	SR SUNTOUR XCE-28 100 mm	Lenker Handlebar	STYX riserbar
Schaltwerk Gearshift	SHIMANO Altus RD-M310	Vorbau Stem	STYX Ahead stem
Umwerfer Front derailleur	SHIMANO Tourney FD-TY500	Sattelstütze Seatpost	STYX aluminium
Gänge Gear	derailleur gear 24-speed	Sattel Saddle	BULLS sportive Comfort
Schalthebel Shifter	SHIMANO ST-EF500 EZ fire shift/ brake lever	Felgen Rims	DDM-2
Kurbelgarnitur Crankset	SHIMANO Tourney 42/34/24T	Bereifung Tires	STYX Ace of Pace 57-622

ZARENA 2 27,5

light grey
631-20037

WOMEN / MOUNTAIN



ONLINE ORDER



dark petrol matt
504-20137



Rahmen Frame	6061 aluminium	Bremsen Brakes	TEKTRO HD-M276 hydraulic disc
Rahmenhöhe Framesize	XS/S/M/L	Lenker Handlebar	180 mm / 6-Bolt 160 mm / 6-Bolt
Gabel Fork	SR SUNTOUR XCM DS HLO, 100 m	Vorbau Stem	STYX Riserbar
Schaltwerk Gearshift	SHIMANO Altus RD-M2000	Sattelstütze Seatpost	MTB-S, CCS Slot Mount ready
Umwerfer Front derailleur	SHIMANO Altus FD-M2020	Sattel Saddle	STYX Aluminium
Gänge Gear	derailleur gear 18-speed	Felgen Rims	BULLS Sportive Ergo
Schalthebel Shifter	SHIMANO Altus SL-M2010	Bereifung Tires	STYX DDM-2
Kurbelgarnitur Crankset	SHIMANO FC-MT101C 36/22T	Scheinwerfer Front light	SUPERO Edge Anti-Puncture 57-584 27,5 x 2,25
Kassette Cassette	SHIMANO CS-HG200-9, 11-36T	Rücklicht Rear light	MonkeyLink Recharge

ZARENA 2 29

dark petrol matt
504-20637

WOMEN / MOUNTAIN



ONLINE ORDER



light grey
504-20537




Rahmen Frame	6061 aluminium	Lenker Handlebar	STYX riserbar
Rahmenhöhe Framesize	XS/S/M/L	Vorbau Stem	MTB-S, CCS Slot Mount ready
Gabel Fork	SR SUNTOUR XCM HLO 100 mm	Sattelstütze Seatpost	STYX aluminium
Schaltwerk Gearshift	SHIMANO Altus RD-M2000	Sattel Saddle	BULLS Sportive Ergo
Umworfer Front derailleur	SHIMANO Altus FD-M2020	Felgen Rims	DDM-2
Gänge Gear	derailleur gear 18-speed	Bereifung Tires	SUPERO Edge Anti-Puncture 57-622
Schalthebel Shifter	SHIMANO Altus SL-M2010	Scheinwerfer Front light	MonkeyLink Recharge (lighting not included)
Kurbelgarnitur Crankset	SHIMANO FC-MT101C 36/22T	Rücklicht Rear light	MonkeyLink Recharge (lighting not included)
Kassette Cassette	SHIMANO CS-HG200-9, 11-36T		
Bremsen Brakes	TEKTRO HD-M276, hydraulic disc brake, 180 mm / 6-Bolt, 160 mm / 6-Bolt		

AMINGA 1 27,5

metallic off-white
504-21137

WOMEN / MOUNTAIN



Model 2023 checked



ONLINE ORDER



blackberry red matt
524201909937



Rahmen Frame	6061 aluminium, internal cable routing	Lenker Handlebar	STYX riserbar
Rahmenhöhe Framesize	XS/S/M/L	Vorbau Stem	MTB-S, CCS Slot Mount ready
Gabel Fork	SR SUNTOUR XCM HLO 100 mm	Sattelstütze Seatpost	STYX aluminium
Schaltwerk Gearshift	SHIMANO Deore RD-M5120 shadow+ derailleur gear 10-speed	Sattel Saddle	BULLS Sportive Ergo
Gänge Gear	SHIMANO Deore SL-M4100	Felgen Rims	DDM-2
Schalthebel Shifter	SHIMANO Deore FC-M5100 32T	Bereifung Tires	SUPERO Edge Anti-Puncture 57-584
Kurbelgarnitur Crankset	SHIMANO Deore 10s 11-46T	Scheinwerfer Front light	MonkeyLink Recharge (lighting not included)
Kassette Cassette	SHIMANO Deore 10s 11-46T	Rücklicht Rear light	MonkeyLink Recharge (lighting not included)
Bremsen Brakes	TEKTRO HD-M275, TEKTRO HD-R280, hydraulic disc brake, 180 mm / 6-Bolt, 180 mm / 6-Bolt		

AMINGA 1 29

fuchsia purple matt
504-21537

WOMEN / MOUNTAIN



ONLINE ORDER



metallic off white
504-21637



Rahmen Frame	6061 aluminium, internal cable routing	Lenker Handlebar	STYX riserbar
Rahmenhöhe Framesize	XS/S/M/L	Vorbau Stem	MTB-S, CCS Slot Mount ready
Gabel Fork	SR SUNTOUR XCM HLO 100 mm	Sattelstütze Seatpost	STYX aluminium
Schaltwerk Gearshift	SHIMANO Deore RD-M5120 shadow+ derailleur gear 10-speed	Sattel Saddle	BULLS Sportive Ergo
Gänge Gear	SHIMANO Deore SL-M4100	Felgen Rims	DDM-2
Schalthebel Shifter	SHIMANO Deore FC-M5100 32T	Bereifung Tires	SUPERO Edge Anti-Puncture 57-622
Kurbelgarnitur Crankset	SHIMANO Deore 10s 11-46T	Scheinwerfer Front light	MonkeyLink Recharge (lighting not included)
Kassette Cassette	SHIMANO Deore 10s 11-46T	Rücklicht Rear light	MonkeyLink Recharge (lighting not included)
Bremsen Brakes	TEKTRO HD-M275, TEKTRO HD-R280, hydraulic disc brake, 180 mm / 6-Bolt, 180 mm / 6-Bolt		

AMINGA 2 29

sage
504-22637

WOMEN / MOUNTAIN



ONLINE ORDER



deep berry matt
504-22537



Rahmen Frame	6061 aluminium, internal cable routing	Lenker Handlebar	STYX riserbar
Rahmenhöhe Framesize	XS/S/M/L	Vorbau Stem	MTB-S, CCS Slot Mount ready
Gabel Fork	SR SUNTOUR XCM RL 100 mm	Sattelstütze Seatpost	STYX aluminium
Schaltwerk Gearshift	SHIMANO Deore RD-M5120 shadow+	Sattel Saddle	BULLS Sportive Ergo
Umwерfer Front derailleur	SHIMANO Deore FD-M4100	Felgen Rims	DDM-2
Gänge Gear	derailleur gear 20-speed	Bereifung Tires	SCHWALBE Smart Sam K-Guard 57-622
Schalthebel Shifter	SHIMANO Deore SL-M5100 / SL-M4100	Scheinwerfer Front light	MonkeyLink Recharge (lighting not included)
Kurbelgarnitur Crankset	SHIMANO Deore FC-M4100-2, 36/26T	Rücklicht Rear light	MonkeyLink Recharge (lighting not included)
Kassette Cassette	SHIMANO Deore 10-speed, 11-42T		
Bremsen Brakes	TEKTRO HD-M275, TEKTRO HD-R280, hydraulic disc brake, 180 mm, 180 mm		

AMINGA 3 27,5

summit lake blue matt
504-23137

WOMEN / MOUNTAIN



ONLINE ORDER



Rahmen Frame	super light 6061 aluminium, tripple butted, smooth welding, internal cable routing	Bremsen Brakes	SHIMANO BR-MT200, hydraulic disc brake, 180 mm / Center Lock, 180 mm / Center Lock
Rahmenhöhe Framesize	XS/S/M/L	Lenker Handlebar	BULLS Sport-SL double butted riserbar
Gabel Fork	RockShox Judy Gold RL-R 100 mm	Vorbau Stem	MTB-S, CCS Slot Mount ready
Schaltwerk Gearshift	SHIMANO Deore RD-M5100 shadow+ derailleur gear 11-speed	Sattelstütze Seatpost	BULLS aluminium
Gänge Gear	SHIMANO Deore SL-M5100	Sattel Saddle	BULLS Sportive Ergo
Schalthebel Shifter	SHIMANO Deore FC-M5100 32T	Felgen Rims	DDM-2
Kurbelgarnitur Crankset	SHIMANO Deore 11s, 11-51T	Bereifung Tires	SCHWALBE Smart Sam K-Guard 57-584
Kassette Cassette		Scheinwerfer Front light	MonkeyLink Recharge (lighting not included)
		Rücklicht Rear light	MonkeyLink Recharge (lighting not included)

AMINGA 3 29

summit lake blue matt
504-23637

WOMEN / MOUNTAIN



ONLINE ORDER



Rahmen Frame	super light 6061 aluminium, tripple butted, smooth welding, internal cable routing	Bremsen Brakes	SHIMANO BR-MT200, hydraulic disc brake, 180 mm / Center Lock, 180 mm / Center Lock
Rahmenhöhe Framesize	XS/S/M/L	Lenker Handlebar	BULLS Sport-SL double butted riserbar
Gabel Fork	RockShox Judy Gold RL-R 100 mm	Vorbau Stem	MTB-S, CCS Slot Mount ready
Schaltwerk Gearshift	SHIMANO Deore RD-M5100 shadow+ derailleur gear 11-speed	Sattelstütze Seatpost	BULLS aluminium
Gänge Gear	SHIMANO Deore SL-M5100	Sattel Saddle	BULLS Sportive Ergo
Schalthebel Shifter	SHIMANO Deore FC-M5100 32T	Felgen Rims	DDM-2
Kurbelgarnitur Crankset	SHIMANO Deore 11s, 11-51T	Bereifung Tires	SCHWALBE Smart Sam K-Guard 57-622
Kassette Cassette		Scheinwerfer Front light	MonkeyLink Recharge (lighting not included)
		Rücklicht Rear light	MonkeyLink Recharge (lighting not included)

MTB STREET

[illegible]

WILDTAIL STREET

light grey matt
504-24637

MTB STREET / MOUNTAIN

1
PROSPEKT
8-SEITER

2
PROSPEKT
12-SEITER

2
PROSPEKT
8-SEITER

3
PROSPEKT
12-SEITER

3
PROSPEKT
8-SEITER



ONLINE ORDER



light blue matt
504-25137



white
504-25037



light emerald green matt
504-24537



light emerald green matt
504-25237



Rahmen Frame	6061 aluminium	Bremsen Brakes	TEKTRO V-Brake
Rahmenhöhe Framesize	Diamond XS/S, Trapeze XS/S	Lenker Handlebar	MTB riserbar
Gabel Fork	SR SUNTOUR M3010 63 mm	Vorbau Stem	Ahead stem
Schaltwerk Gearshift	SHIMANO Tourney RD-TY200	Sattelstütze Seatpost	Alloy
Umworfer Front derailleur	SHIMANO Tourney FD-TY500	Sattel Saddle	BULLS sportive Comfort
Gänge Gear	derailleur gear 18-speed	Felgen Rims	DBM-2
Schalthebel Shifter	SHIMANO SL-RS36 Revoshift	Bereifung Tires	STYX Ace of Pace 57-559
Kurbelgarnitur Crankset	STYX 42/34/24T	Radschützer Fenders	Kunststoffsteckblech
Kassette Cassette	SHIMANO MF-TZ500-6, 14-28T	Scheinwerfer Front light	FUXON FS-30, 30 Lux LED with switch
		Rücklicht Rear light	FUXON RL-Mini Clip

BIG FREE 1

black matt
631-27537

MTB STREET / MOUNTAIN



ONLINE ORDER



black matt
631-28037



Rahmen Frame	aluminium	Lenker Handlebar	STYX riserbar
Rahmenhöhe Framesize	XS/S/M/L *	Vorbau Stem	STYX
Gabel Fork	SR SUNTOUR XCE 28 P, 80 mm	Sattelstütze Seatpost	STYX aluminium
Schaltwerk Gearshift	SHIMANO Tourney RD-TY300	Sattel Saddle	BULLS Sportive Comfort
Umwerfer Front derailleur	SHIMANO Tourney FD-TY500	Felgen Rims	STYX DBM-2
Gänge Gear	21-speed	Bereifung Tires	Ace of Pace 57-559, 26 x 2,25
Schalthebel Shifter	SHIMANO Tourney ST-EF41	Scheinwerfer Front light	FUXON FS-30
Kurbelgarnitur Crankset	STYX, 42/34/24T	Rücklicht Rear light	FUXON R-20 LED standlight function
Bremsen Brakes	TEKTRO V-Brake	Gepäckträger Carrier	welded carrier

BIG FREE 2

black matt
631-29541

MTB STREET / MOUNTAIN



ONLINE ORDER



Rahmen	Frame	aluminium	Lenker	Handlebar	STYX riserbar
Rahmenhöhe	Framesize	S/M/L/XL	Vorbau	Stem	STYX
Gabel	Fork	SR SUNTOUR NVX30, 100 mm	Sattelstütze	Seatpost	STYX aluminium
Schaltwerk	Gearshift	SHIMANO Tourney RD-TY300	Sattel	Saddle	BULLS Sportive Comfort
Umwерfer	Front derailleur	SHIMANO Tourney FD-TY500	Felgen	Rims	STYX DDM-2
Gänge	Gear	21-speed	Bereifung	Tires	SUPERO Ranger 57-584, 27,5 x 2,25 anti puncture
Schalthebel	Shifter	SHIMANO Tourney ST-EF41	Scheinwerfer	Front light	FUXON FS-30
Kurbelgarnitur	Crankset	SHIMANO Tourney FC-TY301 42/34/24T	Rücklicht	Rear light	FUXON R-20 LED standlight function
Bremsen	Brakes	TEKTRO MD-M280 mechanical disc, 160/160 mm	Gepäckträger	Carrier	welded carrier

SHARPTAIL STREET 1 26

black matt
504-25537

MTB STREET / MOUNTAIN



ONLINE ORDER



dark petrol matt
504-25637



emerald green matt
504-25737



metallic off-white
504-26037



iceblue
504-26237



Rahmen Frame	6061 aluminium	Bremsen Brakes	TEKTRO V-Brake
Rahmenhöhe Framesize	Diamond XS/S, Trapeze XS/S	Lenker Handlebar	STYX riserbar
Gabel Fork	SR SUNTOUR M3010 63 mm	Vorbau Stem	Ahead stem
Schaltwerk Gearshift	SHIMANO Tourney RD-TY300	Sattelstütze Seatpost	STYX aluminium
Umwerfer Front derailleur	SHIMANO Tourney FD-TY500	Sattel Saddle	BULLS sportive Comfort
Gänge Gear	derailleur gear 21-speed	Felgen Rims	DBM-2
Schalthebel Shifter	SHIMANO ST-EF41 EZ fire plus, shift/brake lever	Bereifung Tires	STYX Ace of Pace 57-559
Kurbelgarnitur Crankset	STYX 42/34/24T	Radschützer Fenders	Kunststoffsteckblech
Kassette Cassette	SHIMANO MF-TZ500-7, 14-28T	Scheinwerfer Front light	FUXON FS-30, 30 Lux LED with switch
		Rücklicht Rear light	FUXON RL-Mini Clip

SHARPTAIL STREET 1 27,5

dark petrol matt
504-26641

MTB STREET / MOUNTAIN



ONLINE ORDER



black matt
504-26541



emerald green matt
504-26741



metallic off-white
504-27041



emerald green matt
504-27141



iceblue
504-27241



Rahmen Frame	6061 aluminium	Bremsen Brakes	TEKTRO V-Brake
Rahmenhöhe Framesize	Diamond S/M/L, Trapeze S/M/L	Lenker Handlebar	STYX riserbar
Gabel Fork	SR SUNTOUR XCE-28 100 mm	Vorbau Stem	Ahead stem
Schaltwerk Gearshift	SHIMANO Tourney RD-TY300	Sattelstütze Seatpost	STYX aluminium
Umwерfer Front derailleur	SHIMANO Tourney FD-TY500	Sattel Saddle	BULLS sportive Comfort
Gänge Gear	derailleur gear 21-speed	Felgen Rims	DBM-2
Schalthebel Shifter	SHIMANO ST-EF41 EZ fire plus, shift/brake lever	Bereifung Tires	STYX Ace of Pace 57-584
Kurbelgarnitur Crankset	STYX 42/34/24T	Radschützer Fenders	Kunststoffsteckblech
Kassette Cassette	SHIMANO MF-TZ500-7, 14-28T	Scheinwerfer Front light	FUXON FS-30, 30 Lux LED with switch
		Rücklicht Rear light	FUXON RL-Mini Clip

SHARPTAIL STREET 2 27,5

light grey
631-28541

MTB STREET / MOUNTAIN



Model 2023 checked



ONLINE ORDER



liquid cyan matt
631-28641



black matt
631-28741



pro blue matt
504-29641



black matt
504-29741



nano grey
504-29841



Rahmen Frame	6061 aluminium	Bremsen Brakes	TEKTRO MD-M280 mechanical disc, 160/160 mm
Rahmenhöhe Framesize	S/M/L/XL *	Lenker Handlebar	STYX riserbar
Gabel Fork	SR SUNTOUR NVX30, 100 mm	Vorbau Stem	STYX
Schaltwerk Gearshift	SHIMANO Tourney RD-TY300	Sattelstütze Seatpost	STYX aluminium
Umwerfer Front derailleur	SHIMANO Tourney FD-TY500	Sattel Saddle	BULLS Sportive Comfort
Gänge Gear	21-speed	Felgen Rims	STYX DDM-2
Schalthebel Shifter	SHIMANO Tourney ST-EF41	Bereifung Tires	Supero Ranger, 57-584, anti puncture
Kurbelgarnitur Crankset	STYX, 42/34/24T	Scheinwerfer Front light	FUXON FS-30, 30 Lux LED with switch
		Rücklicht Rear light	FUXON RL-Mini Clip

SHARPTAIL STREET 2 29

pro blue matt
504-30141

MTB STREET / MOUNTAIN



Model 2023 checked



ONLINE ORDER



light grey
504-30041



black matt
504-30241



nano grey
504-30341



Rahmen Frame	6061 aluminium	Bremsen Brakes	TEKTRO MD-M280, mechanic disc brake, 160 mm / 6-Bolt, 160 mm / 6-Bolt
Rahmenhöhe Framesize	S/M/L/XL	Lenker Handlebar	STYX riserbar
Gabel Fork	SR SUNTOUR NVX-30 100 mm	Vorbau Stem	STYX Ahead stem
Schaltwerk Gearshift	SHIMANO Tourney RD-TY300	Sattelstütze Seatpost	STYX aluminium
Umwерfer Front derailleur	SHIMANO Tourney FD-TY500	Sattel Saddle	BULLS sportive Comfort
Gänge Gear	derailleur gear 21-speed	Felgen Rims	DDM-2
Schalthebel Shifter	SHIMANO ST-EF41 EZ fire plus, shift/brake lever	Bereifung Tires	SUPERO Ranger Anti-Puncture 57-622
Kurbelgarnitur Crankset	STYX 42/34/24T	Radschützer Fenders	Kunststoffsteckblech
Kassette Cassette	SHIMANO MF-TZ500-7, 14-28T	Scheinwerfer Front light	FUXON FS-30, 30 Lux LED with switch
		Rücklicht Rear light	FUXON RL-Mini Clip

SHARPTAIL STREET 3 27,5

black matt
631-34641

MTB STREET / MOUNTAIN



1
PROSPEKT
8-SEITER

2
PROSPEKT
12-SEITER

2
PROSPEKT
8-SEITER

3
PROSPEKT
12-SEITER

3
PROSPEKT
8-SEITER



ONLINE ORDER



dark chrome silver
631-34541



kiwi green
631-34741



light grey
504-35541



dark mustard matt
504-35741



Rahmen Frame	6061 aluminium	Bremsen Brakes	TEKTRO HD-M275 hydraulic disc, 160/160 mm
Rahmenhöhe Framesize	S/M/L/XL *	Lenker Handlebar	STYX riserbar
Gabel Fork	SR SUNTOUR NVX30, 100 mm	Vorbau Stem	STYX
Schaltwerk Gearshift	SHIMANO Altus RD-M310	Sattelstütze Seatpost	STYX aluminium
Umwерfer Front derailleur	SHIMANO Tourney FD-TY500	Sattel Saddle	BULLS Sportive Comfort
Gänge Gear	24-speed	Felgen Rims	STYX DDM-2
Schalthebel Shifter	SHIMANO Altus SL-M315	Bereifung Tires	Supero Ranger, 57-584, anti puncture
Kurbelgarnitur Crankset	STYX, 42/34/24T	Scheinwerfer Front light	FUXON FS-30, 30 Lux LED with switch
		Rücklicht Rear light	FUXON RL-Mini Clip

SHARPTAIL STREET 3 29

kiwi green
631-35341

MTB STREET / MOUNTAIN



ONLINE ORDER



dark chrome silver,
black matt
631-35041



black matt, black
631-35241



light grey
504-36041



black matt
504-36141



dark mustard matt
504-36241



Rahmen Frame	6061 aluminium	Bremsen Brakes	TEKTRO HD-M275 hydraulic disc, 160/160 mm
Rahmenhöhe Framesize	S/M/L/XL/XXL	Lenker Handlebar	STYX riserbar
Gabel Fork	SR Suntour NVX30, 100 mm	Vorbau Stem	STYX
Schaltwerk Gearshift	SHIMANO Altus RD-M310	Sattelstütze Seatpost	STYX aluminium
Umwerfer Front derailleur	SHIMANO Tourney FD-TY500	Sattel Saddle	BULLS Sportive Comfort
Gänge Gear	24-speed	Felgen Rims	STYX DDM-2
Schalthebel Shifter	SHIMANO Altus SL-M315	Bereifung Tires	Supero Ranger, 57-584, anti puncture
Kurbelgarnitur Crankset	STYX, 42/34/24T	Scheinwerfer Front light	FUXON FS-30, 30 Lux LED with switch
		Rücklicht Rear light	FUXON RL-Mini Clip

NANDI STREET 27,5

mint matt
504-34037

MTB STREET / MOUNTAIN



ONLINE ORDER



black matt
504-34137



Rahmen Frame	6061 aluminium	Kassette Cassette	SHIMANO MF-TZ500-7, 14-28T
Rahmenhöhe Framesize	XS/S/M/L	Bremsen Brakes	TEKTRO V-Brake
Gabel Fork	SR SUNTOUR XCE-28 100 mm	Lenker Handlebar	STYX riserbar
Schaltwerk Gearshift	SHIMANO Tourney RD-TY300	Vorbau Stem	STYX Ahead stem
Umwerfer Front derailleur	SHIMANO Tourney FD-TY500	Sattelstütze Seatpost	STYX aluminium
Gänge Gear	derailleur gear 21-speed	Sattel Saddle	BULLS sportive Comfort
Schalthebel Shifter	SHIMANO ST-EF41 EZ fire plus, shift/brake lever	Felgen Rims	DBM-2
Kurbelgarnitur Crankset	STYX 42/34/24T	Bereifung Tires	STYX Ace of Pace 57-584
		Scheinwerfer Front light	FUXON FS-30, 30 Lux LED with switch
		Rücklicht Rear light	FUXON RL-Mini Clip

ZARENA STREET 1 27,5

grey matt
504-34537

MTB STREET / MOUNTAIN



ONLINE ORDER



white
504-34637



Rahmen Frame	6061 aluminium	Bremsen Brakes	TEKTRO MD-M280, mechanic disc brake, 160 mm / 6-Bolt, 160 mm / 6-Bolt
Rahmenhöhe Framesize	XS/S/M/L	Lenker Handlebar	STYX riserbar
Gabel Fork	SR SUNTOUR NVX-30 100 mm	Vorbau Stem	STYX Ahead stem
Schaltwerk Gearshift	SHIMANO Tourney RD-TY300	Sattelstütze Seatpost	STYX aluminium
Umwerfer Front derailleur	SHIMANO Tourney FD-TY500	Sattel Saddle	BULLS sportive Comfort
Gänge Gear	derailleur gear 21-speed	Felgen Rims	DDM-2
Schalthebel Shifter	SHIMANO ST-EF41 EZ fire plus, shift/brake lever	Bereifung Tires	SUPERO Ranger Anti-Puncture 57-584
Kurbelgarnitur Crankset	STYX 42/34/24T	Radschützer Fenders	Kunststoffsteckblech
Kassette Cassette	SHIMANO MF-TZ500-7, 14-28T	Scheinwerfer Front light	FUXON FS-30, 30 Lux LED with switch
		Rücklicht Rear light	FUXON RL-Mini Clip

ZARENA STREET 2 27,5

light grey
631-34137

MTB STREET / MOUNTAIN



ONLINE ORDER



dark petrol matt
631-34237



Rahmen Frame	6061 aluminium	Bremsen Brakes	TEKTRO HD-M276 hydraulic disc, 160/160 mm
Rahmenhöhe Framesize	XS/S/M/L	Lenker Handlebar	STYX riserbar
Gabel Fork	SR SUNTOUR NVX 30, 100 mm	Vorbau Stem	STYX
Schaltwerk Gearshift	SHIMANO Altus RD-M310	Sattelstütze Seatpost	STYX aluminium
Umwerfer Front derailleur	SHIMANO Tourney FD-TY500	Sattel Saddle	BULLS Sportive Comfort
Gänge Gear	24-speed	Felgen Rims	STYX DDM-2
Schalthebel Shifter	SHIMANO Altus SL-M315	Bereifung Tires	SUPERO Ranger, 57-584, anti puncture
Kurbelgarnitur Crankset	STYX, 42/34/24T	Scheinwerfer Front light	FUXON FS-30, 30 Lux LED with switch
		Rücklicht Rear light	FUXON RL-Mini Clip



*DIRT JUMP /
PUMPTRACK*

*DIRT JUMP /
PUMPTRACK*

***DIRT JUMP /
PUMPTRACK /
BMX***

[illegible]

DURO DJ

light grey
504-02032

DIRT JUMP / PUMPTRACK / BMX



ONLINE ORDER



Rahmen Frame	6061 aluminium, internal cable routing	Bremsen Brakes	TEKTRO HD-M276, hydraulic disc brake, 180 mm / 6-Bolt, 180 mm / 6-Bolt
Rahmenhöhe Framesize	M/L	Lenker Handlebar	STYX riserbar
Gabel Fork	SR SUNTOUR XCM HLO 100 mm	Vorbau Stem	MTB-S, CCS Slot Mount ready
Schaltwerk Gearshift	SHIMANO Altus RD-M2000	Sattelstütze Seatpost	Alloy
Gänge Gear	derailleur gear 9-speed	Sattel Saddle	BULLS Dirt Jump
Schalthebel Shifter	SHIMANO Altus SL-M2010	Felgen Rims	DDM-2
Kurbelgarnitur Crankset	PROWHEEL 32T	Bereifung Tires	SCHWALBE Billy Bonkers K-Guard 57-559
Kassette Cassette	SHIMANO CS-HG200-9, 11-36T		

DURO DJ PRO

nano grey matt
504-02532

DIRT JUMP / PUMPTRACK / BMX



ONLINE ORDER



Rahmen Frame	6061 aluminium	Lenker Handlebar	BULLS Sport-SL double butted riserbar
Rahmenhöhe Framesize	M	Vorbau Stem	Dirt Bike
Gabel Fork	SR SUNTOUR XCM HLO 100 mm	Sattelstütze Seatpost	BULLS Pivotal
Gänge Gear	singlespeed 1-speed	Sattel Saddle	BULLS Dirt Jump Pivotal
Kurbelgarnitur Crankset	PROWHEEL 32T Pro	Felgen Rims	RYDE Disc Bull
Bremsen Brakes	TEKTRO HD-M276, hydraulic disc brake 180 mm / 6-Bolt	Bereifung Tires	SCHWALBE Billy Bonkers K-Guard 57-559

BARBAR

electric blue
633-30700

DIRT JUMP / PUMPTRACK / BMX



ONLINE ORDER

Rahmen Frame	Hi-Ten	Steuersatz Heasaet	Oryg Rotor
Rahmenhöhe Framesize	9,5 Zoll	Sattelstütze Seatpost	BMX
Gabel Fork	Hi-Ten	Sattel Saddle	BULLS BMX
Gänge Gear	1-speed	Naben Hubs	Formula DX
Kurbelgarnitur Crankset	one piece 39T	Felgen Rims	STYX BF-1
Bremsen Brakes	TEKTRO U-Brake	Bereifung Tires	Kenda K-841 57-406, 20 x 2.25
Lenker Handlebar	BMX	Radschützer Pedals	Wellgo
Vorbau Stem	aluminium		



GRAVEL

DAILY GRINDER 1

black chrome, black, red
633-48245

GRAVEL



ONLINE ORDER



deep berry matt
505-08445



deep berry matt
505-09045

Rahmen Frame	6061 aluminium, internal cable routing, smooth welding	Lenker Handlebar	BULLS Gravelbar
Rahmenhöhe Framesize	Diamond S/M/L/XL, Trapeze S/M/L	Vorbau Stem	MTB-S, CCS Slot Mount ready
Gabel Fork	aluminium	Sattelstütze Seatpost	BULLS
Schaltwerk Gearshift	SHIMANO Claris RD-R2000	Sattel Saddle	BULLS Gravel
Umwерfer Front derailleur	SHIMANO Claris FD-R2000	Felgen Rims	BULLS DDM-2
Gänge Gear	16-speed	Bereifung Tires	SCHWALBE CX Comp K-G 40-622, 28 x 1.50
Schalthebel Shifter	SHIMANO Claris ST-R2000	Scheinwerfer Front light	FUXON FS-50SL 50 Lux, on/off switch, sensor, standlight
Kurbelgarnitur Crankset	SHIMANO Claris FC-RS200, 46/34T	Rücklicht Rear light	FUXON RL-Mini, LED stand light function
Bremsen Brakes	SHIMANO BR-RS305 mechanical disc, 160/160 mm	Gepäckträger Carrier	BULLS Urban Carrier

DAILY GRINDER 2

emerald green matt
505-10845

GRAVEL

1
PROSPEKT
8-SEITER

2
PROSPEKT
12-SEITER

2
PROSPEKT
8-SEITER

3
PROSPEKT
12-SEITER

3
PROSPEKT
8-SEITER



ONLINE ORDER

Rahmen Frame	6061 aluminium, double butted, smooth welding, internal cable routing, bikepacking ready	Bremsen Brakes	SHIMANO GRX BR-RX400, hydraulic disc brake, 160 mm / Center Lock, 160 mm / Center Lock
Rahmenhöhe Framesize	S/M/L/XL	Lenker Handlebar	Gravel SL double butted
Gabel Fork	Grinder aluminium	Vorbau Stem	MTB-S, CCS Slot Mount ready
Schaltwerk Gearshift	SHIMANO GRX RD-RX400	Sattelstütze Seatpost	BULLS aluminium
Umwerfer Front derailleur	SHIMANO GRX FD-RX400	Sattel Saddle	BULLS Gravel
Gänge Gear	derailleur gear 20-speed	Felgen Rims	XC-21 Evo, tubeless ready
Schalthebel Shifter	SHIMANO GRX ST-RX400	Bereifung Tires	SCHWALBE G-ONE ALLROUND Performance, RaceGuard, TLE 40-622
Kurbelgarnitur Crankset	PROWHEEL 46/30T	Radschützer Fenders	aluminium mudguard
Kassette Cassette	SHIMANO CS-HG50-10, 10-SPD, 11-36T	Scheinwerfer Front light	FUXON FS-70, 70 Lux
		Rücklicht Rear light	FUXON RZ-60 LED
		Gepäckträger Carrier	BULLS Urban/Gravel carrier

DAILY GRINDER 3

black
524504629945

NEW!

GRAVEL



ONLINE ORDER

Rahmen Frame	6061 aluminium, double butted, internal cable routing, bikepacking ready	Lenker Handlebar	BULLS Gravel SL
Rahmenhöhe Framesize	S/M/L/XL	Vorbau Stem	BULLS MTB-SL, 3D forged, CCS Slot Mount ready
Gabel Fork	Machete carbon	Sattelstütze Seatpost	BULLS Durofelx carbon 27,2 mm
Schaltwerk Gearshift	SHIMANO GRX RD-RX822	Sattel Saddle	BULLS Gravel
Gänge Gear	derailleur gear 12-speed	Felgen Rims	BULLS XC-21 Evo tubeless ready
Schalthebel Shifter	SHIMANO GRX ST-RX610	Bereifung Tires	SCHWALBE G-One Allround Performance RaceGuard TLE 40-622
Kurbelgarnitur Crankset	SHIMANO GRX FC-RX610 40T	Radschützer Fenders	aluminium mudguard
Kassette Cassette	SHIMANO SLX CS-M7100 10-45T	Scheinwerfer Front light	FUXON FS-70, 70 Lux
Bremsen Brakes	SHIMANO BR RX400, hydraulic disc brake, SHIMANO SM-RT30 160 mm CL, SHIMANO SM-RT30 160 mm CL	Rücklicht Rear light	FUXON RZ-60 LED
		Gepäckträger Carrier	carrier BULLS Urban/Gravel carrier

ESPRESSO GRINDER

dark mustard matt
524504089945

NEW!

GRAVEL

1
PROSPEKT
8-SEITER

2
PROSPEKT
12-SEITER

3
PROSPEKT
12-SEITER



ONLINE ORDER



burgundy red matt
524504099945

Rahmen Frame	6061 aluminium, internal cable routing, bikepacking ready	Bremsen Brakes	TEKTRO HD-R280, hydraulic disc brake, TEKTRO TR160-35 CL, TEKTRO TR160-35 CL
Rahmenhöhe Framesize	S/M/L/XL	Lenker Handlebar	BULLS Sport S flatbar
Gabel Fork	Grinder aluminium	Vorbau Stem	BULLS MTB-S CCS Slot Mount ready
Schaltwerk Gearshift	SHIMANO Sora RD-R3000	Sattelstütze Seatpost	BULLS aluminium 27,2 mm
Umwerfer Front derailleur	SHIMANO Sora FD-R3000	Sattel Saddle	BULLS Gravel
Gänge Gear	derailleur gear 18-speed	Felgen Rims	BULLS DDM-22
Schalthebel Shifter	SHIMANO BL-R3000	Bereifung Tires	SCHWALBE G-One Allround
Kurbelgarnitur Crankset	SHIMANO Sora FC-R3000 50/34T	Scheinwerfer Front light	Performance RaceGuard TLE 40-622
Kassette Cassette	SHIMANO CS-HG400 11-34T	Rücklicht Rear light	MonkeyLink Recharge (lighting not included)
			MonkeyLink Recharge (lighting not included)

SPEED GRINDER

nano grey matt
505-09445

GRAVEL



ONLINE ORDER

Rahmen Frame	6061 aluminium, smooth welding, internal cable routing, bikepacking ready	Kassette Cassette	SHIMANO 105 11-32T
Rahmenhöhe Framesize	S/M/L/XL	Bremsen Brakes	TEKTRO MD-C510, mechanic disc brake, 160 mm CL, 160 mm CL
Gabel Fork	Grinder aluminium	Lenker Handlebar	Road SL double butted
Schaltwerk Gearshift	SHIMANO 105	Vorbau Stem	BULLS Ahead
Umwerfer Front derailleur	SHIMANO 105	Sattelstütze Seatpost	BULLS aluminium
Gänge Gear	derailleur gear 22-speed	Sattel Saddle	BULLS Road
Schalthebel Shifter	SHIMANO 105 ST-R7000	Felgen Rims	DDM-2
Kurbelgarnitur Crankset	SHIMANO 105 FC-R7000 50/34T	Bereifung Tires	SCHWALBE G-ONE Speed Performance, RaceGuard, TLE 40-622

GRINDER 1

liquid copper, black matt
633-45745

GRAVEL



ONLINE ORDER



quantum silber
524504039945



pro blue matt
524504029945

Rahmen Frame	6061 aluminium, internal cable routing, smooth welding	Lenker Handlebar	BULLS Gravelbar
Rahmenhöhe Framesize	S/M/L/XL	Vorbau Stem	MTB-S, CCS Slot Mount ready
Gabel Fork	aluminium	Sattelstütze Seatpost	BULLS
Schaltwerk Gearshift	SHIMANO Claris RD-R2000	Sattel Saddle	BULLS Gravel
Umworfer Front derailleur	SHIMANO Claris FD-R2000	Felgen Rims	BULLS DDM-2
Gänge Gear	16-speed	Bereifung Tires	SCHWALBE CX Comp K-G 40-622, 28 x 1.5
Schalthebel Shifter	SHIMANO Claris ST-R2000	Scheinwerfer Front light	MonkeyLink Recharge (lighting not included)
Kurbelgarnitur Crankset	SHIMANO Claris FC-RS200, 46/34T	Rücklicht Rear light	MonkeyLink Recharge (lighting not included)
Bremsen Brakes	SHIMANO BR-RS305 mechanical disc, 160/160 mm		

GRINDER 2

dark petrol matt, black matt
633-46945

GRAVEL



Model 2023 checked




ONLINE ORDER



creme white
524504159945



electric yellow
524504169945



creme white
524504209945

Rahmen Frame	6061 aluminium, internal cable routing, smooth welding	Lenker Handlebar	BULLS Gravelbar
Rahmenhöhe Framesize	Diamond S/M/L/XL, Trapeze S/M/L	Vorbau Stem	MTB-S, CCS Slot Mount ready
Gabel Fork	aluminium	Sattelstütze Seatpost	BULLS
Schaltwerk Gearshift	SHIMANO Sora RD-R3000	Sattel Saddle	BULLS Gravel
Umworfer Front derailleur	SHIMANO Sora FD-R3000	Felgen Rims	BULLS DDM-2
Gänge Gear	18-speed	Bereifung Tires	SCHWALBE G-One Allround Performance Raceguard TLE 40-622, 28 x 1.5
Schalthebel Shifter	SHIMANO Sora ST-R3000	Scheinwerfer Front light	MonkeyLink Recharge (lighting not included)
Kurbelgarnitur Crankset	SHIMANO Sora FC-R3000, 50/34T	Rücklicht Rear light	MonkeyLink Recharge (lighting not included)
Bremsen Brakes	SHIMANO BR-RS305 mechanical disc, 160/160 mm		


GRINDER 3

pro blue matt, grey
633-49245

GRAVEL



ONLINE ORDER



1 PROSPEKT 8-SEITER
2 PROSPEKT 12-SEITER
2 PROSPEKT 8-SEITER
3 PROSPEKT 12-SEITER
3 PROSPEKT 8-SEITER

black matt
633-49145

Rahmen Frame	double butted 6061 aluminium, internal cable routing, smooth welding	Lenker Handlebar	BULLS Gravelbar
Rahmenhöhe Framesize	S/M/L/XL	Vorbau Stem	MTB-S, CCS Slot Mount ready
Gabel Fork	aluminium	Sattelstütze Seatpost	BULLS
Schaltwerk Gearshift	SHIMANO GRX RD-RX400	Sattel Saddle	BULLS Gravel
Umwерfer Front derailleur	SHIMANO GRX FD-RX400	Felgen Rims	BULLS DDM-2
Gänge Gear	20-speed	Bereifung Tires	SCHWALBE G-One Allround Performance Raceguard TLE 40-622, 28 x 1.5
Schalthebel Shifter	SHIMANO GRX ST-RX400	Scheinwerfer Front light	MonkeyLink Recharge (lighting not included)
Kurbelgarnitur Crankset	SHIMANO GRX FC-RX600 46/30T	Rücklicht Rear light	MonkeyLink Recharge (lighting not included)
Bremsen Brakes	SHIMANO GRX BR-RX400 hydraulic disc, 160/160mm		

TRAIL GRINDER

dark gold matt
524504489945

NEW!

GRAVEL

2
PROSPEKT
12-SEITER

3
PROSPEKT
12-SEITER



ONLINE ORDER

Rahmen Frame	6061 Aluminium, internal cable routing, bikepacking ready	Lenker Handlebar	BULLS Gravel S
Rahmenhöhe Framesize	S/M/L/XL	Vorbau Stem	BULLS MTB-S CCS Slot Mount ready
Gabel Fork	SR SUNTOUR GVX32	Sattelstütze Seatpost	BULLS aluminium 27,2 mm
Schaltwerk Gearshift	SHIMANO GRX RD-RX822	Sattel Saddle	BULLS Gravel
Gänge Gear	derailleur gear 12-speed	Felgen Rims	BULLS XC-21 Evo tubeless ready
Schalthebel Shifter	SHIMANO GRX ST RX610	Bereifung Tires	SCHWALBE G-One Bite Performance Race Guard TLE 45-622
Kurbelgarnitur Crankset	SHIMANO FC RX 610 38T	Scheinwerfer Front light	MonkeyLink Recharge (lighting not included)
Kassette Cassette	SHIMANO CS-M7100 10-45T	Rücklicht Rear light	MonkeyLink Recharge (lighting not included)
Bremsen Brakes	SHIMANO BR-RX 400, hydraulic disc brake, SHIMANO SM-RT30 160 mm CL, SHIMANO SM-RT30 160 mm CL		


GRINDER 4

swamp green matt
633-49345

GRAVEL



ONLINE ORDER



deep berry matt, grey
633-49445

Rahmen Frame	6061 aluminium, double butted, internal cable routing, smooth welding	Lenker Handlebar	BULLS Gravelbar double butted
Rahmenhöhe Framesize	S/M/L/XL	Vorbau Stem	MTB-S, CCS Slot Mount ready
Gabel Fork	Machete carbon fork with tripple water bottle mount	Sattelstütze Seatpost	BULLS
Schaltwerk Gearshift	SHIMANO GRX RD-RX812	Sattel Saddle	BULLS Gravel
Gänge Gear	11-speed	Felgen Rims	BULLS XC-21 Evo Tubeless ready
Schalthebel Shifter	SHIMANO GRX ST-RX600	Bereifung Tires	Schwalbe G-One Allround Performance Raceguard TLE 40-622, 28 x 1.5
Kurbelgarnitur Crankset	SHIMANO GRX FC-RX600, 40T	Scheinwerfer Front light	MonkeyLink Recharge (lighting not included)
Bremsen Brakes	SHIMANO GRX BR-RX400 hydraulic disc, 160/160 mm	Rücklicht Rear light	MonkeyLink Recharge (lighting not included)

MACHETE

saphire, black matt
633-52345

GRAVEL



Model 2023 checked



ONLINE ORDER



light emerald matt, carbon
633-52445



Rahmen Frame	carbon fibre, monocoque, tapered steerer, tailored chainstay, internal cable routing, thru axle, multiple water bottle mounts	Kurbelgarnitur Crankset	SHIMANO GRX FC-RX600 40T
Rahmenhöhe Framesize	S/M/L/XL	Kassette Cassette	SHIMANO SLX CS-M7000 11-42T
Gabel Fork	Machete carbon fork with tripple water bottle mount and internal cable routing	Bremsen Brakes	SHIMANO BR-RX400, 160/160 mm
Schaltwerk Gearshift	SHIMANO GRX RD-RX812 Shadow Plus	Lenker Handlebar	BULLS Gravelbar double butted
Gänge Gear	11-speed	Vorbau Stem	BULLS Gravelstem, CCS slot mount ready
Schalthebel Shifter	SHIMANO GRX ST-RX600	Sattelstütze Seatpost	BULLS
		Sattel Saddle	BULLS Gravel
		Felgen Rims	BULLS XC-21 Evo Tubeless ready
		Bereifung Tires	SCHWALBE G-One R Evo, Super Race TLE 45-622



ROAD

HARRIER 1

petrol
633-33747

ROAD



ONLINE ORDER

Rahmen	Frame	6061 aluminium, double butted, internal cable routing, smooth welding	Kurbelgarnitur	Crankset	FSA Gossamer Pro 50/34T
Rahmenhöhe	Framesize	XS/S/M/L/XL/XXL	Bremsen	Brakes	TEKTRO R540
Gabel	Fork	Harrier carbon fork, QR	Lenker	Handlebar	BULLS roadbar
Schaltwerk	Gearshift	SHIMANO 105 RD-R7000	Vorbau	Stem	BULLS
Umwerfer	Front derailleur	SHIMANO 105 FD-R7000	Sattelstütze	Seatpost	BULLS
Gänge	Gear	22-speed	Sattel	Saddle	BULLS Road
Schalthebel	Shifter	SHIMANO 105 ST-R7000	Laufрад	Wheelset	SHIMANO WH-RS100
			Bereifung	Tires	SCHWALBE Lugano II K-Guard 25-622, 28 x 1,00

HARRIER 2

black matt
505-00647

ROAD



ONLINE ORDER



chrome red
505-00747

Rahmen Frame	6061 aluminium, double butted, smooth welding, internal cable routing	Kassette Cassette	SHIMANO 105 11-speed, 11-32T
Rahmenhöhe Framesize	XS/S/M/L/XL/XXL	Bremsen Brakes	SHIMANO 105,mechanic rim brake
Gabel Fork	Harrier carbon	Lenker Handlebar	Road SL double butted
Schaltwerk Gearshift	SHIMANO 105	Vorbau Stem	BULLS Ahead stem
Umwerfer Front derailleur	SHIMANO 105	Sattelstütze Seatpost	BULLS aluminium
Gänge Gear	derailleur gear 22-speed	Sattel Saddle	BULLS Road
Schalthebel Shifter	SHIMANO 105 ST-R7000	Laufрад Wheelset	SHIMANO WH-RS100-CL
Kurbelgarnitur Crankset	SHIMANO 105 FC-R7000 50/34T	Bereifung Tires	SCHWALBE Pro One Evo V-Guard 25-622

HARRIER DISC 1

light grey matt, black
633-34947

ROAD



ONLINE ORDER

Rahmen Frame	6061 aluminium, double butted, internal cable routing, smooth welding, thru axle	Kurbelgarnitur Crankset	SHIMANO Sora FC-R3000 50/34T
Rahmenhöhe Framesize	XS/S/M/L/XL/XXL	Bremsen Brakes	TEKTRO MD-C510 mechanical disc, 160/160 mm
Gabel Fork	Harrier Disc tapered carbon fork, 12 mm thru axle	Lenker Handlebar	BULLS double butted roadbar
Schaltwerk Gearshift	SHIMANO Sora RD-3000	Vorbau Stem	BULLS
Umwерfer Front derailleur	SHIMANO Sora FD-R3000	Sattelstütze Seatpost	BULLS
Gänge Gear	18-speed	Sattel Saddle	BULLS Road
Schalthebel Shifter	SHIMANO Sora ST-R3000	Bereifung Tires	SCHWALBE Durano DD Performance RaceGuard 28-622, 28 x 1,10

HARRIER DISC 2

black matt
505-01847

ROAD



ONLINE ORDER

Rahmen Frame	6061 aluminium, double butted, smooth welding, internal cable routing, thru axle	Bremsen Brakes	SHIMANO BR-RS305, mechanic disc brake, 160 mm / Center Lock, 160 mm / Center Lock
Rahmenhöhe Framesize	XS/S/M/L/XL/XXL	Lenker Handlebar	Road SL double butted
Gabel Fork	Alpine Hawk Carbon, 12 mm thru axle	Vorbau Stem	BULLS Ahead stem
Schaltwerk Gearshift	SHIMANO Tiagra	Sattelstütze Seatpost	BULLS aluminium
Umwerfer Front derailleur	SHIMANO Tiagra	Sattel Saddle	BULLS Road
Gänge Gear	derailleur gear 20-speed	Laufрад Wheelset	SHIMANO WH-RS171-CL
Schalthebel Shifter	SHIMANO Tiagra ST-4700	Bereifung Tires	SCHWALBE One Performance RG, Folding 28-622/30-622
Kurbelgarnitur Crankset	SHIMANO Tiagra FC-4700 50/34T		
Kassette Cassette	SHIMANO CS-HG500-10, 10-SPD, 11-34T		

HARRIER DISC 3

frozen dark blue matt
505-02447

ROAD



ONLINE ORDER

Rahmen Frame	6061 aluminium, double butted, smooth welding, internal cable routing, thru axle	Bremsen Brakes	SHIMANO 105, hydraulic disc brake, 160 mm / Center Lock, 160 mm / Center Lock
Rahmenhöhe Framesize	XS/S/M/L/XL/XXL	Lenker Handlebar	Road SL double butted
Gabel Fork	Alpine Hawk Carbon, 12 mm thru axle	Vorbau Stem	BULLS Ahead stem
Schaltwerk Gearshift	SHIMANO 105	Sattelstütze Seatpost	BULLS aluminium
Umwerfer Front derailleur	SHIMANO 105	Sattel Saddle	BULLS Road
Gänge Gear	derailleur gear 22-speed	Laufрад Wheelset	SHIMANO WH-RS171-CL
Schalthebel Shifter	SHIMANO 105 ST-R7000	Bereifung Tires	SCHWALBE One Performance RG, Folding 28-622/30-622
Kurbelgarnitur Crankset	SHIMANO 105 FC-R7000 50/34T		
Kassette Cassette	SHIMANO 105 11-speed, 11-32T		

ALPINE HAWK 1

anodized blue matt, carbon
633-36747

ROAD



ONLINE ORDER



light grey, carbon
633-36847



Rahmen Frame	carbon fibre, monocoque, tapered steerer, tailored chainstay, internal cable routing, thru axle	Kurbelgarnitur Crankset	SHIMANO 105 FC-R7000 50/34T
Rahmenhöhe Framesize	XS/S/M/L/XL/XXL	Bremsen Brakes	SHIMANO 105 BR-R7070 hydraulic disc, 160/160 mm
Gabel Fork	Alpine Hawk disc tapered carbon fork, 12 mm thru axle, internal cable routing	Lenker Handlebar	BULLS double butted roadbar
Schaltwerk Gearshift	SHIMANO 105 RD-R7000	Vorbau Stem	BULLS road stem, CCS slot mount ready
Umwерfer Front derailleur	SHIMANO 105 FD-R7000	Sattelstütze Seatpost	BULLS Duroflex carbon
Gänge Gear	22-speed	Sattel Saddle	BULLS Road
Schalthebel Shifter	SHIMANO 105 ST-R7020	Laufрад Wheelset	SHIMANO WH-RS171
		Bereifung Tires	SCHWALBE Pro One Evo, Super Race, V-Guard Folding 28-622, 28 x 1,10

ALPINE HAWK 2

black matt, carbon
633-37347

ROAD



ONLINE ORDER



Rahmen Frame	carbon fibre, monocoque, tapered steerer, tailored chainstay, internal cable routing, thru axle	Kurbelgarnitur Crankset	SHIMANO Ultegra FC-R8000 50/34T
Rahmenhöhe Framesize	XS/S/M/L/XL/XXL	Kassette Cassette	SHIMANO 105 CS-R7000, 11-32T
Gabel Fork	Alpine Hawk disc tapered carbon fork, 12 mm thru axle, internal cable routing	Bremsen Brakes	SHIMANO Ultegra BR-R8070 hydraulic disc 160/160 mm
Schaltwerk Gearshift	SHIMANO Ultegra RD-R8000	Lenker Handlebar	BULLS double butted roadbar
Umworfer Front derailleur	SHIMANO Ultegra FD-R8000	Vorbau Stem	BULLS road stem, CCS slot mount ready
Gänge Gear	22-speed	Sattelstütze Seatpost	BULLS Duroflex carbon
Schalthebel Shifter	SHIMANO Ultegra ST-R8025	Sattel Saddle	BULLS Road
		Lauftrad Wheelset	DT Swiss P1800
		Bereifung Tires	SCHWALBE Pro One Evo Super Race, Folding, 28-622, 28 x 1,10



CROSS

CROSS

This image shows a single page of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins or other markings visible.

PULSAR CROSS

grey matt
504-47048

CROSS



ONLINE ORDER



grey matt
504-47144



Rahmen Frame	6061 aluminium	Kassette Cassette	SHIMANO MF-TZ500-7, 14-28T
Rahmenhöhe Framesize	Diamond M/L/XL/XXL, Trapeze S/M/L	Bremsen Brakes	TEKTRO V-Brake
Gabel Fork	SR SUNTOUR M3010 63 mm	Lenker Handlebar	MTB riserbar
Schaltwerk Gearshift	SHIMANO Tourney RD-TY300	Vorbau Stem	Ahead stem
Umwerfer Front derailleur	SHIMANO Tourney FD-TY510	Sattelstütze Seatpost	Alloy
Gänge Gear	derailleur gear 21-speed	Sattel Saddle	BULLS sportive Comfort
Schalthebel Shifter	SHIMANO ST-EF41 EZ fire plus, shift/brake lever	Felgen Rims	DBM-2
Kurbelgarnitur Crankset	STYX 48/38/28T	Bereifung Tires	SUPERO Ranger Anti-Puncture 44-622

WILDCROSS

pro blue matt
504-47848

CROSS



ONLINE ORDER



pro blue matt
504-47944



sapphire black matt
504-48048



sapphire black matt
504-48144



hyper red matt
504-48344



Rahmen Frame	6061 aluminium	Bremsen Brakes	TEKTRO MD-M280, mechanic disc brake, 160 mm / 6-Bolt, 160 mm / 6-Bolt
Rahmenhöhe Framesize	Diamond M/L/XL/XXL, Trapeze S/M/L	Lenker Handlebar	MTB riserbar
Gabel Fork	SR SUNTOUR NVX-30 75 mm	Vorbau Stem	Ahead stem
Schaltwerk Gearshift	SHIMANO Tourney RD-TY300	Sattelstütze Seatpost	Alloy
Umwerfer Front derailleur	SHIMANO Tourney FD-TY510	Sattel Saddle	BULLS sportive Comfort
Gänge Gear	derailleur gear 21-speed	Felgen Rims	DDM-2
Schalthebel Shifter	SHIMANO ST-EF41 EZ fire plus, shift/brake lever	Bereifung Tires	SUPERO Ranger Anti-Puncture 44-622
Kurbelgarnitur Crankset	STYX 48/38/28T		
Kassette Cassette	SHIMANO MF-TZ500-7, 14-28T		

CROSSBIKE 1

black matt
504-48648

CROSS



ONLINE ORDER



black matt
504-48744



summit lake blue matt
504-48848



summit lake blue matt
504-48944



Rahmen Frame	6061 aluminium	Kassette Cassette	SHIMANO CS-HG200-8, 12-32T
Rahmenhöhe Framesize	Diamond M/L/XL/XXL, Trapeze S/M/L	Bremsen Brakes	TEKTRO HD-T275, hydraulic disc brake, 160 mm / 6-Bolt, 160 mm / 6-Bolt
Gabel Fork	SR SUNTOUR NVX-30 75 mm	Lenker Handlebar	STYX riserbar
Schaltwerk Gearshift	SHIMANO Altus RD-M310	Vorbau Stem	STYX Ahead stem
Umwerfer Front derailleur	SHIMANO Tourney FD-TY510	Sattelstütze Seatpost	STYX aluminium
Gänge Gear	derailleur gear 24-speed	Sattel Saddle	BULLS sportive Comfort
Schalthebel Shifter	SHIMANO Altus SL-M315 rapidfire plus	Felgen Rims	DDM-2
Kurbelgarnitur Crankset	SHIMANO Tourney 48/38/28T	Bereifung Tires	SUPERO Ranger Anti-Puncture 44-622

CROSSBIKE 2

dark petrol matt
632-02744

CROSS



ONLINE ORDER



black matt
632-02544



dark petrol matt
632-02844



Rahmen Frame	6061 aluminium	Lenker Handlebar	STYX riserbar
Rahmenhöhe Framesize	Diamond S/M/L/XL/XXL, Trapeze S/M/L	Vorbau Stem	MTB-S, CCS Slot Mount ready
Gabel Fork	SR SUNTOUR NVX30 DS, 75 mm	Sattelstütze Seatpost	STYX aluminium
Schaltwerk Gearshift	SHIMANO Altus RD-M2000 shadow	Sattel Saddle	BULLS Sportive Comfort
Umwerfer Front derailleur	SHIMANO Altus FD-M370	Felgen Rims	STYX DDM-2
Gänge Gear	27-speed	Bereifung Tires	Supero Ranger 44-622, 28 x 1.625, anti puncture)
Schalthebel Shifter	SHIMANO Altus SL-M2010	Scheinwerfer Front light	MonkeyLink Recharge (lighting not included)
Kurbelgarnitur Crankset	SHIMANO Altus FC-M371 48/36/26T	Rücklicht Rear light	MonkeyLink Recharge (lighting not included)
Bremsen Brakes	TEKTRO HD-T275 hydraulic disc, 160/160 mm		

CROSS FLYER

light grey matt
504-51048

CROSS



ONLINE ORDER



light grey matt
504-51144



deep berry matt
504-51344



Rahmen Frame	6061 aluminium	Lenker Handlebar	STYX riserbar
Rahmenhöhe Framesize	Diamond M/L/XL/XXL, Trapeze S/M/L	Vorbau Stem	MTB-S, CCS Slot Mount ready
Gabel Fork	SR SUNTOUR NEX HLO 63 mm	Sattelstütze Seatpost	STYX aluminium
Schaltwerk Gearshift	SHIMANO Acera RD-M3100	Sattel Saddle	BULLS sportive Comfort
Umworfer Front derailleur	SHIMANO Altus FD-M370	Felgen Rims	DDM-2
Gänge Gear	derailleur gear 27-speed	Bereifung Tires	SUPERO Ranger Anti-Puncture 44-622
Schalthebel Shifter	SHIMANO Altus SL-M2010	Scheinwerfer Front light	MonkeyLink Recharge (lighting not included)
Kurbelgarnitur Crankset	SHIMANO Altus FC-M371C, 48/36/26T	Rücklicht Rear light	MonkeyLink Recharge (lighting not included)
Kassette Cassette	SHIMANO CS-HG200-9, 11-34T		
Bremsen Brakes	SHIMANO BR-MT200, hydraulic disc brake 180 mm / Center Lock, 160 mm / Center Lock		

CROSS MOVER

black matt, black, orange
632-04948

CROSS



ONLINE ORDER



black matt, black, orange
632-05044



quantum silver
504-51848



pro blue matt
504-52048



quantum silver
504-51944



Rahmen Frame	6061 aluminium, double butted, smooth welding	Lenker Handlebar	BULLS double butted riserbar
Rahmenhöhe Framesize	Diamond M/L/XL/XXL, Trapeze S/M/L	Vorbau Stem	MTB-SL, CCS Slot Mount ready
Gabel Fork	SR SUNTOUR NX1 RL, 63mm	Sattelstütze Seatpost	BULLS
Schaltwerk Gearshift	SHIMANO Deore XT RD-T8000	Sattel Saddle	BULLS Sportive Ergo
Umwerfer Front derailleur	SHIMANO Deore Trekking FD-T6000	Naben Hubs	SHIMANO
Gänge Gear	30-speed	Felgen Rims	BULLS XC-21 Evo tubeless Ready
Schalthebel Shifter	SHIMANO Deore Trekking SL-T6000	Bereifung Tires	SCHWALBE Smart Sam K-Guard, 44-622, 28 x 1.625
Kurbelgarnitur Crankset	SHIMANO Deore FC-T6010 48/+36/26T	Scheinwerfer Front light	MonkeyLink Recharge (lighting not included)
Bremsen Brakes	SHIMANO BR-MT200 hydraulic disc, 180/160 mm	Rücklicht Rear light	MonkeyLink Recharge (lighting not included)

CROSS RIDER

black matt, black, chrome
632-05748

CROSS



ONLINE ORDER



black matt, black, chrome
632-05844



Rahmen Frame	6061 aluminium, double butted, smooth welding	Vorbau Stem	MTB-SL, CCS slot mount ready
Rahmenhöhe Framesize	Diamond M/L/XL/XXL, Trapeze S/M/L	Sattelstütze Seatpost	BULLS
Gabel Fork	SR Suntour NRX-E RLR Air 63 mm	Sattel Saddle	BULLS Sportive Ergo
Schaltwerk Gearshift	SHIMANO Deore XT RD-M8100	Felgen Rims	BULLS XC-21 Evo tubeless ready
Gänge Gear	12-speed	Bereifung Tires	SCHWALBE G-One Bite Evo Super Ground TLE 45-622
Schalthebel Shifter	SHIMANO Deore XT SL-M8100	Scheinwerfer Front light	MonkeyLink Recharge (lighting not included)
Kurbelgarnitur Crankset	SHIMANO Deore XT FC-M8100 36T	Rücklicht Rear light	MonkeyLink Recharge (lighting not included)
Bremsen Brakes	SHIMANO Deore BR-M6100 hydraulic disc 180/180mm		
Lenker Handlebar	BULLS double butted riserbar		

CROSS STREET

[illegible]

WILDCROSS STREET

hyper red matt
504-55544

CROSS STREET / CROSS

1
PROSPEKT
8-SEITER

2
PROSPEKT
12-SEITER

2
PROSPEKT
8-SEITER

3
PROSPEKT
12-SEITER

3
PROSPEKT
8-SEITER



ONLINE ORDER



pro blue matt
504-55144



sapphire black matt
504-55344



sapphire black matt
504-55248



pro blue matt
504-55048



Rahmen Frame	6061 aluminium	Bremsen Brakes	TEKTRO MD-M280, mechanic disc brake, 160 mm / 6-Bolt, 160 mm / 6-Bolt
Rahmenhöhe Framesize	Diamond M/L/XL/XXL, Trapeze S/M/L	Lenker Handlebar	MTB riserbar
Gabel Fork	SR SUNTOUR NVX-30 75 mm	Vorbau Stem	Ahead stem
Schaltwerk Gearshift	SHIMANO Tourney RD-TY300	Sattelstütze Seatpost	Alloy
Umwerfer Front derailleur	SHIMANO Tourney FD-TY510	Sattel Saddle	BULLS sportive Comfort
Gänge Gear	derailleur gear 21-speed	Felgen Rims	DDM-2
Schalthebel Shifter	SHIMANO ST-EF41 EZ fire plus, shift/brake lever	Bereifung Tires	SUPERO Ranger Reflex Anti-Puncture 44-622
Kurbelgarnitur Crankset	STYX 48/38/28T	Radschützer Fenders	SKS Velo
Kassette Cassette	SHIMANO MF-TZ500-7,14-28T	Scheinwerfer Front light	FUXON FS-30, 30 Lux LED with switch
		Rücklicht Rear light	FUXON RL-Mini Clip

PULSAR CROSS STREET

grey matt
504-54248

CROSS STREET / CROSS



ONLINE ORDER



grey matt
504-54344



Rahmen Frame	6061 aluminium	Bremsen Brakes	TEKTRO V-Brake
Rahmenhöhe Framesize	Diamond M/L/XL/XXL, Trapeze S/M/L	Lenker Handlebar	MTB riserbar
Gabel Fork	SR SUNTOUR M3010 63 mm	Vorbau Stem	Ahead stem
Schaltwerk Gearshift	SHIMANO Tourney RD-TY300	Sattelstütze Seatpost	Alloy
Umwерfer Front derailleur	SHIMANO Tourney FD-TY510	Sattel Saddle	BULLS sportive Comfort
Gänge Gear	derailleur gear 21-speed	Felgen Rims	DBM-2
Schalthebel Shifter	SHIMANO ST-EF41 EZ fire plus, shift/brake lever	Bereifung Tires	SUPERO Ranger Reflex Anti-Puncture 44-622
Kurbelgarnitur Crankset	STYX 48/38/28T	Radschützer Fenders	SKS Velo
Kassette Cassette	SHIMANO MF-TZ500-7, 14-28T	Scheinwerfer Front light	FUXON FS-30, 30 Lux LED with switch
		Rücklicht Rear light	FUXON RL-Mini Clip

CROSS BIKE STREET

black matt
632-08948

CROSS STREET / CROSS



Model 2023 checked



ONLINE ORDER



lavender fog matt
632-09144



black matt
632-09044



summit lake blue matt
504-56048



summit lake blue matt
504-56144



Rahmen Frame	6061 aluminium	Lenker Handlebar	STYX riserbar
Rahmenhöhe Framesize	Diamond M/L/XL/XXL, Trapeze S/M/L	Vorbau Stem	STYX
Gabel Fork	SR Suntour NVX30 DS, 75 mm	Sattelstütze Seatpost	STYX aluminium
Schaltwerk Gearshift	SHIMANO Altus RD-M310	Sattel Saddle	BULLS Sportive Comfort
Umwerfer Front derailleur	SHIMANO Tourney FD-TY510	Felgen Rims	STYX DDM-2
Gänge Gear	24-speed	Bereifung Tires	SUPERO Ranger 44-622, 28 x 1.625 anti puncture
Schalthebel Shifter	SHIMANO Altus SL-M315	Radschützer Fenders	SKS Velo 55
Kurbelgarnitur Crankset	SHIMANO Tourney FC-TY301 48/38/28T	Scheinwerfer Front light	FUXON FS-30
Bremsen Brakes	TEKTRO HD-T275 hydraulic disc 160/160 mm	Rücklicht Rear light	FUXON RL-Mini Clip LED standlight function

STREET FLYER

light grey matt
504-56648

CROSS STREET / CROSS



ONLINE ORDER



light grey matt
504-56744



Rahmen Frame	6061 aluminium	Lenker Handlebar	STYX riserbar
Rahmenhöhe Framesize	Diamond M/L/XL/XXL, Trapeze S/M/L	Vorbau Stem	STYX Ahead stem
Gabel Fork	SR SUNTOUR NVX-30 75 mm	Sattelstütze Seatpost	STYX aluminium
Schaltwerk Gearshift	SHIMANO Altus RD-M2000	Sattel Saddle	BULLS sportive Comfort
Umwерfer Front derailleur	SHIMANO Altus FD-M370	Felgen Rims	DDM-2
Gänge Gear	derailleur gear 27-speed	Bereifung Tires	SUPERO Ranger Reflex Anti-Puncture 44-622
Schalthebel Shifter	SHIMANO Altus SL-M2010	Radschützer Fenders	SKS Velo
Kurbelgarnitur Crankset	SHIMANO Altus FC-M371C, 48/36/26T	Scheinwerfer Front light	FUXON FS-50, 50 Lux LED with switch, sensor and daylight
Kassette Cassette	SHIMANO CS-HG200-9, 11-34T	Rücklicht Rear light	FUXON RL-Mini Clip
Bremsen Brakes	TEKTRO HD-T275, hydraulic disc brake, 160 mm / 6-Bolt, 160 mm / 6-Bolt		

STREET MOVER

quantum silver
504-58248

CROSS STREET | CROSS



ONLINE ORDER



quantum silver
504-58344



pro blue matt
504-58448



pro blue matt
504-58544



Rahmen Frame	6061 aluminium, double butted, smooth welding, internal cable routing	Lenker Handlebar	STYX riserbar
Rahmenhöhe Framesize	Diamond M/L/XL/XXL, Trapeze S/M/L	Vorbau Stem	STYX Ahead stem
Gabel Fork	SR SUNTOUR NEX HLO 63 mm	Sattelstütze Seatpost	STYX aluminium
Schaltwerk Gearshift	SHIMANO Acera RD-M3100	Sattel Saddle	BULLS sportive Comfort
Umworfer Front derailleur	SHIMANO Altus FD-M370	Felgen Rims	DDM-2
Gänge Gear	derailleur gear 27-speed	Bereifung Tires	SUPERO Ranger Reflex Anti-Puncture 44-622
Schalthebel Shifter	SHIMANO Altus SL-M2010	Radschützer Fenders	SKS Velo
Kurbelgarnitur Crankset	SHIMANO Altus FC-M371C, 48/36/26T	Scheinwerfer Front light	FUXON FS-50, 50 Lux LED with switch, sensor and daylight
Kassette Cassette	SHIMANO CS-HG200-9, 11-34T	Rücklicht Rear light	FUXON R-60 Clip, LED
Bremsen Brakes	TEKTRO HD-M275, TEKTRO HD-R280, hydraulic disc brake, 180 mm / 6-Bolt, 160 mm / 6-Bolt	Gepäckträger Carrier	BULLS Urban/Gravel carrier

CROSS RIDER STREET

black
504-59048

CROSS STREET / CROSS

1
PROSPEKT
8-SEITER

2
PROSPEKT
12-SEITER

3
PROSPEKT
12-SEITER



Model 2023 checked



ONLINE ORDER



black
504-59144



Rahmen Frame	6061 aluminium, double butted, smooth welding, internal cable routing	Lenker Handlebar	BULLS riserbar
Rahmenhöhe Framesize	Diamond M/L/XL/XXL, Trapeze S/M/L	Vorbau Stem	Ahead stem
Gabel Fork	SR SUNTOUR NEX HLO 63 mm	Sattelstütze Seatpost	BULLS aluminium
Schaltwerk Gearshift	SHIMANO Deore RD-M6100	Sattel Saddle	BULLS sportive Comfort
Gänge Gear	derailleur gear 12-speed	Felgen Rims	DDM-2
Schalthebel Shifter	SHIMANO Deore SL-M6100, rapidfire+	Bereifung Tires	SCHWALBE G-One Allround
Kurbelgarnitur Crankset	PROWHEEL 42T	Radschützer Fenders	Performance RaceGuard TLE 45-622
Kassette Cassette	SHIMANO Deore 12-speed, 10-51T	Scheinwerfer Front light	FUXON FS-50, 50 Lux LED with switch, sensor and daylight
Bremsen Brakes	SHIMANO BR-MT200, hydraulic disc brake, 180 mm / Center Lock, 160 mm / Center Lock	Rücklicht Rear light	FUXON R-60 Clip, LED
		Gepäckträger Carrier	BULLS Urban/Gravel carrier



JUNIOR

JUNIOR MTB

[illegible]

TOKEE RUNNER

blackberry
525-00170

JUNIOR MTB / JUNIOR



Mechanisches Discbrake Set
separat erhältlich

Mechanical discbrake set
available separately

040-32603

39,95 €*

* Unverbindliche Preisempfehlung der ZEG.

* Recommended retail price ZEG



purple rain
525-00160



ONLINE ORDER

Rahmen	Frame	super lite 6061 aluminium	Sattelstütze	Seatpost	Alloy
Fahrergröße	Rider height	85-110 cm	Sattel	Saddle	SELLE ROYAL Kids
Gabel	Fork	Alloy	Bereifung	Tires	57-203
Vorbau	Stem	Ahead			

TOKEE LITE 14

metallic lime
633-02817

JUNIOR MTB / JUNIOR

2
PROSPEKT
12-SEITER

2
PROSPEKT
8-SEITER

3
PROSPEKT
12-SEITER

3
PROSPEKT
8-SEITER



ONLINE ORDER



light grey
504-67917



rouge red
504-68017



long beach blue matt
504-67817

Rahmen Frame	super lite 6061 aluminium	Lenker Handlebar	aluminium
Fahrergröße Rider height	85-110 cm	Vorbau Stem	aluminium
Gabel Fork	aluminium	Sattelstütze Seatpost	aluminium
Gänge Gear	singlespeed	Sattel Saddle	BULLS Kids
Kurbelgarnitur Crankset	aluminium 25T	Felgen Rims	Kids Lite
Bremsen Brakes	TEKTRO V-Brakes	Bereifung Tires	Kenda Small Block, 40-288, 14 x 1.5

TOKEE LITE 16

metallic lime
633-03821

JUNIOR MTB / JUNIOR



ONLINE ORDER



light grey
524500389921



long beach blue matt
524500369921



rouge red
524500399921



rouge red
504-70321

Rahmen Frame	super lite 6061 aluminium	Lenker Handlebar	BULLS
Fahrergröße Rider height	90-120 cm	Vorbau Stem	aluminium
Gabel Fork	aluminium	Sattelstütze Seatpost	aluminium
Gänge Gear	singlespeed	Sattel Saddle	BULLS Kids Lite
Kurbelgarnitur Crankset	aluminium 25T	Felgen Rims	Kids Lite
Bremsen Brakes	TEKTRO V-Brakes	Bereifung Tires	Kenda Small Block, 40-349, 16 x 1.5

TOKEE LITE 18

metallic lime
633-05023

JUNIOR MTB | JUNIOR




ONLINE ORDER



light grey
524500509923



rouge red
524500519923



long beach blue matt
524500489923

Rahmen Frame	super lite 6061 aluminium	Lenker Handlebar	small diameter riserbar
Fahrergröße Rider height	100–125 cm	Vorbau Stem	aluminium
Gabel Fork	aluminium	Sattelstütze Seatpost	aluminium
Gänge Gear	singlespeed	Sattel Saddle	BULLS Kids
Kurbelgarnitur Crankset	aluminium 25T	Felgen Rims	Kids Lite
Bremsen Brakes	TEKTRO V-Brakes	Bereifung Tires	Kenda Small Block 54, 40-355, 18 x 1.5

TOKEE LITE 20

light grey
504-72225

JUNIOR MTB | JUNIOR



ONLINE ORDER



SID blue
504-72025



rouge red
504-72125

Rahmen Frame	super lite 6061 aluminium	Vorbau Stem	MTB-S, CCS Slot Mount ready
Fahrergröße Rider height	110–130 cm	Sattelstütze Seatpost	Alloy
Gabel Fork	Alloy	Sattel Saddle	SELLE ROYAL Kids
Schaltwerk Gearshift	SHIMANO Tourney TX RD-TX800	Felgen Rims	Kids lite
Gänge Gear	derailleur gear 8-speed	Bereifung Tires	STYX Lite Pacer 40-406
Schalthebel Shifter	SHIMANO SL-RS45 Revoshift	Scheinwerfer Front light	MonkeyLink Recharge (lighting not included)
Kurbelgarnitur Crankset	Super lite kids 30T	Rücklicht Rear light	MonkeyLink Recharge (lighting not included)
Kassette Cassette	SHIMANO CS-HG31-8, 11-34T		
Bremsen Brakes	TEKTRO V-Brake		
Lenker Handlebar	STYX riserbar		

TOKEE LITE 24

SID blue
504-72631

JUNIOR MTB | JUNIOR



ONLINE ORDER



rouge red
504-72731



light grey
504-72831

Rahmen Frame	super lite 6061 aluminium	Vorbau Stem	MTB-S, CCS Slot Mount ready
Fahrergröße Rider height	120-145 cm	Sattelstütze Seatpost	Alloy
Gabel Fork	Alloy	Sattel Saddle	SELLE ROYAL Kids
Schaltwerk Gearshift	SHIMANO Tourney TX RD-TX800	Felgen Rims	Kids lite
Gänge Gear	derailleur gear 8-speed	Bereifung Tires	STYX Lite Pacer 40-507
Schalthebel Shifter	SHIMANO SL-RS45 Revoshift	Scheinwerfer Front light	MonkeyLink Recharge (lighting not included)
Kurbelgarnitur Crankset	Super lite kids 32T	Rücklicht Rear light	MonkeyLink Recharge (lighting not included)
Kassette Cassette	SHIMANO CS-HG31-8, 11-34T		
Bremsen Brakes	TEKTRO V-Brake		
Lenker Handlebar	STYX riserbar		

TOKEE ULTRA LITE 16

JUNIOR MTB | JUNIOR

light grey, carbon, emerald green
504-73221



ONLINE ORDER



ca.
6,5 kg

Rahmen	Frame	carbon fibre monocoque, internal cable routing	Lenker	Handlebar	Kids riserbar
Fahrergröße	Rider height	90-120 cm	Vorbau	Stem	Lite kids
Gabel	Fork	carbon	Sattelstütze	Seatpost	Alloy
Kurbelgarnitur	Crankset	Super lite kids 25T	Sattel	Saddle	BULLS Kids lite with handle
Bremsen	Brakes	TEKTRO V-Brake	Felgen	Rims	Kids lite
			Bereifung	Tires	VEE TIRE Speedster 50-305 16 x 2,00

TOKEE ULTRA LITE 20

light grey, carbon, emerald green
504-73825

JUNIOR MTB | JUNIOR



ONLINE ORDER



ca.
8,4 kg

Rahmen Frame	carbon fibre monocoque, internal cable routing	Lenker Handlebar	BULLS Sport-SL double butted riserbar
Fahrergröße Rider height	110–130 cm	Vorbau Stem	MTB-SL, 3D forged, CCS Slot Mount ready
Gabel Fork	carbon	Sattelstütze Seatpost	BULLS lite aluminium
Schaltwerk Gearshift	SHIMANO Altus RD-M2000	Sattel Saddle	SELLE ROYAL Kids
Gänge Gear	derailleur gear 9-speed	Felgen Rims	XC-21 Evo, tubeless ready
Schalthebel Shifter	SHIMANO Altus SL-M2010	Bereifung Tires	SCHWALBE Rocket Ron Evo Super Race TLE 57-406
Kurbelgarnitur Crankset	Super lite kids 29T	Scheinwerfer Front light	MonkeyLink Recharge (lighting not included)
Bremsen Brakes	TEKTRO HD M-282, hydraulic disc brake, 160 mm / 6-Bolt, 160 mm / 6-Bolt	Rücklicht Rear light	MonkeyLink Recharge (lighting not included)

TOKEE ULTRA LITE 24

light grey, carbon, emerald green
504-74431

JUNIOR MTB / JUNIOR



Model 2023 checked



ONLINE ORDER



ca.
10,6 kg

Rahmen Frame	carbon fibre monocoque, internal cable routing	Lenker Handlebar	BULLS Sport-SL double butted riserbar
Fahrergröße Rider height	120-145 cm	Vorbau Stem	MTB-SL, 3D forged, CCS Slot Mount ready
Gabel Fork	SR SUNTOUR XCR Air LO 80 mm	Sattelstütze Seatpost	BULLS lite aluminium
Schaltwerk Gearshift	SHIMANO Deore RD-M5120 shadow+ derailleur gear 10-speed	Sattel Saddle	SELLE ROYAL Kids
Gänge Gear	SHIMANO Deore SL-M4100	Felgen Rims	XC-21 Evo, tubeless ready
Schalthebel Shifter	Super lite kids 32T	Bereifung Tires	SCHWALBE Rocket Ron Evo Super Race TLE 54-507
Kurbelgarnitur Crankset	SHIMANO Deore 10s 11-46T	Scheinwerfer Front light	MonkeyLink Recharge (lighting not included)
Kassette Cassette	TEKTRO HD-M282 short reach, hydraulic disc brake, 160 mm / 6-Bolt	Rücklicht Rear light	MonkeyLink Recharge (lighting not included)
Bremsen Brakes	160 mm / 6-Bolt		

TOKEE ULTRA LITE 26

light grey, carbon, emerald green
504-75032

JUNIOR MTB | JUNIOR



ONLINE ORDER



ca.
10,8 kg

Rahmen Frame	carbon fibre monocoque, internal cable routing	Lenker Handlebar	BULLS Sport-SL double butted riserbar
Fahrergröße Rider height	135–165 cm	Vorbau Stem	MTB-SL, 3D forged, CCS Slot Mount ready
Gabel Fork	RockShox Judy Gold RL 80 mm	Sattelstütze Seatpost	BULLS lite aluminium
Schaltwerk Gearshift	SHIMANO Deore RD-M5100 shadow+ derailleur gear 11-speed	Sattel Saddle	SELLE ROYAL Kids
Gänge Gear	SHIMANO Deore SL-M5100	Felgen Rims	XC-21 Evo, tubeless ready
Schalthebel Shifter	Super lite kids 32T	Bereifung Tires	SCHWALBE Rocket Ron Performance folding 54-559
Kurbelgarnitur Crankset	SHIMANO Deore 11s, 11-51T	Scheinwerfer Front light	MonkeyLink Recharge (lighting not included)
Kassette Cassette	TEKTRO HD-M276 short reach	Rücklicht Rear light	MonkeyLink Recharge (lighting not included)
Bremsen Brakes	hydraulic disc brake 160 mm / 6-Bolt 160 mm / 6-Bolt		

TOKEE 20

dark purple matt
504-75828



JUNIOR MTB | JUNIOR

2
PROSPEKT
12-SEITER

2
PROSPEKT
8-SEITER

3
PROSPEKT
12-SEITER

3
PROSPEKT
8-SEITER



ONLINE ORDER



SID blue
504-75628



black matt
504-75728



fuchsia purple matt
504-75928



light grey
504-76028



Rahmen Frame	6061 aluminium	Bremsen Brakes	TEKTRO V-Brake
Fahrergröße Rider height	110–130 cm	Lenker Handlebar	STYX riserbar
Gabel Fork	SR SUNTOUR M-3010 40 mm	Vorbau Stem	Ahead stem
Schaltwerk Gearshift	SHIMANO Tourney RD-TY300	Sattelstütze Seatpost	Alloy
Gänge Gear	derailleur gear 7-speed	Sattel Saddle	SELLE ROYAL Kids
Schalthebel Shifter	SHIMANO SL-RS36 Revoshift	Felgen Rims	Alloy
Kurbelgarnitur Crankset	Lite kids 29T	Bereifung Tires	STYX Ace of Pace 50-406
Kassette Cassette	SHIMANO MF-TZ500-7 14-34T		

TOKEE 24

light grey
504-76432

JUNIOR MTB | JUNIOR

2
PROSPEKT
12-SEITER

2
PROSPEKT
8-SEITER

3
PROSPEKT
12-SEITER

3
PROSPEKT
8-SEITER



ONLINE ORDER



black matt
504-76332



dark purple matt
504-76632



fuchsia purple matt
504-76532



SID blue
504-76232



Rahmen Frame	6061 aluminium	Bremsen Brakes	TEKTRO V-Brake
Fahrergröße Rider height	120-145 cm	Lenker Handlebar	STYX riserbar
Gabel Fork	SR SUNTOUR M-3010 50 mm	Vorbau Stem	Ahead stem
Schaltwerk Gearshift	SHIMANO Tourney RD-TY300	Sattelstütze Seatpost	Alloy
Gänge Gear	derailleur gear 7-speed	Sattel Saddle	SELLE ROYAL Kids
Schalthebel Shifter	SHIMANO SL-RS36 Revoshift	Felgen Rims	Alloy
Kurbelgarnitur Crankset	Lite Kids 32T	Bereifung Tires	STYX Ace of Pace 50-507
Kassette Cassette	SHIMANO MF-TZ500-7 14-34T		

TOKEE DISC 20

light emerald
504-76925

JUNIOR MTB | JUNIOR



ONLINE ORDER



pro blue matt
504-76825



red
504-77025



Rahmen Frame	6061 aluminium	Bremsen Brakes	TEKTRO MD-M280, mechanic disc brake, 160 mm / 6-Bolt, 160 mm / 6-Bolt
Fahrergröße Rider height	110–130 cm	Lenker Handlebar	MTB riserbar
Gabel Fork	SR SUNTOUR XCT-JR 63 mm	Vorbau Stem	Ahead stem
Schaltwerk Gearshift	SHIMANO Tourney RD-TY300	Sattelstütze Seatpost	Alloy
Gänge Gear	derailleur gear 7-speed	Sattel Saddle	SELLE ROYAL Kids
Schalthebel Shifter	SHIMANO SL-RS36 Revoshift	Felgen Rims	DDM-2
Kurbelgarnitur Crankset	Lite kids 29T	Bereifung Tires	VEE TIRE Crown Gem 20 x 2.25
Kassette Cassette	SHIMANO MF-TZ500-7 14-34T		

TOKEE DISC 24

pro blue matt
504-77430

JUNIOR MTB | JUNIOR



ONLINE ORDER



light emerald
504-77530



red
504-77630



Rahmen Frame	6061 aluminium	Bremsen Brakes	TEKTRO MD-M280, mechanic disc brake, 160 mm / 6-Bolt, 160 mm / 6-Bolt
Fahrergröße Rider height	120-145 cm	Lenker Handlebar	MTB riserbar
Gabel Fork	SR SUNTOUR XCT-JR 80 mm	Vorbau Stem	Ahead stem
Schaltwerk Gearshift	SHIMANO Tourney RD-TY300	Sattelstütze Seatpost	Alloy
Gänge Gear	derailleur gear 7-speed	Sattel Saddle	SELLE ROYAL Kids
Schalthebel Shifter	SHIMANO SL-RS36 Revoshift	Felgen Rims	DDM-2
Kurbelgarnitur Crankset	Lite Kids 32T	Bereifung Tires	VEE TIRE Crown Gem 24 x 2.25
Kassette Cassette	SHIMANO MF-TZ500-7 14-34T		

TOKEE DISC 26

red
504-78232

JUNIOR MTB | JUNIOR



ONLINE ORDER



pro blue matt
504-78032



light emerald
504-78132



Rahmen Frame	6061 aluminium	Bremsen Brakes	TEKTRO MD-M280, mechanic disc brake, 160 mm / 6-Bolt, 160 mm / 6-Bolt
Fahrergröße Rider height	135-165 cm	Lenker Handlebar	MTB riserbar
Gabel Fork	SR SUNTOUR XCE-28 80 mm	Vorbau Stem	Ahead stem
Schaltwerk Gearshift	SHIMANO Acera RD-M3020	Sattelstütze Seatpost	Alloy
Gänge Gear	derailleur gear 8-speed	Sattel Saddle	SELLE ROYAL Kids
Schalthebel Shifter	SHIMANO Altus SL-M315 rapidfire plus	Felgen Rims	DDM-2
Kurbelgarnitur Crankset	Lite Kids 32T	Bereifung Tires	VEE TIRE Crown Gem 26 x 2.25
Kassette Cassette	SHIMANO CS-HG400-8 11-40T		

JUNIOR STREET

[illegible]

TOKEE STREET 20

fuchsia purple matt
504-79328

7 OUTER SPEED

JUNIOR STREET / JUNIOR



2
PROSPEKT
12-SEITER

2
PROSPEKT
8-SEITER

3
PROSPEKT
12-SEITER

3
PROSPEKT
8-SEITER



ONLINE ORDER



light grey
504-78728



black matt
504-78828



dark purple matt
504-79228



SID blue
504-78628



Rahmen Frame	6061 aluminium	Lenker Handlebar	MTB riserbar
Fahrergröße Rider height	110-130 cm	Vorbau Stem	Ahead stem
Gabel Fork	SR SUNTOUR M-3010 40 mm	Sattelstütze Seatpost	Alloy
Schaltwerk Gearshift	SHIMANO Tourney RD-TY300	Sattel Saddle	SELLE ROYAL Kids
Gänge Gear	hub gear 7-speed	Felgen Rims	Alloy
Schalthebel Shifter	SHIMANO SL-RS36 Revoshift	Bereifung Tires	STYX Ace of Pace 50-406
Kurbelgarnitur Crankset	Lite kids 29T	Scheinwerfer Front light	FUXON FS-30, 30 Lux LED with switch
Kassette Cassette	SHIMANO MF-TZ500-7 14-34T	Rücklicht Rear light	FUXON RZ-60 Clip
Bremsen Brakes	TEKTRO V-Brake		

TOKEE STREET 20

SID blue
504-79828

3 INNER SPEED

JUNIOR STREET / JUNIOR



ONLINE ORDER



fuchsia purple matt
504-80428



dark purple matt
504-80528



Rahmen Frame	6061 aluminium	Lenker Handlebar	MTB riserbar
Fahrergröße Rider height	110–130 cm	Vorbau Stem	Ahead stem
Gabel Fork	SR SUNTOUR M-3010 40 mm	Sattelstütze Seatpost	Alloy
Schaltwerk Gearshift	SHIMANO Nexus inter 3	Sattel Saddle	SELLE ROYAL Kids
Gänge Gear	hub gear 3s-speed	Felgen Rims	Alloy
Schalthebel Shifter	SHIMANO Nexus SL-3S41E Revoshift	Bereifung Tires	STYX Ace of Pace 50-406
Kurbelgarnitur Crankset	PROWHEEL 38T	Scheinwerfer Front light	FUXON FS-30, 30 Lux LED with switch
Kassette Cassette	16T	Rücklicht Rear light	FUXON RZ-60 Clip
Bremsen Brakes	TEKTRO V-Brake		

TOKEE STREET 24

black matt
504-81232

7 OUTER SPEED

JUNIOR STREET / JUNIOR



2
PROSPEKT
12-SEITER

2
PROSPEKT
8-SEITER

3
PROSPEKT
12-SEITER

3
PROSPEKT
8-SEITER



ONLINE ORDER



SID blue
504-81032



light grey
504-81132



dark purple matt
504-81632



fuchsia purple matt
504-81732



Rahmen Frame	6061 aluminium	Lenker Handlebar	MTB riserbar
Fahrergröße Rider height	120-145 cm	Vorbau Stem	Ahead stem
Gabel Fork	SR SUNTOUR M-3010 50 mm	Sattelstütze Seatpost	Alloy
Schaltwerk Gearshift	SHIMANO Tourney RD-TY300	Sattel Saddle	SELLE ROYAL Kids
Gänge Gear	derailleur gear 7-speed	Felgen Rims	Alloy
Schalthebel Shifter	SHIMANO SL-RS36 Revoshift	Bereifung Tires	STYX Ace of Pace 50-507
Kurbelgarnitur Crankset	Lite Kids 32T	Scheinwerfer Front light	FUXON FS-30, 30 Lux LED with switch
Kassette Cassette	SHIMANO MF-TZ500-7 14-34T	Rücklicht Rear light	FUXON RZ-60 Clip
Bremsen Brakes	TEKTRO V-Brake		

TOKEE STREET 24

dark purple matt
504-82932

3 INNER SPEED

JUNIOR STREET / JUNIOR



ONLINE ORDER



SID blue
504-82232



fuchsia purple matt
504-82832



Rahmen Frame	6061 aluminium	Lenker Handlebar	MTB riserbar
Fahrergröße Rider height	120-145 cm	Vorbau Stem	Ahead stem
Gabel Fork	SR SUNTOUR M-3010 50 mm	Sattelstütze Seatpost	Alloy
Schaltwerk Gearshift	SHIMANO Nexus inter 3	Sattel Saddle	SELLE ROYAL Kids
Gänge Gear	hub gear 3-speed	Felgen Rims	Alloy
Schalthebel Shifter	SHIMANO Nexus SL-3S41E Revoshift	Bereifung Tires	STYX Ace of Pace 50-507
Kurbelgarnitur Crankset	PROWHEEL 38T	Scheinwerfer Front light	FUXON FS-30, 30 Lux LED with switch
Bremsen Brakes	TEKTRO V-Brake	Rücklicht Rear light	FUXON RZ-60 Clip

SHARPTAIL STREET 24

light grey
504-85332

7 OUTER SPEED

JUNIOR STREET | JUNIOR



ONLINE ORDER



pro blue matt
504-85232



Rahmen Frame	6061 aluminium	Lenker Handlebar	MTB riserbar
Fahrergröße Rider height	120-145 cm	Vorbau Stem	Ahead stem
Gabel Fork	SR SUNTOUR XCT-JR 50 mm	Sattelstütze Seatpost	Alloy
Schaltwerk Gearshift	SHIMANO Tourney RD-TY300	Sattel Saddle	SELLE ROYAL Kids
Gänge Gear	derailleur gear 7-speed	Felgen Rims	Alloy
Schalthebel Shifter	SHIMANO SL-RS36 Revoshift	Bereifung Tires	STYX Ace of Pace 50-507
Kurbelgarnitur Crankset	Lite Kids 32T	Scheinwerfer Front light	FUXON FS-30, 30 Lux LED with switch
Kassette Cassette	SHIMANO MF-TZ510 14-34T	Rücklicht Rear light	FUXON R-232
Bremsen Brakes	TEKTRO V-Brake		

SHARPTAIL STREET 24

pro blue matt
504-86432

7 INNER SPEED

JUNIOR STREET | JUNIOR



ONLINE ORDER



light grey
504-86532



Rahmen Frame	6061 aluminium	Lenker Handlebar	MTB riserbar
Fahrergröße Rider height	120–145 cm	Vorbau Stem	Ahead stem
Gabel Fork	SR SUNTOUR XCT-JR 50 mm	Sattelstütze Seatpost	Alloy
Schaltwerk Gearshift	SHIMANO Nexus inter 7	Sattel Saddle	SELLE ROYAL Kids
Gänge Gear	hub gear 7-speed coaster brake	Felgen Rims	Alloy
Schalthebel Shifter	SHIMANO Nexus SL-C3000 Revoshift	Bereifung Tires	STYX Ace of Pace 50-507
Kurbelgarnitur Crankset	PROWHEEL 38T	Scheinwerfer Front light	FUXON FS-30, 30 Lux LED with switch
Bremsen Brakes	TEKTRO V-Brake	Rücklicht Rear light	FUXON R-232

ZARENA STREET 24

black matt, rouge red, white
633-23032

7 OUTER SPEED

JUNIOR STREET / JUNIOR



ONLINE ORDER



metallic off-white
633-22932



Rahmen Frame	aluminium	Lenker Handlebar	aluminium riserbar
Fahrergröße Rider height	120-145 cm	Vorbau Stem	aluminium
Gabel Fork	SR SUNTOUR XCT JR, 50 mm	Sattelstütze Seatpost	aluminium
Schaltwerk Gearshift	SHIMANO Tourney RD-TY300	Sattel Saddle	SELLE ROYAL JR
Gänge Gear	7-speed hub gear	Felgen Rims	BULLS
Schalthebel Shifter	SHIMANO Tourney SL-RS36	Bereifung Tires	STYX Ace of Pace, 50-507, 24 x 2.0
Kurbelgarnitur Crankset	aluminium 29T	Scheinwerfer Front light	FUXON FS-30
Bremsen Brakes	TEKTRO V-Brake	Rücklicht Rear light	FUXON RL-Mini standlight function

ZARENA STREET 24

light grey
504-87032

7 INNER SPEED

JUNIOR STREET | JUNIOR



ONLINE ORDER



deep berry matt
504-87132



Rahmen Frame	6061 aluminium	Lenker Handlebar	MTB riserbar
Fahrergröße Rider height	120-145 cm	Vorbau Stem	Ahead stem
Gabel Fork	SR SUNTOUR XCT-JR 50 mm	Sattelstütze Seatpost	Alloy
Schaltwerk Gearshift	SHIMANO Nexus inter 7	Sattel Saddle	SELLE ROYAL Kids
Gänge Gear	hub gear 7-speed coaster brake	Felgen Rims	Alloy
Schalthebel Shifter	SHIMANO Nexus SL-C3000 Revoshift	Bereifung Tires	STYX Ace of Pace 50-507
Kurbelgarnitur Crankset	PROWHEEL 38T	Scheinwerfer Front light	FUXON FS-30, 30 Lux LED with switch
Bremsen Brakes	TEKTRO V-Brake	Rücklicht Rear light	FUXON R-232

SHARPTAIL STREET 26

pro blue matt
504-87732

21 SPEED

JUNIOR STREET | JUNIOR



ONLINE ORDER



light grey
504-87632



Rahmen Frame	6061 aluminium	Bremsen Brakes	TEKTRO MD-M280, mechanic disc brake, 160 mm / 6-Bolt, 160 mm / 6-Bolt
Fahrergröße Rider height	135–165 cm	Lenker Handlebar	STYX riserbar
Gabel Fork	SR SUNTOUR XCT 80 mm	Vorbau Stem	Ahead stem
Schaltwerk Gearshift	SHIMANO Tourney RD-TY300	Sattelstütze Seatpost	Alloy
Umwerfer Front derailleur	SHIMANO Tourney FD-TY500	Sattel Saddle	SELLE ROYAL Kids
Gänge Gear	derailleur gear 21-speed	Felgen Rims	DDM-2
Schalthebel Shifter	SHIMANO ST-EF41 EZ fire plus, shift/brake lever	Bereifung Tires	STYX Ace of Pace 50-559
Kurbelgarnitur Crankset	PROWHEEL 42/34/24T	Scheinwerfer Front light	FUXON FS-30, 30 Lux LED with switch
Kassette Cassette	SHIMANO MF-TZ500-7, 14-28T	Rücklicht Rear light	FUXON R-232

ZARENA STREET 26

deep berry matt
504-88332

21 SPEED

JUNIOR STREET / JUNIOR



ONLINE ORDER



light grey
504-88232



Rahmen Frame	6061 aluminium	Bremsen Brakes	TEKTRO MD-M280, mechanic disc brake, 160 mm / 6-Bolt, 160 mm / 6-Bolt
Fahrergröße Rider height	135-165 cm	Lenker Handlebar	STYX riserbar
Gabel Fork	SR SUNTOUR XCT 80 mm	Vorbau Stem	Ahead stem
Schaltwerk Gearshift	SHIMANO Tourney RD-TY300	Sattelstütze Seatpost	Alloy
Umwerfer Front derailleur	SHIMANO Tourney FD-TY500	Sattel Saddle	SELLE ROYAL Kids
Gänge Gear	derailleur gear 21-speed	Felgen Rims	DDM-2
Schalthebel Shifter	SHIMANO ST-EF41 EZ fire plus, shift/brake lever	Bereifung Tires	STYX Ace of Pace 50-559
Kurbelgarnitur Crankset	PROWHEEL 42/34/24T	Scheinwerfer Front light	FUXON FS-30, 30 Lux LED with switch
Kassette Cassette	SHIMANO MF-TZ500-7, 14-28T	Rücklicht Rear light	FUXON R-232



MOUNTAIN

SONIC SX

[illegible]

SONIC EVO SX 1

UD carbon, green
524901200440

NEW!

SONIC SX / MOUNTAIN

400 Wh



ONLINE ORDER



BOSCH



Motor	Drive Unit	Bosch Performance Line SX 25/55 Nm	Kassette	Cassette	SHIMANO Deore, CS-M6100 10-51T
Ladegerät	Charger	2 A charger	Bremsen	Brakes	SHIMANO BR-MT420, hydraulic disc brake, SHIMANO SM-RT30 CL 203 mm, SHIMANO RT-EM300 CL 203 mm
Ladedauer	Charging time	400 Wh: appx. 6,0 hrs.	Lenker	Handlebar	BULLS riserbar
Display	Display	Bosch Mini Remote und System Controller	Vorbau	Stem	MTB-SLS, CCS Slot Mount ready
Rahmen	Frame	carbon fibre monocoque, internal cable routing, thru axle, teleskope seatpost ready	Sattelstütze	Seatpost	LIMOTEC Alpha 1UH 31,6 mm + SL-MT500-IL, 150 mm
Rahmenhöhe	Framesize	S/M/L/XL	Sattel	Saddle	Prologo Proxim 400
Gabel	Fork	BULLS LYTRO 34 SL LOR Air DS Boost 120 mm	Laufрад	Wheelset	MAVIC E-Crossride 1 CL MS
Schaltwerk	Gearshift	SHIMANO Deore RD-M6100	Bereifung	Tires	SCHWALBE Smart Sam Performance 60-622
Gänge	Gear	derailleur gear 12-speed	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Schalthebel	Shifter	SHIMANO Deore SL-M6100, rapidfire+, I-spec-EV	Rücklicht	Rear light	MonkeyLink Twinlight

SONIC EVA SX 1

UD carbon, dark rainbow
524901280440

NEW!

SONIC SX / MOUNTAIN

400 Wh



ONLINE ORDER



BOSCH



Motor	Drive Unit	Bosch Performance Line SX 25/55 Nm	Kassette	Cassette	SHIMANO Deore, CS-M6100 10-51T
Ladegerät	Charger	2 A charger	Bremsen	Brakes	SHIMANO BR-MT420, hydraulic disc brake, SHIMANO SM-RT30 CL 203 mm, SHIMANO RT-EM300 CL 203 mm
Ladedauer	Charging time	400 Wh: appx. 6,0 hrs.	Lenker	Handlebar	BULLS riserbar
Display	Display	Bosch Mini Remote und System Controller	Vorbau	Stem	Poligon 45mm
Rahmen	Frame	carbon fibre monocoque, internal cable routing, thru axle, telescope seatpost ready	Sattelstütze	Seatpost	LIMOTEC Alpha 1UH 31,6 mm + SL-MT500-IL, 150 mm
Rahmenhöhe	Framesize	S/M/L	Sattel	Saddle	Prologo Proxim 400 wide
Gabel	Fork	BULLS LYTRO 34 SL Air Boost 120 mm	Laufgrad	Wheelset	MAVIC E-Crossride 1 CL MS
Schaltwerk	Gearshift	SHIMANO Deore RD-M6100	Bereifung	Tires	SCHWALBE Smart Sam Performance 60-622
Gänge	Gear	derailleur gear 12-speed	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Schalthebel	Shifter	SHIMANO Deore SL-M6100, rapidfire+, I-spec-EV	Rücklicht	Rear light	MonkeyLink Twinlight

SONIC EVO SX 2

UD carbon, black
524901240440

NEW!

SONIC SX / MOUNTAIN

400 Wh



ONLINE ORDER



BOSCH



Motor	Drive Unit	Bosch Performance Line SX 25/55 Nm	Schalthebel	Shifter	SRAM GX Eagle AXS
Ladegerät	Charger	2 A charger	Kassette	Cassette	SRAM XG 1275 Eagle 10-52T
Ladedauer	Charging time	400 Wh: appx. 6,0 hrs.	Bremsen	Brakes	TRP C2.3 RX, hydraulic disc brake, TRP 203 mm CL, TRP 203 mm CL
Display	Display	Bosch Mini Remote und System Controller	Lenker	Handlebar	BULLS riserbar
		carbon fibre monocoque, internal cable routing, thru axle, teleskope seatpost ready	Vorbau	Stem	MTB-SLS, CCS Slot Mount ready
Rahmen	Frame		Sattelstütze	Seatpost	LIMOTEC Alpha 1UH 31,6 mm + SL-MT500-IL, 150 mm
Rahmenhöhe	Framesize	S/M/L/XL	Sattel	Saddle	Prologo Proxim 400
Gabel	Fork	RockShox SID RL Boost DEBONAIR 120 mm	Laufрад	Wheelset	MAVIC E-Crossmax XL S CL
Schaltwerk	Gearshift	SRAM GX Eagle AXS	Bereifung	Tires	SCHWALBE Smart Sam Performance 60-622
Gänge	Gear	derailleur gear 12-speed	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
			Rücklicht	Rear light	MonkeyLink Twinlight

SONIC EVO SX DAKAR

UD carbon, monza grey
524901480440

NEW!

SONIC SX / MOUNTAIN

400 Wh



ONLINE ORDER



BOSCH



Motor	Drive Unit	Bosch Performance Line SX 25/55 Nm	Kassette	Cassette	CS-M6100-12, 10-51T
Ladegerät	Charger	2 A charger	Bremsen	Brakes	SHIMANO BR-MT420, hydraulic disc brake, SHIMANO SM-RT30 CL 203 mm, SHIMANO RT-EM300 CL 203 mm
Ladedauer	Charging time	400 Wh: appx. 6,0 hrs.	Lenker	Handlebar	BULLS riserbar
Display	Display	Bosch Mini Remote und System Controller	Vorbau	Stem	MTB-SLS, CCS Slot Mount ready
Rahmen	Frame	carbon fibre monocoque, internal cable routing, thru axle, teleskope seatpost ready	Sattelstütze	Seatpost	LIMOTEC Alpha 1UH 31,6 mm + SL-MT500-IL, 150 mm
Rahmenhöhe	Framesize	S/M/L/XL	Sattel	Saddle	Prologo Proxim 400
Gabel	Fork	RockShox Psylo Gold Air 120 mm	Lauftrad	Wheelset	MAVIC E-Crossride 1 CL MS
Schaltwerk	Gearshift	SHIMANO Deore XT RD-M8100	Bereifung	Tires	SCHWALBE G-One Allround 57-622
Gänge	Gear	derailleur gear 12-speed	Scheinwerfer	Front light	MonkeyLink HS-100 HIGH-BEAM 100
Schalthebel	Shifter	SHIMANO SL-M8100-IR	Rücklicht	Rear light	Lux with high/low beam
					MonkeyLink Twinlight

SONIC EVO AM SX 1

UD carbon, light grey
524901320440

NEW!

SONIC SX / MOUNTAIN

400 Wh



2
PROSPEKT
12-SEITER

2
PROSPEKT
8-SEITER

3
PROSPEKT
12-SEITER

3
PROSPEKT
8-SEITER



ONLINE ORDER



BOSCH



Motor	Drive Unit	Bosch Performance Line SX 25/55 Nm	Kassette	Cassette	SHIMANO Deore, CS-M6100 10-51T
Ladegerät	Charger	2 A charger	Bremsen	Brakes	SHIMANO BR-MT420, hydraulic disc brake, SHIMANO SM-RT30 CL 203 mm, SHIMANO RT-EM300 CL 203 mm
Ladedauer	Charging time	400 Wh: appx. 6,0 hrs.	Lenker	Handlebar	BULLS riserbar
Display	Display	Bosch Mini Remote und System Controller	Vorbau	Stem	MTB-SLS, CCS Slot Mount ready
Rahmen	Frame	carbon fibre monocoque, internal cable routing, thru axle, teleskope seatpost ready	Sattelstütze	Seatpost	LIMOTEC Alpha 1UH 31,6 mm + SL-MT500-IL, 150 mm
Rahmenhöhe	Framesize	S/M/L/XL	Sattel	Saddle	Prologo Proxim 400
Gabel	Fork	BULLS LYTRO 34 SL Air Boost 140 mm	Laufрад	Wheelset	MAVIC E-Crossride 1 CL MS
Dämpfer	Shock	SR SUNTOUR Edge Plus 2CR 130 mm	Bereifung	Tires	Wicked Will Performance/Nobby Nic Performance 62-622/60-622
Schaltwerk	Gearshift	SHIMANO Deore RD-M6100	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Gänge	Gear	derailleur gear 12-speed	Rücklicht	Rear light	MonkeyLink Twinlight
Schalthebel	Shifter	SHIMANO Deore SL-M6100, rapidfire+, I-spec-EV			

SONIC EVA AM SX 1

UD carbon, light emerald
524901440440

NEW!

SONIC SX / MOUNTAIN

400 Wh



ONLINE ORDER



BOSCH



Motor	Drive Unit	Bosch Performance Line SX 25/55 Nm	Kassette	Cassette	SHIMANO Deore, CS-M6100 10-51T
Ladegerät	Charger	2 A charger	Bremsen	Brakes	SHIMANO BR-MT420, hydraulic disc brake, SHIMANO SM-RT30 CL 203 mm, SHIMANO RT-EM300 CL 203 mm
Ladedauer	Charging time	400 Wh: appx. 6,0 hrs.	Lenker	Handlebar	BULLS riserbar
Display	Display	Bosch Mini Remote und System Controller	Vorbau	Stem	Poligon 45mm
Rahmen	Frame	carbon fibre monocoque, internal cable routing, thru axle, telescope seatpost ready	Sattelstütze	Seatpost	LIMOTEC Alpha 1UH 31,6 mm + SL-MT500-IL, 150 mm
Rahmenhöhe	Framesize	S/M/L	Sattel	Saddle	Prologo Proxim 400 wide
Gabel	Fork	BULLS LYTRO 34 SL LOR Air DS Boost 140 mm	Laufрад	Wheelset	MAVIC E-Crossride 1 CL MS
Dämpfer	Shock	SR SUNTOUR Edge Plus 2CR 130 mm	Bereifung	Tires	Wicked Will Performance/Nobby Nic Performance 62-622/60-622
Schaltwerk	Gearshift	SHIMANO Deore RD-M6100	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Gänge	Gear	derailleur gear 12-speed	Rücklicht	Rear light	MonkeyLink Twinlight
Schalthebel	Shifter	SHIMANO Deore SL-M6100, rapidfire+, I-spec-EV			

SONIC EVO AM SX 2

UD carbon, black
524901360440

NEW!

SONIC SX / MOUNTAIN

400 Wh



ONLINE ORDER



BOSCH



Motor	Drive Unit	Bosch Performance Line SX 25/55 Nm	Gänge	Gear	derailleur gear 12-speed
Ladegerät	Charger	2 A charger	Schalthebel	Shifter	SRAM GX Eagle AXS
Ladedauer	Charging time	400 Wh: appx. 6,0 hrs.	Kassette	Cassette	SRAM XG 1275 Eagle 10-52T
Display	Display	Bosch Mini Remote und System Controller	Bremsen	Brakes	TRP C2.3 RX, hydraulic disc brake, TRP 203 mm CL, TRP 203 mm CL
Rahmen	Frame	carbon fibre monocoque, internal cable routing, thru axle, teleskope seatpost ready	Lenker	Handlebar	BULLS Enduro carbon 35 mm
Rahmenhöhe	Framesize	S/M/L/XL	Vorbau	Stem	MTB-SLS, CCS Slot Mount ready
Gabel	Fork	RockShox Pike Select Boost DEBONAIR 140 mm	Sattelstütze	Seatpost	LIMOTEC Alpha 1UH 31,6 mm + SL-MT500-IL, 150 mm
Dämpfer	Shock	RockShox Deluxe Select+ RT, DebonAir 130 mm	Sattel	Saddle	Prologo Proxim 400
Schaltwerk	Gearshift	SRAM GX Eagle AXS	Lauftrad	Wheelset	MAVIC E-Crossmax CL
			Bereifung	Tires	Wicked Will Performance/Nobby Nic Performance 62-622/60-622
			Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
			Rücklicht	Rear light	MonkeyLink Twinlight

SONIC EVO AM SX-I

UD carbon, polar silver
524901400440

NEW!

SONIC SX / MOUNTAIN

400 Wh



ONLINE ORDER



BOSCH



BULLS D.R.C.

Motor	Drive Unit	Bosch Performance Line SX 25/55 Nm	Gänge	Gear	derailleur gear 12-speed
Ladegerät	Charger	2 A charger	Schalthebel	Shifter	SRAM AXS Controller Rocker
Ladedauer	Charging time	400 Wh: appx. 6,0 hrs.	Kassette	Cassette	SRAM XG 1299 Eagle 10-52T
Display	Display	Bosch Mini Remote und System Controller	Bremsen	Brakes	TRP C2.3 RX, hydraulic disc brake, TRP 203 mm CL, TRP 203 mm CL
Rahmen	Frame	carbon fibre monocoque, internal cable routing, thru axle, teleskope seatpost ready	Lenker	Handlebar	BULLS Enduro carbon 35 mm
Rahmenhöhe	Framesize	S/M/L/XL	Vorbau	Stem	MTB-SLS, CCS Slot Mount ready
Gabel	Fork	RockShox Pike Ultimate Boost DEBONAIR 140 mm	Sattelstütze	Seatpost	LIMOTEC Alpha 1UH 31,6 mm + SL-MT500-IL, 150 mm
Dämpfer	Shock	RockShox Ultimate RT Debonair 130 mm	Sattel	Saddle	Prologo Proxim W850
Schaltwerk	Gearshift	SRAM XX AXS	Lauftrad	Wheelset	MAVIC E-Crossmax SL Carbon
			Bereifung	Tires	Wicked Will Evolution Super Race/ Nobby Nic Evolution 62-622/62-522
			Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
			Rücklicht	Rear light	MonkeyLink Twinlight

SONIC SL

[illegible]

SONIC EVO AM-SL 1

black shiny, black matt, gold
847-08540

SONIC SL / MOUNTAIN

725 Wh



world of mtb
Ausgabe 12/2022



Model 2023 checked



ONLINE ORDER



SHIMANO
STEPS

CARBON

TRAVEL
140MM
FULL SUSPENSION

Motor	Drive Unit	SHIMANO Steps EP600 25/85 Nm	Bremsen	Brakes	SHIMANO BR-MT420, hydraulic disc brake, 203 mm / Center Lock, 180 mm / Center Lock
Ladegerät	Charger	FIT Ladegerät 4,5A	Lenker	Handlebar	Sport-SL CCS
Ladedauer	Charging time	725 Wh: appx. 6,0 hrs.	Vorbau	Stem	MTB-SLS, CCS Slot Mount ready
Display	Display	SHIMANO SC-EN500	Sattelstütze	Seatpost	LIMOTEC Alpha 1, 34,9 / S 100 mm, M 125 mm, L, XL 150 mm
Rahmen	Frame	carbon fibre monocoque, 1.8 Steerer ready, internal cable routing thru axle	Sattel	Saddle	Prologo Proxim 400
Rahmenhöhe	Framesize	S/M/L/XL	Felgen	Rims	RODI Tryp 30, tubeless ready
Gabel	Fork	BULLS LYTRO 35 Supreme Air LOR, 1.8 Steerer, Boost 140 mm	Bereifung	Tires	SCHWALBE Nobby Nic Performance, Folding 62-622
Dämpfer	Shock	SR SUNTOUR Edge Plus 2CR 140 mm	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Schaltwerk	Gearshift	SHIMANO Deore RD-M5100 shadow+ derailleur gear 11-speed	Rücklicht	Rear light	MonkeyLink Recharge (lighting not included)
Gänge	Gear	SHIMANO Deore SL-M5100 with I-Spec EV			
Schalthebel	Shifter	e*thirteen			
Kurbelgarnitur	Crankset	SHIMANO Deore 11s, 11-51T			
Kassette	Cassette				

SONIC EVO AM-SL 1

UD carbon, light grey
524900850740

NEW!

SONIC SL / MOUNTAIN

725 Wh



ONLINE ORDER

SHIMANO
STEPS



Motor	Drive Unit	SHIMANO Steps EP600 25/85 Nm	Bremsen	Brakes	SHIMANO BR-MT420, hydraulic disc brake, SHIMANO SM-RT30 CL 203 mm, SHIMANO RT-EM300 CL 203 mm
Ladegerät	Charger	4,5 A charger	Lenker	Handlebar	BULLS riserbar
Ladedauer	Charging time	725 Wh: appx. 6,0 hrs.	Vorbau	Stem	MTB-SLS, CCS Slot Mount ready
Display	Display	SHIMANO SC-EN500	Sattelstütze	Seatpost	LIMOTEC Alpha 1L 34,9 mm + SL-MT500-IL, 170 mm
Rahmen	Frame	carbon fibre monocoque, internal cable routing, 1.8 Steerer ready, thru axle	Sattel	Saddle	Prologo Proxim 400
Rahmenhöhe	Framesize	S/M/L/XL	Felgen	Rims	RODI TRYP30 evo tubeless ready
Gabel	Fork	BULLS LYTRO 36 Supreme 1.8 Boost 160 mm	Bereifung	Tires	SCHWALBE Magic Mary Performance 62-622
Dämpfer	Shock	SR SUNTOUR Edge Plus 2CR 160 mm	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Schaltwerk	Gearshift	SHIMANO Deore RD-M6100	Rücklicht	Rear light	MonkeyLink Recharge (lighting not included)
Gänge	Gear	derailleur gear 12-speed			
Schalthebel	Shifter	SHIMANO Deore SL-M6100, rapidfire+, I-spec-EV			
Kassette	Cassette	SHIMANO Deore, CS-M6100 10-51T			

SONIC EVO AM-SL 2

light grey
847-09040

725 Wh

SONIC SL / MOUNTAIN

1
PROSPEKT
8-SEITER

2
PROSPEKT
12-SEITER

3
PROSPEKT
12-SEITER



ONLINE ORDER



pro blue
847-08940

SHIMANO
STEPS



Motor	Drive Unit	SHIMANO Steps EP801 25/85 Nm	Kassette	Cassette	SHIMANO Deore Linkglide 11-speed, 11-50T
Ladegerät	Charger	FIT Ladegerät 4,5A	Bremsen	Brakes	SHIMANO Deore, hydraulic disc brake, 203 mm / Center Lock, 180 mm / Center Lock
Ladedauer	Charging time	725 Wh: appx. 6,0 hrs.	Lenker	Handlebar	Sport-SL CCS
Display	Display	SHIMANO SC-EM800	Vorbau	Stem	MTB-SLS, CCS Slot Mount ready
Rahmen	Frame	carbon fibre monocoque, 1.8 Steerer ready, internal cable routing thru axle	Sattelstütze	Seatpost	LIMOTEC Alpha 1, 34,9 / S 100 mm, M 125 mm, L, XL 150 mm
Rahmenhöhe	Framesize	S/M/L/XL	Sattel	Saddle	Prologo Proxim 400
Gabel	Fork	RockShox 35 Gold RL, 1.8 Steerer 140 mm	Laufрад	Wheelset	MAVIC Crossride
Dämpfer	Shock	RockShox Deluxe Select+ RT 140 mm	Bereifung	Tires	SCHWALBE Nobby Nic Performance, Folding 62-622
Schaltwerk	Gearshift	SHIMANO Deore XT Di2 RD-M8150 shadow+	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Gänge	Gear	derailleur gear 11-speed	Rücklicht	Rear light	MonkeyLink Recharge (lighting not included)
Schalthebel	Shifter	SHIMANO Deore XT Di2 LinkGlide SL-M8150, rapidfire+, I-spec-EV			
Kurbelgarnitur	Crankset	e*thirteen			

SONIC EVO AM-SL 3

nano grey
847-09340

SONIC SL / MOUNTAIN

725 Wh



ONLINE ORDER

SHIMANO
STEPS




Motor	Drive Unit	SHIMANO Steps EP801 25/85 Nm	Kurbelgarnitur	Crankset	e*thirteen
Ladegerät	Charger	FIT Ladegerät 4,5A	Kassette	Cassette	SHIMANO SLX 12-speed 10-51T
Ladedauer	Charging time	725 Wh: appx. 6,0 hrs.	Bremsen	Brakes	SHIMANO BR-M8120, hydraulic disc brake, 203 mm / Center Lock, 180 mm / Center Lock
Display	Display	SHIMANO SC-EM800	Lenker	Handlebar	BULLS Enduro carbon
Rahmen	Frame	carbon fibre monocoque, 1.8 Steerer ready, internal cable routing thru axle	Vorbau	Stem	MTB-SLS, CCS Slot Mount ready
Rahmenhöhe	Framesize	S/M/L/XL	Sattelstütze	Seatpost	Crankbrothers Dropper Post
Gabel	Fork	RockShox Lyrik Select RC, 1.8 Steerer 140 mm	Sattel	Saddle	Prologo Proxim 450 Sport
Dämpfer	Shock	RockShox Deluxe Select+ RT 140 mm	Laufрад	Wheelset	MAVIC Crossmax Carbon XLS
Schaltwerk	Gearshift	SHIMANO Deore XT Di2 RD-M8150 shadow+	Bereifung	Tires	SCHWALBE Nobby Nic Evo Super Ground TLE 62-622
Gänge	Gear	derailleur gear 12-speed	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Schalthebel	Shifter	SHIMANO Deore XT Di2 LinkGlide SL-M8150, rapidfire+, I-spec-EV	Rücklicht	Rear light	MonkeyLink Recharge (lighting not included)

SONIC EVO EN-SL 1

metallic orange
847-10140

SONIC SL / MOUNTAIN

725 Wh



Model 2023 checked



ONLINE ORDER

SHIMANO
STEPS



Motor	Drive Unit	SHIMANO Steps EP801 25/85 Nm	Kassette	Cassette	SHIMANO Deore LinkGlide 11-speed, 11-50T
Ladegerät	Charger	FIT Ladegerät 4,5A	Bremsen	Brakes	SHIMANO Deore, hydraulic disc brake, 220 mm / Center Lock, 203 mm / Center Lock
Ladedauer	Charging time	725 Wh: appx. 6,0 hrs.	Lenker	Handlebar	Sport-SL CCS
Display	Display	SHIMANO Steps EM800	Vorbau	Stem	MTB-SLS, CCS Slot Mount ready
Rahmen	Frame	carbon fibre monocoque, 1.8 Steerer ready, internal cable routing thru axle	Sattelstütze	Seatpost	LIMOTEC Alpha 1, 34,9 / S 100 mm, M 125 mm, L, XL 150 mm
Rahmenhöhe	Framesize	S/M/L/XL	Sattel	Saddle	Prologo Proxim 400
Gabel	Fork	RockShox Lyrik Select RC, 1.8 Steerer 160 mm	Laufрад	Wheelset	MAVIC E-Deemax
Dämpfer	Shock	RockShox Super Deluxe Select+ RT 150 mm	Bereifung	Tires	SCHWALBE Magic Mary Evo Super Trail TLE / Big Betty Evo Super Trail TLE
Schaltwerk	Gearshift	SHIMANO Deore XT Di2 RD-M8150 shadow+	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Gänge	Gear	derailleur gear 11-speed	Rücklicht	Rear light	MonkeyLink Recharge (lighting not included)
Schalthebel	Shifter	SHIMANO Deore XT Di2 LinkGlide SL-M8150, rapidfire+, I-spec-EV			
Kurbelgarnitur	Crankset	e*thirteen			

SONIC EVO EN-SL 2

light grey
847-10540

SONIC SL / MOUNTAIN

725 Wh



ONLINE ORDER

SHIMANO
STEPS



Motor	Drive Unit	SHIMANO Steps EP801 25/85 Nm	Kurbelgarnitur	Crankset	e*thirteen
Ladegerät	Charger	FIT Ladegerät 4,5A	Kassette	Cassette	SHIMANO SLX 12-speed 10-51T
Ladedauer	Charging time	725 Wh: appx. 6,0 hrs.	Bremsen	Brakes	SHIMANO XT BR-M8120, hydraulic disc brake, 220 mm / Center Lock, 203 mm / Center Lock
Display	Display	SHIMANO Steps SC-EM800	Lenker	Handlebar	BULLS Enduro carbon
Rahmen	Frame	carbon fibre monocoque, 1.8 Steerer ready, internal cable routing thru axle	Vorbau	Stem	MTB-SLS, CCS Slot Mount ready
Rahmenhöhe	Framesize	S/M/L/XL	Sattelstütze	Seatpost	Crankbrothers Dropper Post
Gabel	Fork	RockShox Lyrik Ultimate RC2, 1.8 Steerer 160 mm	Sattel	Saddle	Prologo Proxim 450 Sport
Dämpfer	Shock	RockShox Super Deluxe Select+ RT 150 mm	Laufрад	Wheelset	MAVIC E-Deemax
Schaltwerk	Gearshift	SHIMANO Deore XT Di2 RD-M8150 shadow+	Bereifung	Tires	SCHWALBE Magic Mary Evo Super Trail TLE / Big Betty Evo Super Trail TLE
Gänge	Gear	derailleur gear 12-speed	Scheinwerfer	Front light	Addix Soft 62-622
Schalthebel	Shifter	SHIMANO Deore XT Di2 LinkGlide SL-M8150, rapidfire+, I-spec-EV	Rücklicht	Rear light	MonkeyLink Connect (lighting not included)
					MonkeyLink Recharge (lighting not included)

SONIC EVO EN-SL DAYTONA

monza grey, UD carbon
847-10940

SONIC SL / MOUNTAIN

725 Wh



ONLINE ORDER

SHIMANO
STEPS

CARBON

TRAVEL
160MM

150MM
FULL SUSPENSION

BULLS *ORC*

Motor	Drive Unit	SHIMANO Steps EP801 25/85 Nm	Bremsen	Brakes	TRP DH-R Evo, hydraulic disc brake, 220 mm / 6-Bolt, 203 mm / 6-Bolt
Ladegerät	Charger	FIT Ladegerät 4,5A	Lenker	Handlebar	BULLS Enduro carbon
Ladedauer	Charging time	725 Wh: appx. 6,0 hrs.	Vorbau	Stem	MTB-SLS, CCS Slot Mount ready
Display	Display	SHIMANO Steps SC-EM800	Sattelstütze	Seatpost	RockShox Reverb AXS 34,9 / S 125 mm, M, L, 150 mm, XL 170 mm
Rahmen	Frame	carbon fibre monocoque, 1.8 Steerer ready, internal cable routing thru axle	Sattel	Saddle	Prologo Proxim W850 carbon
Rahmenhöhe	Framesize	S/M/L/XL	Laufrad	Wheelset	e*thirteen Race Carbon Enduro, tubeless ready
Gabel	Fork	Intend Edge 160 mm	Bereifung	Tires	SCHWALBE Magic Mary Evo Super Trail TLE 62-622
Dämpfer	Shock	Intend Hover Gamechanger 150 mm	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Schaltwerk	Gearshift	SRAM XX1 Eagle AXS	Rücklicht	Rear light	MonkeyLink Recharge (lighting not included)
Gänge	Gear	derailleur gear 12-speed			
Schalthebel	Shifter	SRAM EC AXS Rocker			
Kurbelgarnitur	Crankset	e*thirteen Carbon			
Kassette	Cassette	SRAM XG-1299 12-speed Eagle 10-52T			

SONIC

[illegible]

SONIC EVO

black matt
846-01341

S: M-XL:
625 Wh / 750 Wh



SONIC / MOUNTAIN



ONLINE ORDER



dark petrol matt
524900120640



BOSCH



Motor	Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Schalthebel	Shifter	SHIMANO Deore SL-M4100 with I-Spec EV
Ladegerät	Charger	Bosch charger 4A	Kassette	Cassette	SHIMANO Deore 10s 11-46T
Ladedauer	Charging time	625 Wh: appx. 5,4 hrs. 750 Wh: appx. 6,0 hrs.	Bremsen	Brakes	TRP Slate Evo, hydraulic disc brake, 203 mm / 203 mm
Display	Display	Bosch LED Remote	Lenker	Handlebar	Sport-SL CCS
		6061 aluminium, hydroforming, 1.8 Steerer ready, internal cable routing, thru axle	Vorbau	Stem	MTBi-Sport, CCS Slot Mount ready
Rahmen	Frame	6061 aluminium, hydroforming, 1.8 Steerer ready, internal cable routing, thru axle	Sattelstütze	Seatpost	LIMOTEC Alpha 1, 34,9 / S 100 mm, M 125 mm, L, XL 150 mm
Rahmenhöhe	Framesize	S/M/L/XL/XXL	Sattel	Saddle	Prologo Proxim 400 wide
Gabel	Fork	BULLS LYTRO 34 Air LOR, Boost 120 mm	Felgen	Rims	RODI Tryp 30, tubeless ready
Schaltwerk	Gearshift	SHIMANO Deore RD-M5120 shadow+ derailleur gear 10-speed	Bereifung	Tires	SCHWALBE Smart Sam K-Guard 65-622 MonkeyLink Connect (lighting not included)
Gänge	Gear		Scheinwerfer	Front light	
			Rücklicht	Rear light	MonkeyLink Twinlight

SONIC EVA

blue tinted white
524900160640

S: M-L:

625 Wh / 750 Wh



NEW!

SONIC / MOUNTAIN



ONLINE ORDER



Motor Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Kassette Cassette	SHIMANO LG400-10 11-48T
Ladegerät Charger	4 A charger	Bremsen Brakes	SHIMANO BR-MT420, hydraulic disc brake, SHIMANO SM-RT30 CL 203 mm, SHIMANO RT-EM300 CL 203 mm
Ladedauer Charging time	625 Wh: appx. 5,4 hrs. 750 Wh: appx. 6,0 hrs.	Lenker Handlebar	BULLS riserbar
Display Display	Bosch LED Remote	Vorbau Stem	BULLS MTBi-Sport, CCS Slot Mount ready
Rahmen Frame	6061 aluminium, hydroforming, 1.8 Steerer ready, internal cable routing, thru axle, telescope seatpost ready	Sattel Saddle	Prologo Proxim 400 wide
Rahmenhöhe Framesize	S/M/L	Felgen Rims	Rodi TRYP30 evo tubeless ready
Gabel Fork	BULLS LYTRO 34 Air 1.8 Boost 120 mm	Bereifung Tires	SCHWALBE Smart Sam K-Guard 65-622
Schaltwerk Gearshift	SHIMANO Cues RD-U6000	Scheinwerfer Front light	MonkeyLink Connect (lighting not included)
Gänge Gear	derailleur gear 10-speed	Rücklicht Rear light	MonkeyLink Twinlight
Schalthebel Shifter	SHIMANO SL-Cues 10		

SONIC EVO EN 2

light grey, black, gold
666-07344

SONIC / MOUNTAIN

625 Wh



Rear
27,5

Front
29



ONLINE ORDER



BOSCH



Motor	Drive Unit	Bosch Performance Line CX (85 Nm)	Kurbelgarnitur	Crankset	e*thirteen
Ladegerät	Charger	2A	Kassette	Cassette	SHIMANO CS-M7100-11, 10-51T
Ladedauer	Charging time	625 Wh: appx. 8,8 hrs.	Bremsen	Brakes	TRP DHR GOLD, 220/203 mm
Display	Display	Bosch Purion	Lenker	Handlebar	BULLS Riser Bar, 35 mm
Rahmen	Frame	aluminium	Vorbau	Stem	BULLS Mtb 35 mm, w/internal cable routing
Rahmenhöhe	Framesize	M/L	Sattelstütze	Seatpost	eightpins H01
Gabel	Fork	RockShox ZEB Select RC 1.8 29 Zoll, 180 mm	Sattel	Saddle	Prologo Proxim 450 Sport
Dämpfer	Shock	RockShox Super Deluxe Select+ RT, 170 mm	Felgen	Rims	DT Swiss H1900, 30 mm
Schaltwerk	Gearshift	SHIMANO XT RD-M8100	Bereifung	Tires	SCHWALBE Magic Mary Performance Soft Grip 62-622/29 x 2.40, Hans Dampf Performance Speed Grip 65-622/29 x 2.60
Gänge	Gear	12-speed			

SONIC EVO TR 1

NEW!

SONIC / MOUNTAIN

monza grey
524900240641

S: M-XXL:

625 Wh / 750 Wh



ONLINE ORDER



Motor Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Schalthebel Shifter	SHIMANO Cues SL-U6000
Ladegerät Charger	4 A charger	Kassette Cassette	SHIMANO CS-LG400-10 11-48T
Ladedauer Charging time	625 Wh: appx. 5,4 hrs. 750 Wh: appx. 6,0 hrs.	Bremsen Brakes	SHIMANO BR-MT420, hydraulic disc brake, SHIMANO SM-RT30 CL 203 mm, SHIMANO RT-EM300 CL 203 mm
Display Display	Bosch LED Remote	Lenker Handlebar	BULLS riserbar
Rahmen Frame	6061 aluminium, hydroforming, 1.8 Steerer ready, internal cable routing, thru axle, telescope seatpost ready	Vorbau Stem	BULLS MTBi-Sport, CCS Slot Mount ready
Rahmenhöhe Framesize	S/M/L/XL/XXL	Sattel Saddle	Prologo Proxim 400 wide
Gabel Fork	BULLS LYTRO 34 Air 1.8 Boost 120 mm	Felgen Rims	RODI TRYP30 evo tubeless ready
Dämpfer Shock	SR SUNTOUR Edge Plus R 210*50 120 mm	Bereifung Tires	SCHWALBE Smart Sam K-Guard 65-622
Schaltwerk Gearshift	SHIMANO Cues RD-U6000	Scheinwerfer Front light	MonkeyLink Connect (lighting not included)
Gänge Gear	derailleur gear 10-speed	Rücklicht Rear light	MonkeyLink Twinlight

SONIC EVA TR 1

deep berry
846-03041

S-L: M-L:
625 Wh / 750 Wh

SONIC / MOUNTAIN



ONLINE ORDER



blue tinted white
524900280640



BOSCH



Motor	Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Gänge	Gear	derailleur gear 10-speed
Ladegerät	Charger	Bosch charger 4A	Schalthebel	Shifter	SHIMANO Deore SL-M4100 with I-Spec EV
Ladedauer	Charging time	625 Wh: appx. 5,4 hrs. 750 Wh: appx. 6,0 hrs.	Kassette	Cassette	SHIMANO Deore 10s 11-46T
Display	Display	Bosch LED Remote	Bremsen	Brakes	TRP Slate Evo, hydraulic disc brake, TR203-45 CL
Rahmen	Frame	6061 aluminium, hydroforming, 1.8 Steerer ready, internal cable routing, thru axle, telescope seatpost ready	Lenker	Handlebar	Sport-SL CCS
Rahmenhöhe	Framesize	S/M/L	Vorbau	Stem	MTBi-Sport, CCS Slot Mount ready
Gabel	Fork	BULLS LYTRO 34 Air LOR, 1.8 Steerer, Boost 120 mm	Sattelstütze	Seatpost	LIMOTEC Alpha 1, 34,9 / S 100 mm, M 125 mm, L, XL 150 mm
Dämpfer	Shock	SR SUNTOUR Edge Plus R 120 mm	Sattel	Saddle	Prologo Proxim 400 wide
Schaltwerk	Gearshift	SHIMANO Deore RD-M5120 shadow+	Felgen	Rims	RODI Tryp 30, tubeless ready
			Bereifung	Tires	SCHWALBE Smart Sam K-Guard 57-622
			Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
			Rücklicht	Rear light	MonkeyLink Twinlight

SONIC EVO TR 2

SONIC / MOUNTAIN

nano grey
846-03741

S: M-XL:
625 Wh / 750 Wh



ONLINE ORDER



Motor Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Gänge Gear	derailleur gear 11-speed
Ladegerät Charger	Bosch charger 4A	Schalthebel Shifter	SHIMANO Deore SL-M5100 with I-Spec EV
Ladedauer Charging time	625 Wh: appx. 5,4 hrs. 750 Wh: appx. 6,0 hrs.	Kassette Cassette	SHIMANO Deore 11s, 11-51T
Display Display	Bosch System Controller and Mini-Remote	Bremsen Brakes	TRP Slate Evo, hydraulic disc brake, TR203-45 CL
Rahmen Frame	carbon fibre monocoque front triangle, 1.8 Steerer ready, internal cable routing, thru axle	Lenker Handlebar	Sport-SL CCS
Rahmenhöhe Framesize	S/M/L/XL	Vorbau Stem	MTBi-Sport, CCS Slot Mount ready
Gabel Fork	BULLS LYTRO 35 Supreme Air LOR, 1.8 Steerer, Boost 120 mm	Sattelstütze Seatpost	LIMOTEC Alpha 1, 34,9 / S 100 mm, M 125 mm, L, XL 150 mm
Dämpfer Shock	SR SUNTOUR Edge Plus 2CR 120 mm	Sattel Saddle	Prologo Proxim 400 wide
Schaltwerk Gearshift	SHIMANO Deore RD-M5100 shadow+	Felgen Rims	RODI Tryp 30, tubeless ready
		Bereifung Tires	SCHWALBE Nobby Nic Performance folding 62-622
		Scheinwerfer Front light	MonkeyLink Connect (lighting not included)
		Rücklicht Rear light	MonkeyLink Twinlight

SONIC EVO TR 3

dark chrome silver
667-03744

SONIC / MOUNTAIN

750 Wh



ONLINE ORDER



Motor Drive Unit	Bosch Performance Line CX BES3 (85 Nm)	Gänge Gear	12-speed
Ladegerät Charger	4A	Kurbelgarnitur Crankset	e*thirteen
Ladedauer Charging time	750 Wh: appx. 6,0 hrs.	Kassette Cassette	SHIMANO CS-M6100-11, 10-51T
Display Display	LED Remote	Bremsen Brakes	SHIMANO Deore BR-M6120, 203/203 mm
Rahmen Frame	carbon	Lenker Handlebar	BULLS Riser Bar, 35 mm
Rahmenhöhe Framesize	M/L/XL	Vorbau Stem	BULLS The Frog
Gabel Fork	RockShox 35 Gold RL 1.8 29 Zoll, 130 mm	Sattelstütze Seatpost	LIMOTEC Alpha 1
Dämpfer Shock	RockShox Deluxe Select+ RT, 120 mm	Sattel Saddle	Prologo Proxim 400
Schaltwerk Gearshift	SHIMANO XT RD-M8100	Laufрад Wheelset	SHIMANO WH-MT620, 30 mm
		Bereifung Tires	SCHWALBE Nobby Nic Performance, 60-622 / 29 x 2.35

SONIC EVO TR-I

SONIC / MOUNTAIN

light emerald
846-04541

S: M-XL:
625 Wh / 750 Wh



ONLINE ORDER



BOSCH



Motor	Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Schalthebel	Shifter	SRAM GX AXS
Ladegerät	Charger	Bosch charger 4A	Kurbelgarnitur	Crankset	e*thirteen
Ladedauer	Charging time	625 Wh: appx. 5,4 hrs. 750 Wh: appx. 6,0 hrs.	Kassette	Cassette	SRAM XG-1275 12-speed Eagle 10-52T
Display	Display	Bosch System Controller and Mini-Remote	Bremsen	Brakes	TRP C2.3, hydraulic disc brake, TR203-45 CL
Rahmen	Frame	carbon fibre monocoque front triangle, 1.8 Steerer ready, internal cable routing, thru axle	Lenker	Handlebar	BULLS Enduro carbon
Rahmenhöhe	Framesize	S/M/L/XL	Vorbau	Stem	MTB-SLS, CCS Slot Mount ready
Gabel	Fork	RockShox 35 Gold RL, 1.8 tapered 130 mm	Sattelstütze	Seatpost	LIMOTEC Alpha 1, 34,9 / S 100 mm, M 125 mm, L, XL 150 mm
Dämpfer	Shock	RockShox Deluxe Select+ RT 120 mm	Sattel	Saddle	Prologo Proxim 400 wide
Schaltwerk	Gearshift	SRAM GX Eagle AXS	Laufgrad	Wheelset	MAVIC Crossmax Carbon XL S
Gänge	Gear	derailleur gear 12-speed	Bereifung	Tires	SCHWALBE Nobby Nic Performance, Folding 62-622
			Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
			Rücklicht	Rear light	MonkeyLink Twinlight

SONIC EVO AM 1

dark petrol
846-05141

S: M-XL:

625 Wh / 750 Wh



ONLINE ORDER




light emerald
846-05041



light grey
846-04941



pro blue
524900480640



electric yellow
524900490640



Motor Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Kassette Cassette	SHIMANO Deore 10s 11-46T
Ladegerät Charger	Bosch charger 4A	Bremsen Brakes	TRP Slate Evo, hydraulic disc brake, TR203-45 CL
Ladedauer Charging time	625 Wh: appx. 5,4 hrs. 750 Wh: appx. 6,0 hrs.	Lenker Handlebar	Sport-SL CCS
Display Display	Bosch LED Remote	Vorbau Stem	MTB-SLS, CCS Slot Mount ready
Rahmen Frame	6061 aluminium, hydroforming, 1.8 Steerer ready, internal cable routing, thru axle	Sattelstütze Seatpost	LIMOTEC Alpha 1, 34,9 / S 100 mm, M 125 mm, L, XL 150 mm
Rahmenhöhe Framesize	S/M/L/XL	Sattel Saddle	Prologo Proxim 400
Gabel Fork	BULLS LYTRO 34 Air LOR, 1.8 Steerer, Boost 140 mm	Felgen Rims	RODI Tryp 30, tubeless ready
Dämpfer Shock	SR SUNTOUR Edge Plus R 150 mm	Bereifung Tires	SCHWALBE Magic Mary Performance Line, TLR, Addix Soft / Big Betty Performance Line, TLR Speed Grip 62-622 / 65-584
Schaltwerk Gearshift	SHIMANO Deore RD-M5120 shadow+ derailleur gear 10-speed	Scheinwerfer Front light	MonkeyLink Connect (lighting not included)
Gänge Gear	SHIMANO Deore SL-M4100 with I-Spec EV	Rücklicht Rear light	MonkeyLink Twinlight
Schalthebel Shifter			

SONIC EVO AM 2

metallic orange
846-05841

S: M-XL:

625 Wh / 750 Wh



ONLINE ORDER



pro blue
846-05741



BOSCH



Motor Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Kassette Cassette	SHIMANO Deore 11s, 11-51T
Ladegerät Charger	Bosch Standard Ladegerät 4A	Bremsen Brakes	TRP Slate Evo, hydraulic disc brake, TR203-45 CL
Ladedauer Charging time	625 Wh: appx. 5,4 hrs. 750 Wh: appx. 6,0 hrs.	Lenker Handlebar	Sport-SL CCS
Display Display	Bosch System Controller and Mini-Remote	Vorbau Stem	MTB-SLS, CCS Slot Mount ready
Rahmen Frame	carbon fibre monocoque, 1.8 Steerer ready, internal cable routing thru axle S/M/L/XL	Sattelstütze Seatpost	LIMOTEC Alpha 1, 34,9 / S 100 mm, M 125 mm, L, XL 150 mm
Rahmenhöhe Framesize	BULLS LYTRO 35 Supreme Air LOR, 1.8 Steerer, Boost 150 mm	Sattel Saddle	Prologo Proxim 400
Gabel Fork	SR SUNTOUR Edge Plus 2CR 150 mm	Felgen Rims	RODI Tryp 30, tubeless ready
Dämpfer Shock	SHIMANO Deore RD-M5100 shadow+ derailleur gear 11-speed	Bereifung Tires	SCHWALBE Magic Mary Performance Super Trail TLE / Big Betty Performance Super Trail TLE Addix Soft 62-622 / 65-584
Schaltwerk Gearshift	SHIMANO Deore SL-M5100 with I-Spec EV	Scheinwerfer Front light	MonkeyLink Connect (lighting not included)
Gänge Gear		Rücklicht Rear light	MonkeyLink Twinlight
Schalthebel Shifter			

SONIC EVO AM 2 ABS

NEW!

SONIC / MOUNTAIN

UD carbon
524900560641

S: M-XL:

625 Wh / 750 Wh



ONLINE ORDER



BOSCH



Motor	Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Schalthebel	Shifter	SHIMANO Deore SL-M6100, rapidfire+, I-spec-EV
Ladegerät	Charger	4 A charger	Kassette	Cassette	SHIMANO Deore, CS-M6100 10-51T
Ladedauer	Charging time	625 Wh: appx. 5,4 hrs. 750 Wh: appx. 6,0 hrs.	Bremsen	Brakes	TRP Trail EVO ABS 2.3, hydraulic disc brake, TRP 220 mm 6-bolt, TRP 203 mm 6-bolt
Display	Display	Bosch Mini Remote und System Controller	Lenker	Handlebar	BULLS riserbar
Rahmen	Frame	carbon fibre monocoque front triangle, 1.8 Steerer ready, internal cable routing, thru axle, teleskope seatpost ready	Vorbau	Stem	MTB-SLS, CCS Slot Mount ready
Rahmenhöhe	Framesize	S/M/L/XL	Sattel	Saddle	Prologo Proxim 400
Gabel	Fork	BULLS LYTRO 36 Supeme 1.8 Boost 150 mm	Felgen	Rims	RODI Tryp 30, tubeless ready
Dämpfer	Shock	SR SUNTOUR Edge Plus 2CR 150 mm	Bereifung	Tires	SCHWALBE Magic Mary Performance 62-622/65-584
Schaltwerk	Gearshift	SHIMANO Deore RD-M6100	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Gänge	Gear	derailleur gear 12-speed	Rücklicht	Rear light	MonkeyLink Twinlight

SONIC EVO AM 3 ABS

NEW!

SONIC / MOUNTAIN

UD carbon
524900600641

S: M-XL:

625 Wh / 750 Wh



ONLINE ORDER



green
524900610641



BOSCH



Motor Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Gänge Gear	derailleur gear 12-speed
Ladegerät Charger	4 A charger	Schalthebel Shifter	SHIMANO SL-M8100-IR
Ladedauer Charging time	625 Wh: appx. 5,4 hrs. 750 Wh: appx. 6,0 hrs.	Kassette Cassette	SHIMANO Deore, CS-M6100 10-51T
Display Display	Bosch Mini Remote und System Controller	Bremsen Brakes	TRP Trail EVO ABS 2.3, hydraulic disc brake, TRP 220 mm 6-bolt, TRP 203 mm 6-bolt
Rahmen Frame	carbon fibre monocoque front triangle, 1.8 Steerer ready, internal cable routing, thru axle, teleskope seatpost ready	Lenker Handlebar	BULLS riserbar
Rahmenhöhe Framesize	S/M/L/XL	Vorbau Stem	MTB-SLS, CCS Slot Mount ready
Gabel Fork	BULLS LYTRO 36 Supreme SL 1.8 Boost 150 mm	Sattel Saddle	Prologo Proxim 400
Dämpfer Shock	SR SUNTOUR Edge Comp 2CR 150 mm	Laufрад Wheelset	MAVIC E-Crossride 1 CL MS
Schaltwerk Gearshift	SHIMANO Deore XT RD-M8100	Bereifung Tires	SCHWALBE Magic Mary Performance 62-622/65-584
		Scheinwerfer Front light	MonkeyLink Connect (lighting not included)
		Rücklicht Rear light	MonkeyLink Twinlight

SONIC EVO AM 4

SONIC / MOUNTAIN

nano light grey
846-06541

S: M-XL:

625 Wh / 750 Wh



Rear
27,5

Front
29



ONLINE ORDER



BOSCH



Motor	Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Kurbelgarnitur	Crankset	e*thirteen
Ladegerät	Charger	Bosch charger 4A	Kassette	Cassette	SHIMANO Deore 12-speed, 10-51T
Ladedauer	Charging time	625 Wh: appx. 5,4 hrs. 750 Wh: appx. 6,0 hrs.	Bremsen	Brakes	TRP Trail Evo, hydraulic disc brake, R203-C01
Display	Display	Bosch System Controller and Mini-Remote	Lenker	Handlebar	Sport-SL CCS
Rahmen	Frame	carbon fibre monocoque, 1.8 Steerer ready, internal cable routing thru axle	Vorbau	Stem	MTB-SLS, CCS Slot Mount ready
Rahmenhöhe	Framesize	S/M/L/XL	Sattelstütze	Seatpost	eightpins Dropper Post
Gabel	Fork	RockShox 35 Gold RL, 1.8 Steerer 150 mm	Sattel	Saddle	Prologo Proxim 400
Dämpfer	Shock	RockShox Deluxe Select+ RT 150 mm	Laufрад	Wheelset	MAVIC E-Deemax
Schaltwerk	Gearshift	SHIMANO Deore XT RD-M8100 shadow+ derailleur gear 12-speed	Bereifung	Tires	SCHWALBE Magic Mary Evo Super Trail TLE / Big Betty Evo Super Trail TLE
Gänge	Gear	SHIMANO Deore XT SL-M8100, rapidfire+, 1-spec-EV	Scheinwerfer	Front light	Addix Soft 62-622 / 65-584
Schalthebel	Shifter		Rücklicht	Rear light	MonkeyLink Connect (lighting not included)
					MonkeyLink Twinlight

SONIC EVO AM-I

UD carbon, black, red
667-06544

SONIC / MOUNTAIN

750 Wh



Rear
27,5

Front
29



ONLINE ORDER



BOSCH



Motor	Drive Unit	Bosch Performance Line CX BES3 (85 Nm)	Schaltwerk	Gearshift	SRAM GX AXS
Ladegerät	Charger	4A	Gänge	Gear	12-speed
Ladedauer	Charging time	750 Wh: appx. 6,0 hrs.	Kurbelgarnitur	Crankset	e*thirteen
Display	Display	Bosch LED Remote	Kassette	Cassette	SRAM XG1275, 10-52T
Rahmen	Frame	carbon fibre monocoque, 1.8 Steerer ready, internal cable routing, thru axle	Bremsen	Brakes	TRP 2.3, 203/203 mm
Rahmenhöhe	Framesize	M/L/XL	Lenker	Handlebar	BULLS Carbon Stem/Bar Unit
Gabel	Fork	RockShox Lyrik Ultimate Charger 2.1 RC2 1.8 29 Zoll, 150 mm	Vorbau	Stem	BULLS Carbon Stem/Bar Unit
Dämpfer	Shock	RockShox Super Deluxe Select+ RT, 150 mm	Sattelstütze	Seatpost	eightpins NGS
			Sattel	Saddle	Prologo Proxim 450 Sport
			Laufрад	Wheelset	DT Swiss HXC 1501 Spline Carbon
					SCHWALBE Magic Mary Evolution
			Bereifung	Tires	Super Trail 62-622/29 x 2.40, Big Betty Evolution Super Trail 65-584/27.5 x 2.40

SONIC EVO AM TEAM

Limited Edition*

SONIC / MOUNTAIN

heavy meadow green
846-06941

S: M-XL:

625 Wh / 750 Wh



Model 2023 checked



ONLINE ORDER



BOSCH



BULLS D.R.C.

Motor	Drive Unit	Bosch Performance Line CX Race Limited Edition 25/85 Nm	Schalthebel	Shifter	SRAM EC AXS Rocker
Ladegerät	Charger	Bosch charger 4A	Kurbelgarnitur	Crankset	e*thirteen Carbon
Ladedauer	Charging time	625 Wh: appx. 5,4 hrs. 750 Wh: appx. 6,0 hrs.	Kassette	Cassette	SRAM XG-1299 12-speed Eagle 10-52T
Display	Display	Bosch System Controller and Mini-Remote	Bremsen	Brakes	TRP DH-R Evo, hydraulic disc brake, 220 mm / 6-Bolt, 203 mm / 6-Bolt
Rahmen	Frame	carbon fibre monocoque, 1.8 Steerer ready, internal cable routing thru axle	Lenker	Handlebar	BULLS Enduro carbon
Rahmenhöhe	Framesize	S/M/L/XL	Vorbau	Stem	MTB-SLS, CCS Slot Mount ready
Gabel	Fork	RockShox Lyrik Ultimate RC2, 1.8 Steerer 150 mm	Sattelstütze	Seatpost	eightpins Dropper Post
Dämpfer	Shock	RockShox Super Deluxe Select+ RT 150 mm	Sattel	Saddle	Prologo W850 carbon
Schaltwerk	Gearshift	SRAM XX1 Eagle AXS	Laufрад	Wheelset	e*thirteen TRS Race Carbon
Gänge	Gear	derailleur gear 12-speed	Bereifung	Tires	SCHWALBE Magic Mary EVO, Super Trail, TLE, Addix Soft / Magic Mary Evo Super Gravity, TLE, Soft 62-622 / 62-584 MonkeyLink Connect (lighting not included)
			Scheinwerfer	Front light	
			Rücklicht	Rear light	MonkeyLink Twinlight

*Bosch Performance Line CX Race Limited Edition 25/85 Nm

VUCA

[illegible]

WELTNEUHEIT! | WORLD NOVELTY!

MOTOR & SCHALTUNG VEREINT | MOTOR & GEARBOX COMBINED

FIT
pinion

VUCA / MOUNTAIN

VUCA EVO AM 1

blackberry red-matt, carbon matt
524909770741

720 Wh / 960 Wh



2
PROSPEKT
12-SEITER

2
PROSPEKT
8-SEITER

3
PROSPEKT
12-SEITER

3
PROSPEKT
8-SEITER

NEW!



ONLINE ORDER



monza grey-matt, carbon
black matt
524909780741



pinion



Motor	Drive Unit	FIT Pinion E-Drive 12	Bremsen	Brakes	SHIMANO BR-M6120, hydraulic disc brake, SHIMANO SM-RT64 203 mm CL, SHIMANO RT-EM600 203 mm CL
Ladegerät	Charger	3 A FIT charger	Lenker	Handlebar	BULLS Enduro carbon
Ladedauer	Charging time	720 Wh: appx. 5,7 hrs. 960 Wh: appx. 7,1 hrs.	Vorbau	Stem	BULLS MTBi-Sport, CCS Slot Mount ready
Display	Display	FIT Master Node LED	Sattelstütze	Seatpost	LIMOTEC Alpha 1, 34,9 / S 100 mm, M 125 mm, L, XL 150 mm + SL-MT500-IL for I-spec EV
Rahmen	Frame	carbon fibre monocoque front triangle, 1.8 Steerer ready, internal cable routing, thru axle, telescope seatpost ready	Sattel	Saddle	SELLE ROYAL Vivo Ergo
Rahmenhöhe	Framesize	S/M/L/XL	Felgen	Rims	RYDE Disc 30, tubeless ready
Gabel	Fork	BULLS LYTRO 36 Supreme SL 1.8 Boost 150 mm	Bereifung	Tires	MAXXIS Minion DHF / MAXXIS Minion DHR2 AM 66-622
Dämpfer	Shock	SR SUNTOUR Edge LOR8 Trunnion Mount 150 mm	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Gänge	Gear	Motor-Gearbox-Unit 12-speed	Rücklicht	Rear light	MonkeyLink Twinlight
Schalthebel	Shifter	E-Trigger			

WELTNEUHEIT! | WORLD NOVELTY!

MOTOR & SCHALTUNG VEREINT | MOTOR & GEARBOX COMBINED

**FIT
pinion**

VUCA | MOUNTAIN

VUCA EVO AM 2

dark chrome silver, carbon black matt
524909810741

720 Wh / 960 Wh



NEW!



ONLINE ORDER

RIEMENANTRIEB



Motor	Drive Unit	FIT Pinion E-Drive 12	
Ladegerät	Charger	3 A FIT charger	
Ladedauer	Charging	720 Wh: appx. 5,7 hrs.	
	time	960 Wh: appx. 7,1 hrs.	
Display	Display	FIT Master Node LED	
Rahmen	Frame	carbon fibre monocoque front triangle, 1.8 Steerer ready, internal cable routing, thru axle, telescope seatpost ready	
Rahmenhöhe	Framesize	S/M/L/XL	
Gabel	Fork	FOX 38 Float Factory 150 mm	
Dämpfer	Shock	FOX Float X Factory 2-pos Trunnion Mount 150 mm	
Gänge	Gear	Motor-Gearbox-Unit 12-speed	
Schalthebel	Shifter	E-Trigger	
Bremsen		Brakes	SHIMANO XT BR-M8120, hydraulic disc brake, SHIMANO SM-RT64 220 mm CL, SHIMANO RT-EM600 203 mm CL
Lenker		Handlebar	BULLS Enduro carbon
Vorbau		Stem	BULLS MTBi-Sport, CCS Slot Mount ready
Sattelstütze		Seatpost	LIMOTEC Alpha 1, 34,9 / S 100 mm, M 125 mm, L, XL 150 mm + SL-MT500-IL for I-spec EV
Sattel		Saddle	ERGON GE10
Felgen		Rims	RYDE Disc 30, tubeless ready
Bereifung		Tires	MAXXIS Minion DHF / MAXXIS Minion DHR2 AM 66-622
Scheinwerfer		Front light	MonkeyLink Connect (lighting not included)
Rücklicht		Rear light	MonkeyLink Twinlight

E-STREAM

[illegible]

E-STREAM EVO 1 27,5

blue tinted white, black matt
524907250539

NEW!

E-STREAM / MOUNTAIN

555 Wh / 740 Wh / 925 Wh



- 1 PROSPEKT 8-SEITER
- 2 PROSPEKT 12-SEITER
- 2 PROSPEKT 8-SEITER
- 3 PROSPEKT 12-SEITER
- 3 PROSPEKT 8-SEITER



ONLINE ORDER



black matt
524907210539



Motor	Drive Unit	BROSE FIT S-Mag ECO 25/75 Nm			
Ladegerät	Charger	4 A charger		Bremsen	Brakes
Ladedauer	Charging time	555 Wh: appx. 5,0 hrs. 740 Wh: appx. 6,8 hrs. 925 Wh: appx. 8,5 hrs.			
Display	Display	FIT Remote Display		Lenker	Handlebar
		6061 aluminium, hydroforming,		Vorbau	Stem
Rahmen	Frame	1.8 Steerer ready, internal cable routing, thru axle		Sattelstütze	Seatpost
Rahmenhöhe	Framesize	Diamond XS/S/M/L, Wave XS/S/M/L		Sattel	Saddle
Gabel	Fork	BULLS LYTRO 34 Air 1.8 Boost 120 mm		Felgen	Rims
Schaltwerk	Gearshift	SHIMANO Cues RD-U6000		Bereifung	Tires
Gänge	Gear	derailleur gear 10-speed		Scheinwerfer	Front light
Schalthebel	Shifter	SHIMANO Cues SL-U6000			
Kurbelgarnitur	Crankset	FSA 165 mm		Rücklicht	Rear light
Kassette	Cassette	SHIMANO CS LG300-10 11-48T			
					SHIMANO BR-MT420, SHIMANO BR-MT410, hydraulic disc brake, SHIMANO SM-RT30 CL 180 mm, SHIMANO RT-EM300 CL 180 mm
					Sport-SL CCS
					BULLS MTBi-Sport, CCS Slot Mount ready
					BULLS aluminium 34,9 mm
					BULLS Sportive Ergo
					DDM-30
					SCHWALBE Smart Sam Performance K-Guard 65-584
					MonkeyLink Connect (lighting not included)
					MonkeyLink Connect (lighting not included)

E-STREAM EVO 1 29

black matt
524907290541

NEW!

E-STREAM / MOUNTAIN

555 Wh / 740 Wh / 925 Wh



ONLINE ORDER



blue tinted white, black matt
524907330541



Motor	Drive Unit	BROSE FIT S-Mag ECO 25/75 Nm	Bremsen	Brakes	SHIMANO BR-MT420, SHIMANO BR-MT410, hydraulic disc brake,
Ladegerät	Charger	4 A charger	Lenker	Handlebar	SHIMANO SM-RT30 CL 180 mm,
Ladedauer	Charging time	555 Wh: appx. 5,0 hrs. 740 Wh: appx. 6,8 hrs. 925 Wh: appx. 8,5 hrs.	Vorbau	Stem	SHIMANO RT-EM300 CL 180 mm
Display	Display	FIT Remote Display	Sattelstütze	Seatpost	Sport-SL CCS
Rahmen	Frame	6061 aluminium, hydroforming, 1.8 Steerer ready, internal cable routing, thru axle	Sattel	Saddle	BULLS MTBi-Sport, CCS Slot Mount ready
Rahmenhöhe	Framesize	Diamond S/M/L/XL, Wave S/M/L/XL	Felgen	Rims	BULLS aluminium 34,9 mm
Gabel	Fork	BULLS LYTRO 34 Air 1.8 Boost 120 mm	Bereifung	Tires	BULLS Sportive Ergo
Schaltwerk	Gearshift	SHIMANO Cues RD-U6000	Scheinwerfer	Front light	BULLS DDM-30
Gänge	Gear	derailleur gear 10-speed	Rücklicht	Rear light	SCHWALBE Smart Sam Performance K-Guard 65-622
Schalthebel	Shifter	SHIMANO Cues SL-U6000			MonkeyLink Connect (lighting not included)
Kurbelgarnitur	Crankset	FSA 165 mm			MonkeyLink Connect (lighting not included)
Kassette	Cassette	SHIMANO CS LG300-10 11-48T			

E-STREAM EVO TR 1

black matt, long beach blue
846-30639

E-STREAM / MOUNTAIN

555 Wh / 740 Wh / 925 Wh



ONLINE ORDER



Motor	Drive Unit	BROSE FIT S-Mag PRO 25/90 Nm	Kassette	Cassette	SHIMANO Deore 10s 11-46T
Ladegerät	Charger	FIT charger 4A	Bremsen	Brakes	SHIMANO BR-MT420/410, hydraulic disc brake, 180 mm / Center Lock, 180 mm / Center Lock
Ladedauer	Charging time	555 Wh: appx. 5,0 hrs. 740 Wh: appx. 6,8 hrs. 925 Wh: appx. 8,5 hrs.	Lenker	Handlebar	Sport-SL CCS
Display	Display	FIT Remote Display	Vorbau	Stem	MTBi-Sport, CCS Slot Mount ready
Rahmen	Frame	6061 aluminium, hydroforming, 1.8 Steerer ready, internal cable routing, thru axle	Sattelstütze	Seatpost	LIMOTEC Alpha 1, 34,9 / S 125 mm, M, L, XL 150 mm
Rahmenhöhe	Framesize	XS/S/M/L	Sattel	Saddle	BULLS Sportive Ergo
Gabel	Fork	BULLS LYTRO 34 Air LOR, 1.8 Steerer, Boost 120 mm	Felgen	Rims	RYDE Disc 30, tubeless ready
Dämpfer	Shock	SR SUNTOUR Edge TR LOR8 120 mm	Bereifung	Tires	SCHWALBE Wicked Will Performance folding 65-584
Schaltwerk	Gearshift	SHIMANO Deore RD-M5120 shadow+ derailleur gear 10-speed	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Gänge	Gear	SHIMANO Deore SL-M4100	Rücklicht	Rear light	MonkeyLink Connect (lighting not included)
Schalthebel	Shifter				
Kurbelgarnitur	Crankset	FSA 165 mm			

E-STREAM EVA TR 1

pacific mint matt, steel blue black matt
846-31039

E-STREAM / MOUNTAIN

555 Wh / 740 Wh / 925 Wh



world of mtb
Ausgabe 12/2022
Model 2023 checked



ONLINE ORDER



Motor	Drive Unit	BROSE FIT S-Mag PRO 25/90 Nm	Kassette	Cassette	SHIMANO Deore 10s 11-46T
Ladegerät	Charger	FIT charger 4A	Bremsen	Brakes	SHIMANO BR-MT420/410, hydraulic disc brake, 180 mm / Center Lock, 180 mm / Center Lock
Ladedauer	Charging time	555 Wh: appx. 5,0 hrs. 740 Wh: appx. 6,8 hrs. 925 Wh: appx. 8,5 hrs.	Lenker	Handlebar	Sport-SL CCS
Display	Display	FIT Remote Display	Vorbau	Stem	MTBi-Sport, CCS Slot Mount ready
Rahmen	Frame	6061 aluminium, hydroforming, 1.8 Steerer ready, internal cable routing, thru axle	Sattelstütze	Seatpost	LIMOTEC Alpha 1, 34,9 / S 100 mm, M 125 mm, L, XL 150 mm
Rahmenhöhe	Framesize	XS/S/M/L	Sattel	Saddle	BULLS Sportive Ergo
Gabel	Fork	BULLS LYTRO 34 Air LOR, 1.8 Steerer, Boost 120 mm	Felgen	Rims	RYDE Disc 30, tubeless ready
Dämpfer	Shock	SR SUNTOUR Edge TR LOR8 120 mm	Bereifung	Tires	SCHWALBE Wicked Will Performance folding 65-584
Schaltwerk	Gearshift	SHIMANO Deore RD-M5120 shadow+ derailleur gear 10-speed	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Gänge	Gear	SHIMANO Deore SL-M4100	Rücklicht	Rear light	MonkeyLink Connect (lighting not included)
Schalthebel	Shifter	SHIMANO Deore SL-M4100			
Kurbelgarnitur	Crankset	FSA 165 mm			

E-STREAM EVA TR 2

rouge red matt, light grey, black matt
685-14539

E-STREAM / MOUNTAIN

555 Wh 740 Wh 925 Wh



ONLINE ORDER



Motor	Drive Unit	BROSE S-Mag Plus FIT* (85 Nm)	Kurbelgarnitur	Crankset	FSA 165 mm
Ladegerät	Charger	4,5 A	Kassette	Cassette	SHIMANO Deore M6100, 10-51
Ladedauer	Charging time	555 Wh: appx. 5,0 hrs. 740 Wh: appx. 6,8 hrs. 925 Wh: appx. 8,5 hrs.	Bremsen	Brakes	SHIMANO BR-MT420/410, 180/180 mm
Display	Display	FIT Remote Display	Lenker	Handlebar	BULLS, 35 mm
Rahmen	Frame	6061 aluminium, internal cable routing	Vorbau	Stem	MTBi-Sport CCS Slot Mount ready
Rahmenhöhe	Framesize	S/M/L/XL	Sattelstütze	Seatpost	LIMOTEC AIZ dropper post
Gabel	Fork	SR SUNTOUR LYTRO 35 SL Supreme LOR Air 1.8 CTS Boost, 120 mm	Sattel	Saddle	BULLS Sportive Ergo
Dämpfer	Shock	SR SUNTOUR Unair LOR8, 120 mm	Hubs	Naben	SHIMANO HB-MT400-B/FH-MT400-B
Schaltwerk	Gearshift	SHIMANO Deore RD-M6100-SGS	Felgen	Rims	RYDE Disc 30
Gänge	Gear	12-speed	Bereifung	Tires	SCHWALBE Nobby Nic Performance 65-584

* Software Update gegen Aufpreis auf bis zu 90 Nm möglich. / Software update up to 90 Nm possible at extra cost.

E-STREAM EVO AM 2

E-STREAM / MOUNTAIN

pistacio, black
685-15741

555 Wh / 740 Wh / 925 Wh



ONLINE ORDER



Motor	Drive Unit	BROSE S-Mag Plus FIT* (85 Nm)	Gänge	Gear	12-speed
Ladegerät	Charger	4A	Kurbelgarnitur	Crankset	FSA 165 mm
Ladedauer	Charging time	555 Wh: appx. 5,0 hrs. 740 Wh: appx. 6,8 hrs. 925 Wh: appx. 8,5 hrs.	Kassette	Cassette	SHIMANO CS-M6100-12, 10-51T
Display	Display	FIT Remote Display	Bremsen	Brakes	SHIMANO BR-MT420/410, 203/180 mm
Rahmen	Frame	6061 aluminium, internal cable routing	Lenker	Handlebar	BULLS, 35 mm
Rahmenhöhe	Framesize	S/M/L/XL	Vorbau	Stem	BULLS The Frog
Gabel	Fork	BULLS LYTRO 35 Supreme 1.8 AIR SL LOR CTS Boost, 150 mm	Sattelstütze	Seatpost	LIMOTEC Alpha A1Z dropper post
Dämpfer	Shock	SR SUNTOUR Unair LOR8, 150 mm	Sattel	Saddle	BULLS Sportive Ergo
Schaltwerk	Gearshift	SHIMANO Deore RD-M6100-SGS	Felgen	Rims	RYDE Disc 30
			Bereifung	Tires	SCHWALBE Nobby Nic Performance, 65-622

E-STREAM EVO AM 3

metallic orange, black matt
846-32241

E-STREAM / MOUNTAIN

555 Wh / 740 Wh / 925 Wh



ONLINE ORDER



emerald green matt,
black matt
846-32341



brose



Motor	Drive Unit	BROSE FIT S-Mag PRO 25/90 Nm	Kurbelgarnitur	Crankset	FSA 165 mm
Ladegerät	Charger	FIT charger 4A	Kassette	Cassette	SHIMANO Deore 12-speed, 10-51T
Ladedauer	Charging time	555 Wh: appx. 5,0 hrs. 740 Wh: appx. 6,8 hrs. 925 aWh: appx. 8,5 hrs.	Bremsen	Brakes	TRP Slate Evo, hydraulic disc brake, 203 mm / Center Lock, 203 mm / Center Lock
Display	Display	FIT Remote Display	Lenker	Handlebar	Sport-SL CCS
Rahmen	Frame	6061 aluminium, hydroforming, 1.8 Steerer ready, internal cable routing, thru axle	Vorbau	Stem	MTBi-Sport, CCS Slot Mount ready
Rahmenhöhe	Framesize	S/M/L/XL	Sattelstütze	Seatpost	LIMOTEC Alpha 1, 34,9 / S 125 mm, M, L, XL 150 mm
Gabel	Fork	RockShox 35 Gold RL, 1.8 Steerer 150 mm	Sattel	Saddle	SELLE ROYAL Vivo Ergo
Dämpfer	Shock	RockShox Deluxe Select+ RT 150 mm	Felgen	Rims	RYDE Disc 30, tubeless ready
Schaltwerk	Gearshift	SHIMANO Deore XT RD-M8100 shadow+	Bereifung	Tires	MAXXIS Minion DHF EXO TR/ MAXXIS Minion DHR2 EXO TR 66-622
Gänge	Gear	derailleur gear 12-speed	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Schalthebel	Shifter	SHIMANO Deore SL-M6100, rapidfire+, I-spec-EV	Rücklicht	Rear light	MonkeyLink Connect (lighting not included)

E-STREAM EVO 2 STREET 27,5

E-STREAM / MOUNTAIN

petrol black matt
685-12139

555 Wh / 740 Wh / 925 Wh



ONLINE ORDER



petrol black matt
685-12539



Motor	Drive Unit	BROSE S-Mag Plus FIT* (85 Nm)	Kassette	Cassette	SHIMANO CS-M6100-12, 10-51T
Ladegerät	Charger	4A	Bremsen	Brakes	SHIMANO BR-MT420/410, 203/180 mm
Ladedauer	Charging time	555 Wh: appx. 5,0 hrs. 740 Wh: appx. 6,8 hrs. 925 Wh: appx. 8,5 hrs.	Lenker	Handlebar	ZECURE MTB, 35 mm
Display	Display	FIT Remote Display	Vorbau	Stem	MTBi-Sport CCS Slot Mount ready
Rahmen	Frame	aluminium 6061, internal cable routing	Sattelstütze	Seatpost	BULLS, 10 mm Offset
Rahmenhöhe	Framesize	Diamond XS/S/M/L, Wave XS/S	Sattel	Saddle	BULLS Sportive Ergo
Gabel	Fork	BULLS LYTRO 35 Supreme 1.8 AIR LOR CTS Boost, 120 mm	Felgen	Rims	RYDE Disc 30
Schaltwerk	Gearshift	SHIMANO Deore RD-M6100-SGS	Bereifung	Tires	SCHWALBE Smart Sam, 57-584 K-Guard
Gänge	Gear	12-speed	Scheinwerfer	Front light	FUXON FF-100 EB, 100 Lux
Kurbelgarnitur	Crankset	FSA 165 mm	Rücklicht	Rear light	FUXON R-Glow
			Gepäckträger	Carrier	MonkeyLoad system carrier

E-STREAM EVO AM 4

black matt
846-32641

E-STREAM / MOUNTAIN

555 Wh / 740 Wh / 925 Wh

2
PROSPEKT
12-SEITER

3
PROSPEKT
12-SEITER



ONLINE ORDER



black matt, pro blue matt
846-32741



black matt, dark rainbow
846-32841



Motor	Drive Unit	BROSE FIT S-Mag PRO 25/90 Nm	Kurbelgarnitur	Crankset	FSA 165 mm
Ladegerät	Charger	FIT charger 4A	Kassette	Cassette	SHIMANO SLX 12-speed 10-51T
Ladedauer	Charging time	555 Wh: appx. 5,0 hrs. 740 Wh: appx. 6,8 hrs. 925 Wh: appx. 8,5 hrs.	Bremsen	Brakes	SHIMANO BR-M8120, hydraulic disc brake, 203 mm / Center Lock, 203 mm / Center Lock
Display	Display	FIT Remote Display	Lenker	Handlebar	Sport-SL CCS
Rahmen	Frame	6061 aluminium, hydroforming, 1.8 Steerer ready, internal cable routing, thru axle	Vorbau	Stem	MTBi-Sport, CCS Slot Mount ready
Rahmenhöhe	Framesize	S/M/L/XL	Sattelstütze	Seatpost	LIMOTEC Alpha 1, 34,9 / S 125 mm, M, L, XL 150 mm
Gabel	Fork	RockShox Lyrik Select RC, 1.8 Steerer 150 mm	Sattel	Saddle	SELLE ROYAL Vivo Ergo
Dämpfer	Shock	RockShox Deluxe Select+ RT 150 mm	Felgen	Rims	RYDE Disc 30, tubeless ready
Schaltwerk	Gearshift	SHIMANO Deore XT RD-M8100 shadow+ derailleur gear 12-speed	Bereifung	Tires	MAXXIS Minion DHF EXO TR/ MAXXIS Minion DHR2 EXO TR 66-622
Gänge	Gear	SHIMANO Deore XT SL-M8100, rapidfire+, 1-spec-EV	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Schalthebel	Shifter		Rücklicht	Rear light	MonkeyLink Connect (lighting not included)

E-STREAM EVO AM 6

black matt, pro blue matt
846-33441

E-STREAM / MOUNTAIN

555 Wh / 740 Wh / 925 Wh



ONLINE ORDER



brose



BULLS D.R.C.

Motor	Drive Unit	BROSE FIT S-Mag PRO 25/90 Nm
Ladegerät	Charger	FIT charger 4A
Ladedauer	Charging time	555 Wh: appx. 5,0 hrs. 740 Wh: appx. 6,8 hrs. 925 Wh: appx. 8,5 hrs.
Display	Display	FIT Remote Display
Rahmen	Frame	6061 aluminium, hydroforming, 1.8 Steerer ready, internal cable routing, thru axle
Rahmenhöhe	Framesize	S/M/L/XL
Gabel	Fork	FOX Float 38 Factory-Series, 3 pos-adj 150 mm
Dämpfer	Shock	FOX Float X Factory-Series, 3-pos 150 mm
Schaltwerk	Gearshift	SRAM XX1 Eagle AXS
Gänge	Gear	derailleur gear 12-speed
Schalthebel	Shifter	SRAM EC AXS Rocker
Kurbelgarnitur	Crankset	FSA 165 mm

Kassette	Cassette	SRAM XG-1295 12-speed Eagle 10-52T
Bremsen	Brakes	SHIMANO BR-M8120, hydraulic disc brake, 220 mm / Center Lock, 203 mm / Center Lock
Lenker	Handlebar	BULLS Enduro carbon
Vorbau	Stem	MTBi-Sport, CCS Slot Mount ready
Sattelstütze	Seatpost	RockShox Reverb AXS 34,9 / S, M 125 mm, L, XL 150 mm
Sattel	Saddle	ERGON SM10 E-Mountain
Lauftrad	Wheelset	MAVIC E-Deemax S
Bereifung	Tires	MAXXIS Minion DHF EXO TR/ MAXXIS Minion DHR2 EXO TR 66-622
Radschützer	Fenders	FOX mini fender
Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Rücklicht	Rear light	MonkeyLink Connect (lighting not included)

COPPERHEAD

[illegible]

COPPERHEAD EVO 1 27,5

liquid cyan
524800500541

500 Wh 625 Wh 750 Wh

NEW!

COPPERHEAD / MOUNTAIN

1 PROSPEKT 8-SEITER 2 PROSPEKT 12-SEITER 2 PROSPEKT 8-SEITER 3 PROSPEKT 12-SEITER 3 PROSPEKT 8-SEITER



ONLINE ORDER



light emerald matt
524800490541



black matt
524800480541



Motor Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Kassette Cassette	SHIMANO CS-LG300-10 11-48T
Ladegerät Charger	2 A charger	Bremsen Brakes	TEKTRO HD-M280, hydraulic disc brake, TEKTRO TR180 6-bolt, TEKTRO TR 180 mm 6-bolt
Ladedauer Charging time	500 Wh: appx. 7,3 hrs. 625 Wh: appx. 9,3 hrs. 750 Wh: appx. 11,0 hrs.	Lenker Handlebar	STYX Sport-SL
Display Display	Bosch Purion 200	Vorbau Stem	BULLS MTB-S CCS Slot Mount ready
Rahmen Frame	6061 aluminium, hydroforming, internal cable routing	Sattelstütze Seatpost	BULLS aluminium 30,9 mm
Rahmenhöhe Framesize	S/M/L/XL	Sattel Saddle	BULLS Sportive Ergo
Gabel Fork	SR SUNTOUR XCM 32 LOR Boost 120 mm	Felgen Rims	BULLS DDM-30
Schaltwerk Gearshift	SHIMANO Cues RD-U6000	Bereifung Tires	SUPERO Edge AntiPuncture 66-584
Gänge Gear	derailleur gear 10-speed	Scheinwerfer Front light	MonkeyLink Connect (lighting not included)
Schalthebel Shifter	SHIMANO Cues SL-U6000	Rücklicht Rear light	MonkeyLink Connect (lighting not included)
Kurbelgarnitur Crankset	FSA 165 mm		

COPPERHEAD EVO 1 29

light emerald matt
835-66544

COPPERHEAD / MOUNTAIN

500 Wh / 625 Wh / 750 Wh



ONLINE ORDER



black matt
835-66644



liquid cyan
524802380744



Motor Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Kassette Cassette	SHIMANO Deore 10s 11-46T
Ladegerät Charger	Bosch charger 4A	Bremsen Brakes	TEKTRO HD-M280, hydraulic disc brake, 180 mm, 180 mm
Ladedauer Charging time	500 Wh: appx. 4,5 hrs. 625 Wh: appx. 5,4 hrs. 750 Wh: appx. 6,0 hrs.	Lenker Handlebar	STYX Sport-SL double butted riserbar
Display Display	Bosch LED Remote	Vorbau Stem	MTB-S, CCS Slot Mount ready
Rahmen Frame	6061 aluminium, hydroforming, internal cable routing	Sattelstütze Seatpost	BULLS aluminium
Rahmenhöhe Framesize	M/L/XL/XXL	Sattel Saddle	BULLS Sportive Ergo
Gabel Fork	SR SUNTOUR XCM 32 LOR Boost 120 mm	Felgen Rims	RYDE Disc 30, tubeless ready
Schaltwerk Gearshift	SHIMANO Deore RD-M5120 shadow+ derailleur gear 10-speed	Bereifung Tires	SUPERO Edge Anti-Puncture 66-622
Gänge Gear	SHIMANO Deore SL-M4100	Scheinwerfer Front light	MonkeyLink Connect (lighting not included)
Schalthebel Shifter	FSA 165 mm	Rücklicht Rear light	MonkeyLink Connect (lighting not included)
Kurbelgarnitur Crankset			

COPPERHEAD EVO 2 27,5

COPPERHEAD / MOUNTAIN

pro blue matt
835-53141

500 Wh 625 Wh 750 Wh



ONLINE ORDER



pro blue matt
835-52441



light grey
835-53041



Motor Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Kassette Cassette	SHIMANO Deore 11s, 11-51T
Ladegerät Charger	Bosch charger 4A	Bremsen Brakes	SHIMANO BR-MT200, hydraulic disc brake, 180 mm / Center Lock, 180 mm / Center Lock
Ladedauer Charging time	500 Wh: appx. 4,5 hrs. 625 Wh: appx. 5,4 hrs. 750 Wh: appx. 6,0 hrs.	Lenker Handlebar	STYX Sport-SL double butted riserbar
Display Display	Bosch LED Remote	Vorbau Stem	MTB-SL, 3D forged, CCS Slot Mount ready
Rahmen Frame	6061 aluminium, hydroforming, internal cable routing	Sattelstütze Seatpost	BULLS aluminium
Rahmenhöhe Framesize	Diamond S/M/L/XL, Wave S/M/L/XL *	Sattel Saddle	BULLS Sportive Ergo
Gabel Fork	SR SUNTOUR XCR 32 Air LOR, Boost 120 mm	Felgen Rims	RYDE Disc 30, tubeless ready
Schaltwerk Gearshift	SHIMANO Deore RD-M5100 shadow+	Bereifung Tires	VEE TIRE Crown Gem 66-584
Gänge Gear	derailleur gear 11-speed	Scheinwerfer Front light	MonkeyLink Connect (lighting not included)
Schalthebel Shifter	SHIMANO Deore SL-M5100	Rücklicht Rear light	MonkeyLink Connect (lighting not included)
Kurbelgarnitur Crankset	FSA 165 mm		

* Bestellbare Rahmenhöhen siehe Bestellformulare | * See order forms for available frames.

COPPERHEAD EVO 2 29

pro blue matt
835-67244

COPPERHEAD / MOUNTAIN

500 Wh 625 Wh 750 Wh



world of mtb
Ausgabe 12/2022
Model 2023 checked



ONLINE ORDER



black matt
835-66944



light grey
835-67044



BOSCH



Motor Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Kassette Cassette	SHIMANO Deore 11s, 11-51T
Ladegerät Charger	Bosch charger 4A	Bremsen Brakes	SHIMANO BR-MT200, hydraulic disc brake, 180 mm / Center Lock, 180 mm / Center Lock
Ladedauer Charging time	500 Wh: appx. 4,5 hrs. 625 Wh: appx. 5,4 hrs. 750 Wh: appx. 6,0 hrs.	Lenker Handlebar	STYX Sport-SL double butted riserbar
Display Display	Bosch LED Remote	Vorbau Stem	MTB-SL, 3D forged, CCS Slot Mount ready
Rahmen Frame	6061 aluminium, hydroforming, internal cable routing	Sattelstütze Seatpost	BULLS aluminium
Rahmenhöhe Framesize	M/L/XL/XXL *	Sattel Saddle	BULLS Sportive Ergo
Gabel Fork	SR SUNTOUR XCR 32 Air LOR, Boost 120 mm	Felgen Rims	RYDE Disc 30, tubeless ready
Schaltwerk Gearshift	SHIMANO Deore RD-M5100 shadow+	Bereifung Tires	VEE TIRE Crown Gem 66-622
Gänge Gear	derailleur gear 11-speed	Scheinwerfer Front light	MonkeyLink Connect (lighting not included)
Schalthebel Shifter	SHIMANO Deore SL-M5100	Rücklicht Rear light	MonkeyLink Connect (lighting not included)
Kurbelgarnitur Crankset	FSA 165 mm		

COPPERHEAD EVO 2 ABS 29

black matt, nano grey
524802400544

NEW!

COPPERHEAD / MOUNTAIN

500 Wh / 625 Wh / 750 Wh



ONLINE ORDER



black matt, nano grey
524802440541



black matt, nano grey
524802480541



black matt, pro blue matt
524802410544



black matt, pro blue matt
524802450541



black matt, pro blue matt
524802490541



Motor Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Kassette Cassette	SHIMANO CS-LG400-11 11-50T
Ladegerät Charger	2 A charger	Bremsen Brakes	TEKTRO Volans HD-T533, hydraulic disc brake with ABS, TRP RC02E 203 mm Center Lock, TRP RC02E 203 mm Center Lock
Ladedauer Charging time	500 Wh: appx. 7,3 hrs. 625 Wh: appx. 9,3 hrs. 750 Wh: appx. 11,0 hrs.	Lenker Handlebar	STYX Sport-SL
Display Display	Bosch Purion 200	Vorbau Stem	BULLS MTB-SL, 3D forged, CCS Slot Mount ready
Rahmen Frame	6061 aluminium, hydroforming, internal cable routing	Sattelstütze Seatpost	BULLS aluminium 30,9 mm
Rahmenhöhe Framesize	Diamond M/L/XL/XXL, Trapeze S/M/L/XL, Wave S/M/L/XL *	Sattel Saddle	BULLS Sportive Ergo
Gabel Fork	SR SUNTOUR XCR 32 Boost LOR Air CTS 120 mm	Felgen Rims	BULLS DDM-30
Schaltwerk Gearshift	SHIMANO Cues RD-U6000	Bereifung Tires	VEE TIRE Crown Gem 66-622
Gänge Gear	derailleur gear 11-speed	Scheinwerfer Front light	MonkeyLink Connect (lighting not included)
Schalthebel Shifter	SHIMANO Cues SL-U6000	Rücklicht Rear light	MonkeyLink Connect (lighting not included)
Kurbelgarnitur Crankset	FSA 165 mm		

* Bestellbare Rahmenhöhen siehe Bestellformulare | * See order forms for available frames.

COPPERHEAD EVO 3 27,5

emerald green matt
835-57741

COPPERHEAD / MOUNTAIN

500 Wh 625 Wh 750 Wh



ONLINE ORDER



black matt
835-57841



black matt
835-58141



BOSCH



Motor Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Kassette Cassette	SHIMANO Deore 12-speed, 10-51T
Ladegerät Charger	Bosch charger 4A	Bremsen Brakes	SHIMANO BR-MT420/410, hydraulic disc brake, 203 mm / Center Lock, 180 mm / Center Lock
Ladedauer Charging time	500 Wh: appx. 4,5 hrs. 625 Wh: appx. 5,4 hrs. 750 Wh: appx. 6,0 hrs.	Lenker Handlebar	BULLS Sport-SL double butted riserbar
Display Display	Bosch LED Remote	Vorbau Stem	MTB-i, CCS Slot Mount ready
Rahmen Frame	6061 aluminium, hydroforming, internal cable routing, thru axle	Sattelstütze Seatpost	BULLS aluminium
Rahmenhöhe Framesize	Diamond S/M/L/XL, Wave S/M/L/XL * BULLS LYTRO 34 Air LOR, Boost 120 mm	Sattel Saddle	SELLE ROYAL Vivo Ergo
Gabel Fork		Felgen Rims	RYDE Disc 30, tubeless ready
Schaltwerk Gearshift	SHIMANO Deore RD-M6100 shadow+ derailleur gear 12-speed	Bereifung Tires	SCHWALBE Wicked Will Performance folding 65-584
Gänge Gear		Scheinwerfer Front light	MonkeyLink Connect (lighting not included)
Schalthebel Shifter	SHIMANO Deore SL-M6100, rapidfire+	Rücklicht Rear light	MonkeyLink Connect (lighting not included)
Kurbelgarnitur Crankset	FSA 165 mm		

COPPERHEAD EVO AM 1

metallic orange
835-60941

COPPERHEAD / MOUNTAIN

500 Wh 625 Wh 750 Wh



ONLINE ORDER



black matt
835-61041



french grey matt
524801600541



nano grey
524801610541



BOSCH



Motor Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Kurbelgarnitur Crankset	FSA 165 mm
Ladegerät Charger	Bosch charger 4A	Kassette Cassette	SHIMANO Deore 10s 11-46T
Ladedauer Charging time	500 Wh: appx. 4,5 hrs. 625 Wh: appx. 5,4 hrs. 750 Wh: appx. 6,0 hrs.	Bremsen Brakes	SHIMANO BR-MT200, hydraulic disc brake, 180 mm / Center Lock, 180 mm / Center Lock
Display Display	Bosch LED Remote	Lenker Handlebar	BULLS Sport-SL double butted riserbar
Rahmen Frame	6061 aluminium, hydroforming, internal cable routing, thru axle	Vorbau Stem	MTB-SL, 3D forged, CCS Slot Mount ready
Rahmenhöhe Framesize	S/M/L/XL	Sattelstütze Seatpost	BULLS aluminium
Gabel Fork	BULLS LYTRO 34 Air LOR, Boost 140 mm	Sattel Saddle	BULLS Sportive Ergo
Dämpfer Shock	SR SUNTOUR Edge TR LOR8 150 mm	Felgen Rims	RYDE Disc 30, tubeless ready
Schaltwerk Gearshift	SHIMANO Deore RD-M5120 shadow+ derailleur gear 10-speed	Bereifung Tires	VEE TIRE Crown Gem 66-622/66-584
Gänge Gear	SHIMANO Deore SL-M4100	Scheinwerfer Front light	MonkeyLink Connect (lighting not included)
Schalthebel Shifter		Rücklicht Rear light	MonkeyLink Connect (lighting not included)

COPPERHEAD EVO AM 2 ABS

polar silver, black matt
524801640541

NEW!

COPPERHEAD / MOUNTAIN

500 Wh 625 Wh 750 Wh



Rear
27,5

Front
29



ONLINE ORDER



Motor	Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Kassette	Cassette	SHIMANO CS-LG400-11 11-50T
Ladegerät	Charger	2 A charger	Bremsen	Brakes	TRP HD-M843A Trail Evo ABS, hydraulic disc brake with ABS, TRP RC02E 203 mm Center Lock, TRP RC02E 203 mm Center Lock
Ladedauer	Charging time	500 Wh: appx. 7,3 hrs. 625 Wh: appx. 9,3 hrs. 750 Wh: appx. 11,0 hrs.	Lenker	Handlebar	BULLS Sport-SL riserbar
Display	Display	Bosch Purion 200	Vorbau	Stem	MTBi, CCS Slot Mount ready
Rahmen	Frame	6061 aluminium, hydroforming, internal cable routing, thru axle, telescope seatpost ready	Sattelstütze	Seatpost	LIMOTEC Alpha 1, 30,9 / S 100mm, M, L 125 mm, XL 150 mm + SL-MT500-IL for I-spec EV
Rahmenhöhe	Framesize	S/M/L/XL	Sattel	Saddle	SELLE ROYAL Vivo Ergo
Gabel	Fork	BULLS LYTRO 36 Supreme SL Boost 150 mm	Felgen	Rims	BULLS DDM-30
Dämpfer	Shock	SR SUNTOUR Edge LOR8 Trunnion Mount 150 mm	Bereifung	Tires	SCHWALBE Nobby Nic Performance 65-622/65-584
Schaltwerk	Gearshift	SHIMANO Cues RD-U6000	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Gänge	Gear	derailleur gear 11-speed	Rücklicht	Rear light	MonkeyLink Connect (lighting not included)
Schalthebel	Shifter	SHIMANO Cues SL-U6000			
Kurbelgarnitur	Crankset	FSA 165 mm			

COPPERHEAD EVO AM 3

light grey
835-62941

COPPERHEAD / MOUNTAIN

500 Wh 625 Wh 750 Wh



Rear
27,5

Front
29



ONLINE ORDER



Motor	Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Kassette	Cassette	SHIMANO Deore 12-speed, 10-51T
Ladegerät	Charger	Bosch charger 4A	Bremsen	Brakes	SHIMANO Deore BR-M6120, 4 pistons, hydraulic disc brake, 203 mm / Center Lock
Ladedauer	Charging time	500 Wh: appx. 4,5 hrs. 625 Wh: appx. 5,4 hrs. 750 Wh: appx. 6,0 hrs.	Lenker	Handlebar	BULLS Sport-SL double butted riserbar
Display	Display	Bosch LED Remote	Vorbau	Stem	MTB-i, CCS Slot Mount ready
Rahmen	Frame	6061 aluminium, hydroforming, internal cable routing, thru axle	Sattelstütze	Seatpost	LIMOTEC Alpha 1, 30,9 / S 100 mm, M, L 125 mm, XL 150 mm
Rahmenhöhe	Framesize	S/M/L/XL	Sattel	Saddle	SELLE ROYAL Vivo Ergo
Gabel	Fork	BULLS LYTRO 35 Supreme SL Air LOR, Boost 150 mm	Felgen	Rims	RYDE Disc 30, tubeless ready
Dämpfer	Shock	RockShox Deluxe Select R 150 mm	Bereifung	Tires	MAXXIS® Minion DHF AM, EN / MAXXIS® Minion DHR2 AM, EN 66-622/66-584
Schaltwerk	Gearshift	SHIMANO Deore XT RD-M8100 shadow+ derailleur gear 12-speed	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Gänge	Gear	SHIMANO Deore SL-M6100, rapidfire+, I-spec-EV	Rücklicht	Rear light	MonkeyLink Connect (lighting not included)
Schalthebel	Shifter				
Kurbelgarnitur	Crankset	e*thirteen 165 mm			

COPPERHEAD
XXL

[illegible]

COPPERHEAD EVO 2 XXL 27,5

pro blue matt
835-59741

COPPERHEAD XXL / MOUNTAIN

500 Wh 625 Wh 750 Wh



ONLINE ORDER



BOSCH



Motor Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Kassette Cassette	SHIMANO Deore 10s 11-46T
Ladegerät Charger	Bosch charger 4A	Bremsen Brakes	SHIMANO BR-MT420/410, hydraulic disc brake, 203 mm / Center Lock, 180 mm / Center Lock
Ladedauer Charging time	500 Wh: appx. 4,5 hrs. 625 Wh: appx. 5,4 hrs. 750 Wh: appx. 6,0 hrs.	Lenker Handlebar	ZECURE Sport-SL
Display Display	Bosch LED Remote	Vorbau Stem	MTB-SL, 3D forged, CCS Slot Mount ready
Rahmen Frame	6061 aluminium, hydroforming, internal cable routing	Sattelstütze Seatpost	ZECURE 30,9 mm
Rahmenhöhe Framesize	S/M/L/XL	Sattel Saddle	ZECURE
Gabel Fork	BULLS LYTRO 34 Air LOR, Boost 120 mm	Felgen Rims	RYDE Disc 30, tubeless ready
Schaltwerk Gearshift	SHIMANO Deore RD-M5120 shadow+ derailleur gear 10-speed	Bereifung Tires	SCHWALBE Smart Sam K-Guard 65-584
Gänge Gear	SHIMANO Deore SL-M4100 with I-Spec EV	Scheinwerfer Front light	MonkeyLink Connect (lighting not included)
Schalthebel Shifter	SHIMANO Deore SL-M4100 with I-Spec EV	Rücklicht Rear light	MonkeyLink Connect (lighting not included)
Kurbelgarnitur Crankset	FSA		

COPPERHEAD EVO 2 XXL 29

pro blue matt
835-68144

COPPERHEAD XXL / MOUNTAIN

500 Wh 625 Wh 750 Wh



ONLINE ORDER



BOSCH



Motor Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Bremsen Brakes	SHIMANO BR-MT420, SHIMANO BR-MT410, 2 pistons, hydraulic disc brake, 203 mm / Center Lock, 180 mm / Center Lock
Ladegerät Charger	Bosch charger 4A	Lenker Handlebar	ZECURE Sport-SL
Ladedauer Charging time	500 Wh: appx. 4,5 hrs. 625 Wh: appx. 5,4 hrs. 750 Wh: appx. 6,0 hrs.	Vorbau Stem	MTB-SL, 3D forged, CCS Slot Mount ready
Display Display	Bosch LED Remote	Sattelstütze Seatpost	ZECURE 30,9 mm
Rahmen Frame	6061 aluminium, hydroforming, internal cable routing	Sattel Saddle	ZECURE
Rahmenhöhe Framesize	M/L/XL/XXL	Felgen Rims	RYDE Disc 30, tubeless ready
Gabel Fork	BULLS LYTRO 34 Air LOR, Boost 120 mm	Bereifung Tires	SCHWALBE Smart Sam K-Guard 65-622
Schaltwerk Gearshift	SHIMANO Deore RD-M5120 shadow+ derailleur gear 10-speed	Scheinwerfer Front light	MonkeyLink Connect (lighting not included)
Gänge Gear	SHIMANO Deore SL-M4100 with I-Spec EV	Rücklicht Rear light	MonkeyLink Connect (lighting not included)
Schalthebel Shifter	SHIMANO Deore SL-M4100 with I-Spec EV		
Kurbelgarnitur Crankset	FSA		
Kassette Cassette	SHIMANO Deore 10s 11-46T		

COPPERHEAD EVO 2 XXL STREET 27,5

COPPERHEAD XXL / MOUNTAIN

sage
524801530541

NEW!

500 Wh / 625 Wh / 750 Wh



ONLINE ORDER



black matt
524801520541



black matt
524801480541



Motor Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm		
Ladegerät Charger	2 A charger	Bremsen Brakes	SHIMANO BR-MT420 / BL-M4100, SHIMANO BR-MT410 / BL-M4100, hydraulic disc brake,
Ladedauer Charging time	500 Wh: appx. 7,3 hrs. 625 Wh: appx. 9,3 hrs. 750 Wh: appx. 11,0 hrs.		SHIMANO SM-RT30 CL 203 mm, SHIMANO RT-EM300 CL 180 mm
Display Display	Bosch Purion 200	Lenker Handlebar	ZECURE Sport-SL
Rahmen Frame	6061 aluminium, hydroforming, internal cable routing, telescope seatpost ready	Vorbau Stem	BULLS MTB-SL, 3D forged, CCS Slot Mount ready
Rahmenhöhe Framesize	Diamond S/M/L/XL, Wave S/M/L/XL	Sattelstütze Seatpost	LIMOTEC Alpha 1, 30,9 / S 75 mm, M 100 mm, L 125 mm, XL, XXL 150 mm + SL-MT500-IL for I-spec EV
Gabel Fork	BULLS LYTRO 34 Air Boost 120 mm	Sattel Saddle	BULLS saddle
Schaltwerk Gearshift	SHIMANO Cues RD-U6000	Felgen Rims	BULLS DDM-30
Gänge Gear	derailleur gear 10-speed	Bereifung Tires	SCHWALBE Smart Sam Performance 57-584
Schalthebel Shifter	SHIMANO Cues SL-U6000	Scheinwerfer Front light	FUXON FS-70, 70 Lux
Kurbelgarnitur Crankset	FSA 165 mm	Rücklicht Rear light	RL-Mini Clip
Kassette Cassette	SHIMANO CS-LG300-10 11-48T		

COPPERHEAD EVO 3 XXL ABS

polar silver, black matt
524802680544

NEW!

COPPERHEAD XXL / MOUNTAIN

500 Wh 625 Wh 750 Wh



ONLINE ORDER



BOSCH



Motor Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Bremsen Brakes	TEKTRO Volans HD-T533, hydraulic disc brake with ABS, TRP RC02E
Ladegerät Charger	2 A charger		203 mm Center Lock, TRP RC02E
Ladedauer Charging time	500 Wh: appx. 7,3 hrs. 625 Wh: appx. 9,3 hrs. 750 Wh: appx. 11,0 hrs.	Lenker Handlebar	203 mm Center Lock
Display Display	Bosch Purion 200	Vorbau Stem	ZECURE Sport-SL
	6061 aluminium, hydroforming, internal cable routing, thru axle, telescope seatpost ready		BULLS MTB-SL, 3D forged, CCS Slot Mount ready
Rahmen Frame		Sattelstütze Seatpost	LIMOTEC Alpha 1, 30,9 / S 75 mm, M 100 mm, L 125 mm, XL, XXL 150 mm + SL-MT500-IL for I-spec EV
Rahmenhöhe Framesize	M/L/XL/XXL	Sattel Saddle	BULLS saddle
Gabel Fork	BULLS LYTRO 34 Air Boost 120 mm	Felgen Rims	BULLS DDM-30
Schaltwerk Gearshift	SHIMANO Deore XT RD-M8130	Bereifung Tires	SCHWALBE Smart Sam K-Guard 65-622
Gänge Gear	derailleur gear 11-speed	Scheinwerfer Front light	MonkeyLink Connect (lighting not included)
Schalthebel Shifter	SHIMANO Deore XT LinkGlide SL-M8130, rapidfire+, I-spec-EV	Rücklicht Rear light	MonkeyLink Connect (lighting not included)
Kurbelgarnitur Crankset	FSA 165 mm		
Kassette Cassette	SHIMANO CS-LG400 11-50T		

AMINGA

[illegible]

AMINGA CX

nano grey matt
834-50137

AMINGA / MOUNTAIN

545 Wh / 725 Wh



ONLINE ORDER



Motor	Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Kassette	Cassette	SHIMANO CS-HG200-9, 11-36T
Ladegerät	Charger	Bosch charger 4A	Bremsen	Brakes	TEKTRO HD-M276, hydraulic disc brake, 180 mm / 6-Bolt, 180 mm / 6-Bolt
Ladedauer	Charging time	545 Wh: appx. 5,0 hrs. 725 Wh: appx. 6,0 hrs.	Lenker	Handlebar	STYX Sport-SL double butted riserbar
Display	Display	Bosch LED Remote	Vorbau	Stem	MTB-S, CCS Slot Mount ready
Rahmen	Frame	6061 aluminium, internal cable routing	Sattelstütze	Seatpost	BULLS aluminium
Rahmenhöhe	Framesize	XS/S/M/L	Sattel	Saddle	BULLS Sportive Ergo
Gabel	Fork	SR SUNTOUR XCM HLO 100 mm	Felgen	Rims	DDM-2
Schaltwerk	Gearshift	SHIMANO Alivio RD-M3100 shadow derailleur gear 9-speed	Bereifung	Tires	STYX Ace of Pace 57-584
Gänge	Gear	SHIMANO Acera SL-M3000	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Schalthebel	Shifter	SHIMANO Acera SL-M3000	Rücklicht	Rear light	MonkeyLink Connect (lighting not included)
Kurbelgarnitur	Crankset	FSA 165 mm			

AMINGA EVA 1

dark petrol matt
524800530537

NEW!

AMINGA / MOUNTAIN

500 Wh 625 Wh 750 Wh



Model 2023 checked



ONLINE ORDER



sage
524800520537



Motor Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Kassette Cassette	SHIMANO CS-LG300-10 11-48T
Ladegerät Charger	2 A charger	Bremsen Brakes	TEKTRO HD-M276, hydraulic disc brake, TEKTRO TR180 6-bolt, TEKTRO TR 180 mm 6-bolt
Ladedauer Charging time	500 Wh: appx. 7,3 hrs. 625 Wh: appx. 9,3 hrs. 750 Wh: appx. 11,0 hrs.	Lenker Handlebar	STYX Sport-SL
Display Display	Bosch Purion 200	Vorbau Stem	BULLS MTB-S CCS Slot Mount ready
Rahmen Frame	6061 aluminium, hydroforming, internal cable routing	Sattelstütze Seatpost	BULLS aluminium 30,9 mm
Rahmenhöhe Framesize	XS/S/M/L	Sattel Saddle	BULLS Sportive Ergo
Gabel Fork	SR SUNTOUR XCM 32 LOR Boost 120 mm	Felgen Rims	BULLS DDM-30
Schaltwerk Gearshift	SHIMANO Cues RD-U6000	Bereifung Tires	SUPERO Edge AntiPuncture 66-584
Gänge Gear	derailleur gear 10-speed	Scheinwerfer Front light	MonkeyLink Connect (lighting not included)
Schalthebel Shifter	SHIMANO Cues SL-U6000	Rücklicht Rear light	MonkeyLink Connect (lighting not included)
Kurbelgarnitur Crankset	FSA 165 mm		

AMINGA EVA 2

deep berry matt
835-53537

500 Wh / 625 Wh



27,5



ONLINE ORDER



grey matt
835-53837



white
835-54137



Motor Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Kurbelgarnitur Crankset	FSA 165 mm
Ladegerät Charger	Bosch charger 4A	Kassette Cassette	SHIMANO Deore 11s, 11-51T
Ladedauer Charging time	500 Wh: appx. 4,5 hrs. 625 Wh: appx. 5,4 hrs.	Bremsen Brakes	SHIMANO BR-MT200, hydraulic disc brake, 180 mm / Center Lock, 180 mm / Center Lock
Display Display	Bosch LED Remote	Lenker Handlebar	STYX Sport-SL double butted riserbar
Rahmen Frame	6061 aluminium, hydroforming, internal cable routing	Vorbau Stem	MTB-SL, 3D forged, CCS Slot Mount ready
Rahmenhöhe Framesize	Diamond XS/S/M/L, Trapeze XS/S/M/L, Wave XS/S/M/L *	Sattelstütze Seatpost	BULLS aluminium
Gabel Fork	SR SUNTOUR XCR 32 Air LOR, Boost 120 mm	Sattel Saddle	BULLS Sportive Ergo
Schaltwerk Gearshift	SHIMANO Deore RD-M5100 shadow+ derailleur gear 11-speed	Felgen Rims	RYDE Disc 30, tubeless ready
Gänge Gear	SHIMANO Deore SL-M5100	Bereifung Tires	VEE TIRE Crown Gem 66-584
Schalthebel Shifter		Scheinwerfer Front light	MonkeyLink Connect (lighting not included)
		Rücklicht Rear light	MonkeyLink Connect (lighting not included)

* Bestellbare Rahmenhöhen siehe Bestellformulare | * See order forms for available frames.

AMINGA EVA 3

black matt
835-58537

AMINGA / MOUNTAIN

500 Wh / 625 Wh



ONLINE ORDER



Motor Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Kassette Cassette	SHIMANO Deore 12-speed, 10-51T
Ladegerät Charger	Bosch charger 4A	Bremsen Brakes	SHIMANO BR-MT420/410, hydraulic disc brake, 203 mm / Center Lock, 180 mm / Center Lock
Ladedauer Charging time	500 Wh: appx. 4,5 hrs. 625 Wh: appx. 5,4 hrs.	Lenker Handlebar	BULLS Sport-SL double butted riserbar
Display Display	Bosch LED Remote	Vorbau Stem	MTB-i, CCS Slot Mount ready
Rahmen Frame	6061 aluminium, hydroforming, internal cable routing, thru axle	Sattelstütze Seatpost	BULLS aluminium
Rahmenhöhe Framesize	XS/S/M/L	Sattel Saddle	SELLE ROYAL Vivo Ergo
Gabel Fork	BULLS LYTRO 34 Air LOR, Boost 120 mm	Felgen Rims	RYDE Disc 30, tubeless ready
Schaltwerk Gearshift	SHIMANO Deore RD-M6100 shadow+ derailleur gear 12-speed	Bereifung Tires	SCHWALBE Wicked Will Performance folding 65-584
Gänge Gear	SHIMANO Deore SL-M6100, rapidfire+	Scheinwerfer Front light	MonkeyLink Connect (lighting not included)
Schalthebel Shifter	SHIMANO Deore SL-M6100, rapidfire+	Rücklicht Rear light	MonkeyLink Connect (lighting not included)
Kurbelgarnitur Crankset	FSA 165 mm		

AMINGA EVA TR 1

NEW!

AMINGA / MOUNTAIN

sage
524801720541

500 Wh / 625 Wh / 750 Wh



ONLINE ORDER



Motor	Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm
Ladegerät	Charger	2 A charger
Ladedauer	Charging time	500 Wh: appx. 7,3 hrs. 625 Wh: appx. 9,3 hrs. 750 Wh: appx. 11 hrs.
Display	Display	Bosch Purion 200
Rahmen	Frame	6061 aluminium, hydroforming, internal cable routing, thru axle, telescope seatpost ready
Rahmenhöhe	Framesize	S/M/L
Gabel	Fork	BULLS LYTRO 36 Supreme SL Boost 120 mm
Dämpfer	Shock	SR SUNTOUR Edge LOR8 Trunnion Mount 120 mm
Schaltwerk	Gearshift	SHIMANO Cues RD-U6000
Gänge	Gear	derailleur gear 11-speed
Schalthebel	Shifter	SHIMANO Cues SL-U6000
Kurbelgarnitur	Crankset	FSA 165 mm
Kassette	Cassette	SHIMANO CS-LG400-11 11-50T
Bremsen	Brakes	SHIMANO BR-MT420 / BL-M4100, SHIMANO BR-MT410 / BL-M4100, hydraulic disc brake, SHIMANO SM-RT30 CL 203 mm, SHIMANO RT-EM300 CL 180 mm
Lenker	Handlebar	BULLS Sport-SL riserbar
Vorbau	Stem	MTBi, CCS Slot Mount ready
Sattelstütze	Seatpost	LIMOTEC Alpha 1, 30,9 / S 75 mm, M 100 mm, L 125 mm, XL 150 mm + SL-MT500-IL for I-spec EV
Sattel	Saddle	SELLE ROYAL Vivo Ergo
Felgen	Rims	BULLS DDM-30
Bereifung	Tires	SCHWALBE Wicked Will Performance 65-584
Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Rücklicht	Rear light	MonkeyLink Connect (lighting not included)

AMINGA EVA TR 2

deep berry matt
835-63741

AMINGA / MOUNTAIN

500 Wh / 625 Wh



ONLINE ORDER



Motor	Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Kassette	Cassette	SHIMANO Deore 12-speed, 10-51T
Ladegerät	Charger	Bosch charger 4A	Bremsen	Brakes	SHIMANO BR-MT420/410, hydraulic disc brake, 203 mm / Center Lock, 180 mm / Center Lock
Ladedauer	Charging time	500 Wh: appx. 4,5 hrs. 625 Wh: appx. 5,4 hrs.	Lenker	Handlebar	BULLS Sport-SL double butted riserbar
Display	Display	Bosch LED Remote	Vorbau	Stem	MTB-i, CCS Slot Mount ready
Rahmen	Frame	6061 aluminium, hydroforming, internal cable routing, thru axle	Sattelstütze	Seatpost	LIMOTEC Alpha 1, 30,9 / S 75 mm, M 100 mm, L 125 mm, XL 150 mm
Rahmenhöhe	Framesize	S/M/L	Sattel	Saddle	SELLE ROYAL Vivo Ergo
Gabel	Fork	BULLS LYTRO 35 Supreme SL Air LOR, Boost 120 mm	Felgen	Rims	RYDE Disc 30, tubeless ready
Dämpfer	Shock	RockShox Deluxe Select R 120 mm	Bereifung	Tires	SCHWALBE Wicked Will Performance folding 65-584
Schaltwerk	Gearshift	SHIMANO Deore XT RD-M8100 shadow+ derailleur gear 12-speed	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Gänge	Gear	SHIMANO Deore SL-M6100, rapidfire+, I-spec-EV	Rücklicht	Rear light	MonkeyLink Connect (lighting not included)
Schalthebel	Shifter				
Kurbelgarnitur	Crankset	e*thirteen 165 mm			

LT

[illegible]

LT EVO PERFORMANCE 27,5

rally green
524800330541

NEW!

LT / MOUNTAIN

500 Wh 625 Wh 750 Wh



ONLINE ORDER



black matt
524800320541



Motor	Drive Unit	Bosch Performance Line (Smart System) 25/75 Nm	Bremsen	Brakes	TEKTRO HD-M275 hydraulic disc brake, TEKTRO TR180 6-bolt, TEKTRO TR 180 mm 6-bolt
Ladegerät	Charger	2 A charger	Lenker	Handlebar	STYX riserbar
Ladedauer	Charging time	500 Wh: appx. 7,3 hrs. 625 Wh: appx. 9,3 hrs. 750 Wh: appx. 11,0 hrs.	Vorbau	Stem	BULLS MTB-S CCS Slot Mount ready
Display	Display	Bosch LED Remote	Sattelstütze	Seatpost	BULLS aluminium 30,9 mm
Rahmen	Frame	6061 aluminium, internal cable routing	Sattel	Saddle	BULLS Sportive Ergo
Rahmenhöhe	Framesize	S/M/L/XL	Felgen	Rims	BULLS DDM-22
Gabel	Fork	SR SUNTOUR XCE-28 100 mm	Bereifung	Tires	STYX Ace of Pace 57-584
Schaltwerk	Gearshift	SHIMANO Acera RD-M3020 derailleur gear 8-speed	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Gänge	Gear	SHIMANO Altus SL-M315-8R	Rücklicht	Rear light	MonkeyLink Connect (lighting not included)
Schalthebel	Shifter	FSA 165 mm			
Kurbelgarnitur	Crankset	SHIMANO CS-HG400-8 11-40T			
Kassette	Cassette				

LT EVO PERFORMANCE 29

rally green
524802170544

NEW!

LT / MOUNTAIN

500 Wh / 625 Wh / 750 Wh



ONLINE ORDER



black matt
524802160544



Motor	Drive Unit	Bosch Performance Line (Smart System) 25/75 Nm	Bremsen	Brakes	TEKTRO HD-M275, hydraulic disc brake, TEKTRON TR180 6-bolt, TEKTRON TR 180 mm 6-bolt
Ladegerät	Charger	2 A charger	Lenker	Handlebar	STYX riserbar
Ladedauer	Charging time	500 Wh: appx. 7,3 hrs. 625 Wh: appx. 9,3 hrs. 750 Wh: appx. 11,0 hrs.	Vorbau	Stem	BULLS MTB-S CCS Slot Mount ready
Display	Display	Bosch LED Remote	Sattelstütze	Seatpost	BULLS aluminium 30,9 mm
Rahmen	Frame	6061 aluminium, internal cable routing	Sattel	Saddle	BULLS Sportive Ergo
Rahmenhöhe	Framesize	M/L/XL/XXL	Felgen	Rims	BULLS DDM-22
Gabel	Fork	SR SUNTOUR XCE-28 100 mm	Bereifung	Tires	STYX Ace of Pace 57-622
Schaltwerk	Gearshift	SHIMANO Acera RD-M3020 derailleur gear 8-speed	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Gänge	Gear	SHIMANO Altus SL-M315-8R	Rücklicht	Rear light	MonkeyLink Connect (lighting not included)
Schalthebel	Shifter	FSA 165 mm			
Kurbelgarnitur	Crankset	SHIMANO CS-HG400-8 11-40T			
Kassette	Cassette				

LT EVA PERFORMANCE 27,5

metallic off-white
524800360537

NEW!

LT / MOUNTAIN

500 Wh / 625 Wh / 750 Wh



ONLINE ORDER



metallic off-white
524800400537



Motor	Drive Unit	Bosch Performance Line (Smart System) 25/75 Nm	Bremsen	Brakes	TEKTRO HD-M276, hydraulic disc brake, TEKTRO TR180 6-bolt, TEKTRO TR 180 mm 6-bolt
Ladegerät	Charger	2 A charger	Lenker	Handlebar	STYX riserbar
Ladedauer	Charging time	500 Wh: appx. 7,3 hrs. 625 Wh: appx. 9,3 hrs. 750 Wh: appx. 11,0 hrs.	Vorbau	Stem	BULLS MTB-S CCS Slot Mount ready
Display	Display	Bosch LED Remote	Sattelstütze	Seatpost	BULLS aluminium 30,9 mm
Rahmen	Frame	6061 aluminium, internal cable routing	Sattel	Saddle	BULLS Sportive Ergo
Rahmenhöhe	Framesize	Diamond XS/S/M/L, Trapeze XS/S/M/L	Felgen	Rims	BULLS DDM-22
Gabel	Fork	SR SUNTOUR XCE-28 100 mm	Bereifung	Tires	STYX Ace of Pace 57-584
Schaltwerk	Gearshift	SHIMANO Acera RD-M3020 derailleur gear 8-speed	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Gänge	Gear	SHIMANO Altus SL-M315-8R	Rücklicht	Rear light	MonkeyLink Connect (lighting not included)
Schalthebel	Shifter	SHIMANO Altus SL-M315-8R			
Kurbelgarnitur	Crankset	FSA 165 mm			
Kassette	Cassette	SHIMANO CS-HG400-8 11-40T			

LT CX 27,5

pro blue matt
524800160441

NEW!

LT / MOUNTAIN

400 Wh 545 Wh 725 Wh



ONLINE ORDER



light emerald matt
524800170441



Motor	Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Bremsen	Brakes	TEKTRO HD-M275, hydraulic disc brake, TEKTRO TR180 6-bolt, TEKTRO TR 180 mm 6-bolt
Ladegerät	Charger	2 A charger	Lenker	Handlebar	STYX Sport-SL
Ladedauer	Charging time	400 Wh: appx. 6,0 hrs. 545 Wh: appx. 7,7 hrs. 725 Wh: appx. 11,0 hrs.	Vorbau	Stem	BULLS MTB-S CCS Slot Mount ready
Display	Display	Bosch LED Remote	Sattelstütze	Seatpost	BULLS aluminium 30,9 mm
Rahmen	Frame	6061 aluminium, internal cable routing	Sattel	Saddle	BULLS Sportive Ergo
Rahmenhöhe	Framesize	S/M/L/XL	Felgen	Rims	BULLS DDM-22
Gabel	Fork	SR SUNTOUR XCM HLO 100 mm	Bereifung	Tires	STYX Ace of Pace 57-584
Schaltwerk	Gearshift	SHIMANO Acera RD-M3020 derailleur gear 8-speed	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Gänge	Gear	SHIMANO Altus SL-M315-8R	Rücklicht	Rear light	MonkeyLink Connect (lighting not included)
Schalthebel	Shifter	SHIMANO Altus SL-M315-8R			
Kurbelgarnitur	Crankset	FSA 165 mm			
Kassette	Cassette	SHIMANO CS-HG400-8 11-40T			

LT CX 29

grey matt
834-65344

LT / MOUNTAIN

545 Wh / 725 Wh



ONLINE ORDER



pro blue matt
524802080444



light emerald matt
524802090444



chrome red
834-65444



BOSCH



Motor Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Kassette Cassette	SHIMANO CS-HG400-8 11-40T
Ladegerät Charger	Bosch charger 4A	Bremsen Brakes	TEKTRO HD-M275, hydraulic disc brake, 180 mm / 6-Bolt, 180 mm / 6-Bolt
Ladedauer Charging time	545 Wh: appx. 7,7 hrs. 725 Wh: appx. 11,0 hrs.	Lenker Handlebar	STYX Sport-SL double butted riserbar
Display Display	Bosch LED Remote	Vorbau Stem	MTB-S, CCS Slot Mount ready
Rahmen Frame	6061 aluminium, internal cable routing	Sattelstütze Seatpost	BULLS aluminium
Rahmenhöhe Framesize	M/L/XL/XXL	Sattel Saddle	BULLS Sportive Ergo
Gabel Fork	SR SUNTOUR XCM HLO 100 mm	Felgen Rims	DDM-2
Schaltwerk Gearshift	SHIMANO Acera RD-M3020	Bereifung Tires	STYX Ace of Pace 57-622
Gänge Gear	derailleur gear 8-speed	Scheinwerfer Front light	MonkeyLink Connect (lighting not included)
Schalthebel Shifter	SHIMANO Altus SL-M315 rapidfire plus	Rücklicht Rear light	MonkeyLink Connect (lighting not included)
Kurbelgarnitur Crankset	FSA 165 mm		

LT PERFORMANCE 27,5

light grey
836-49441

LT / MOUNTAIN

545 Wh / 725 Wh



ONLINE ORDER



BOSCH



Motor Drive Unit	Bosch Performance Line (Smart System) 25/75 Nm	Kassette Cassette	SHIMANO CS-HG400-8 11-40T
Ladegerät Charger	Bosch charger 4A	Bremsen Brakes	TEKTRO HD-M275, hydraulic disc brake, 180 mm / 6-Bolt, 160 6-Bolt
Ladedauer Charging time	545 Wh: appx. 5,0 hrs. 725 Wh: appx. 6,0 hrs.	Lenker Handlebar	STYX Sport-SL double butted riserbar
Display Display	Bosch LED Remote	Vorbau Stem	MTB-S, CCS Slot Mount ready
Rahmen Frame	6061 aluminium, internal cable routing	Sattelstütze Seatpost	BULLS aluminium
Rahmenhöhe Framesize	S/M/L/XL	Sattel Saddle	BULLS Sportive Ergo
Gabel Fork	SR SUNTOUR XCE-28 100 mm	Felgen Rims	DDM-2
Schaltwerk Gearshift	SHIMANO Acera RD-M3020	Bereifung Tires	STYX Ace of Pace 57-584
Gänge Gear	derailleur gear 8-speed	Scheinwerfer Front light	MonkeyLink Connect (lighting not included)
Schalthebel Shifter	SHIMANO Altus SL-M315 rapidfire plus	Rücklicht Rear light	MonkeyLink Connect (lighting not included)
Kurbelgarnitur Crankset	FSA 165 mm		

LT CX PRO

pro blue matt
524802120444

NEW!

LT / MOUNTAIN

400 Wh / 545 Wh / 800 Wh



ONLINE ORDER



Motor	Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Bremsen	Brakes	TEKTRO HD-M275, hydraulic disc brake, TEKTRO TR 180 mm 6-bolt, TEKTRO TR 180 mm 6-bolt
Ladegerät	Charger	2 A charger	Lenker	Handlebar	STYX Sport-SL
Ladedauer	Charging time	400 Wh: appx. 6,0 hrs. 545 Wh: appx. 7,7 hrs. 800 Wh: appx. 11,0 hrs.	Vorbau	Stem	BULLS MTB-S CCS Slot Mount ready
Display	Display	Bosch LED Remote	Sattelstütze	Seatpost	STYX aluminium 30,9 mm
Rahmen	Frame	6061 aluminium, internal cable routing	Sattel	Saddle	BULLS Sportive Ergo
Rahmenhöhe	Framesize	M/L/XL/XXL	Felgen	Rims	BULLS DDM-2
Gabel	Fork	SR SUNTOUR XCM HLO 100 mm	Bereifung	Tires	STYX Ace of Pace 57-622
Schaltwerk	Gearshift	SHIMANO RD-M3100	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Gänge	Gear	derailleur gear 9-speed	Rücklicht	Rear light	MonkeyLink Connect (lighting not included)
Schalthebel	Shifter	SHIMANO SL-M3000			
Kurbelgarnitur	Crankset	FSA 165 mm			
Kassette	Cassette	SHIMANO CS-HG200-9 11-36T			

LT EVO CX 27,5

nano grey
835-50541

LT / MOUNTAIN

500 Wh 625 Wh 750 Wh



ONLINE ORDER



BOSCH



Motor Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Kassette Cassette	SHIMANO CS-HG400-8 11-40T
Ladegerät Charger	Bosch charger 4A	Bremsen Brakes	TEKTRO HD-M275, hydraulic disc brake, 180 mm / 6-Bolt, 180 mm / 6-Bolt
Ladedauer Charging time	500 Wh: appx. 4,5 hrs. 625 Wh: appx. 5,4 hrs. 750 Wh: appx. 6,0 hrs.	Lenker Handlebar	STYX Sport-SL double butted riserbar
Display Display	Bosch LED Remote	Vorbau Stem	MTB-S, CCS Slot Mount ready
Rahmen Frame	6061 aluminium, hydroforming, internal cable routing	Sattelstütze Seatpost	BULLS aluminium
Rahmenhöhe Framesize	S/M/L/XL	Sattel Saddle	BULLS Sportive Ergo
Gabel Fork	SR SUNTOUR XCM HLO 100 mm	Felgen Rims	DDM-2
Schaltwerk Gearshift	SHIMANO Acera RD-M3020	Bereifung Tires	STYX Ace of Pace 57-584
Gänge Gear	derailleur gear 8-speed	Scheinwerfer Front light	MonkeyLink Connect (lighting not included)
Schalthebel Shifter	SHIMANO Altus SL-M315 rapidfire plus	Rücklicht Rear light	MonkeyLink Connect (lighting not included)
Kurbelgarnitur Crankset	FSA 165 mm		

LT EVO CX 29

nano grey
835-65744

LT / MOUNTAIN

500 Wh 625 Wh 750 Wh



ONLINE ORDER



BOSCH



Motor Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Kassette Cassette	SHIMANO CS-HG400-8 11-40T
Ladegerät Charger	Bosch charger 4A	Bremsen Brakes	TEKTRO HD-M275, hydraulic disc brake, 180 mm / 6-Bolt, 180 mm / 6-Bolt
Ladedauer Charging time	500 Wh: appx. 4,5 hrs. 625 Wh: appx. 5,4 hrs. 750 Wh: appx. 6,0 hrs.	Lenker Handlebar	STYX Sport-SL double butted riserbar
Display Display	Bosch LED Remote	Vorbau Stem	MTB-S, CCS Slot Mount ready
Rahmen Frame	6061 Aluminium, hydroforming, internal cable routing	Sattelstütze Seatpost	BULLS aluminium
Rahmenhöhe Framesize	M/L/XL/XXL	Sattel Saddle	BULLS Sportive Ergo
Gabel Fork	SR SUNTOUR XCM HLO 100 mm	Felgen Rims	DDM-2
Schaltwerk Gearshift	SHIMANO Acera RD-M3020	Bereifung Tires	STYX Ace of Pace 57-622
Gänge Gear	derailleur gear 8-speed	Scheinwerfer Front light	MonkeyLink Connect (lighting not included)
Schalthebel Shifter	SHIMANO Altus SL-M315 rapidfire plus	Rücklicht Rear light	MonkeyLink Connect (lighting not included)
Kurbelgarnitur Crankset	FSA 165 mm		



SUV

VUCA

[illegible]

WELTNEUHEIT! | WORLD NOVELTY!

MOTOR & SCHALTUNG VEREINT | MOTOR & GEARBOX COMBINED

FIT
pinion

VUCA / SUV

VUCA EVO X1

metallic-aventurine
524909570741

720 Wh / 960 Wh



NEW!



ONLINE ORDER



metallic-aventurine
524909530741

FIT | **pinion**



RIEMENANTRIEB

Motor	Drive Unit	FIT Pinion E-Drive 12	Lenker	Handlebar	ZECURE Sport-SL
Ladegerät	Charger	3 A FIT charger	Vorbau	Stem	BULLS SUVi, CCS Slot Mount ready
Ladedauer	Charging time	720 Wh: appx. 5,7 hrs. 960 Wh: appx. 7,1 hrs.	Sattelstütze	Seatpost	LIMOTEC Alpha 3 suspension (40 mm), Dropper Post (S, 40 mm, M, L 80 mm, XL 100 mm) + SL-MT500-IL S40
Display	Display	FIT Compact Display	Sattel	Saddle	BULLS Sportive Ergo
Rahmen	Frame	6061 aluminium, hydroforming, 1.8 Steerer ready, internal cable routing, thru axle, teleskope seatpost ready	Felgen	Rims	RYDE Disc 30, tubeless ready
Rahmenhöhe	Framesize	Diamond S/M/L/XL, Wave S/M/L/XL	Bereifung	Tires	LYTRO 36 Supreme SL 120 1.8 Boost EQ 62-622
Gabel	Fork	2CR-PCS DS 15LH-110 29 120 mm	Radschützer	Fenders	aluminium mudguard
Gänge	Gear	Motor-Gearbox-Unit 12-speed	Scheinwerfer	Front light	FUXON FF-100 EB, 100 Lux LED with sensor and daylight
Schalthebel	Shifter	E-Trigger	Rücklicht	Rear light	FUXON R-Glow S EB, with COB technology
Bremsen	Brakes	SHIMANO BR-M6120, hydraulic disc brake, SHIMANO SM-RT64 203 mm CL, SHIMANO RT-EM600 180 mm CL	Gepäckträger	Carrier	MonkeyLoad systemcarrier

WELTNEUHEIT! | WORLD NOVELTY!

MOTOR & SCHALTUNG VEREINT | MOTOR & GEARBOX COMBINED

**FIT
pinion**

VUCA | SUV

VUCA EVO FSX 1

metallic aventurine matt, black
524909860741

720 Wh / 960 Wh



NEW!



ONLINE ORDER



metallic off-white, black matt
524909890741



pinion



Motor	Drive Unit	FIT Pinion E-Drive 12	Lenker	Handlebar	ZECURE Sport-SL
Ladegerät	Charger	3 A FIT charger	Vorbau	Stem	BULLS SUVi, CCS Slot Mount ready
Ladedauer	Charging time	720 Wh: appx. 5,7 hrs. 960 Wh: appx. 7,1 hrs.	Sattelstütze	Seatpost	LIMOTEC Alpha 1, 34,9 / S 100 mm, M 125 mm, L, XL 150 mm + SL-MT500-IL for I-spec EV
Display	Display	FIT Compact Display	Sattel	Saddle	SELLE ROYAL in BULLS Design
Rahmen	Frame	6061 aluminium, hydroforming, 1.8 Steerer ready, internal cable routing, thru axle, telescope seatpost ready	Felgen	Rims	RYDE Disc 30, tubeless ready
Rahmenhöhe	Framesize	Diamond S/M/L/XL, Wave S/M/L/XL	Bereifung	Tires	SUPERO All Ground Anti-Puncture 62-622
Gabel	Fork	BULLS LYTRO 36 Supreme SL 1.8 Boost 120 mm	Radschützer	Fenders	aluminium mudguard
Dämpfer	Shock	SR SUNTOUR Edge LOR8 Trunnion Mount 120 mm	Scheinwerfer	Front light	FUXON FF-100 EB, 100 Lux LED with sensor and daylight
Gänge	Gear	Motor-Gearbox-Unit 12-speed	Rücklicht	Rear light	FUXON R-Glow S EB, with COB technology
Schalthebel	Shifter	E-Trigger	Gepäckträger	Carrier	MonkeyLoad systemcarrier
Bremsen	Brakes	SHIMANO BR-M6120, hydraulic disc brake, SHIMANO SM-RT64 203 mm CL, SHIMANO RT-EM600 180 mm CL			

ICONIC

[illegible]

ICONIC EVO 1

summit lake blue matt, summit lake blue
835-54641

ICONIC | SUV

500 Wh 625 Wh 750 Wh



ONLINE ORDER



summit lake blue matt,
summit lake blue
835-55041



metallic taupe
524801000541



metallic taupe
524801080541



BOSCH



Motor	Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Bremsen	Brakes	SHIMANO BR-MT200, hydraulic disc brake, 180 mm Center Lock, 180 mm Center Lock
Ladegerät	Charger	Bosch charger 4A	Lenker	Handlebar	STYX Sport-SL double butted riserbar
Ladedauer	Charging time	500 Wh: appx. 4,5 hrs. 625 Wh: appx. 5,4 hrs. 750 Wh: appx. 6,0 hrs.	Vorbau	Stem	Ahead stem adjustable
Display	Display	Bosch Intuvia 100 Bosch LED Remote	Sattelstütze	Seatpost	LIMOTEC Alpha 3 suspension (40 mm) Dropper Post (S 40 mm, M, L 80 mm, XL, XXL 100 mm)
Rahmen	Frame	6061 aluminium, hydroforming, internal cable routing	Sattel	Saddle	Iconic SUV
Rahmenhöhe	Framesize	Diamond S/M/L/XL/XXL, Wave S/M/L/XL	Felgen	Rims	RYDE Disc 30, tubeless ready
Gabel	Fork	SR SUNTOUR NVX-30 100 mm	Bereifung	Tires	SUPERO All Ground Anti-Puncture 62-584
Schaltwerk	Gearshift	SHIMANO Deore RD-M5120 shadow+ derailleur gear 10-speed	Radschützer	Fenders	aluminium mudguard
Gänge	Gear	SHIMANO Deore SL-M4100	Scheinwerfer	Front light	FUXON FS-50 EB, 50 Lux LED
Schalthebel	Shifter	FSA	Rücklicht	Rear light	FUXON R-Glow S EB, with COB technology
Kurbelgarnitur	Crankset	SHIMANO Deore 10-speed, 11-42T	Gepäckträger	Carrier	MonkeyLoad systemcarrier
Kassette	Cassette				

ICONIC EVO BELT

glass cristal drill brown, black matt
835-55341

ICONIC | SUV

500 Wh 625 Wh 750 Wh



27,5



ONLINE ORDER



glass cristal drill brown,
black matt
835-55741



BOSCH



RIEMENANTRIEB

Motor	Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Lenker	Handlebar	STYX Sport-SL double butted riserbar
Ladegerät	Charger	Bosch charger 4A	Vorbau	Stem	Ahead stem adjustable
Ladedauer	Charging time	500 Wh: appx. 7,3 hrs. 625 Wh: appx. 9,3 hrs. 750 Wh: appx. 11 hrs.	Sattelstütze	Seatpost	LIMOTEC Alpha 3 suspension (40 mm) Dropper Post (S 40 mm, M, L 80 mm, XL, XXL 100 mm)
Display	Display	Bosch Intuvia 100 Bosch LED Remote	Sattel	Saddle	Iconic SUV
Rahmen	Frame	6061 aluminium, hydroforming, internal cable routing	Felgen	Rims	RYDE Disc 30, tubeless ready
Rahmenhöhe	Framesize	Diamond S/M/L/XL/XXL, Wave S/M/L/XL	Bereifung	Tires	SUPERO All Ground Anti-Puncture 62-584
Gabel	Fork	SR SUNTOUR NVX-30 100 mm	Radschützer	Fenders	aluminium mudguard
Schaltwerk	Gearshift	SHIMANO Nexus	Scheinwerfer	Front light	FUXON FS-50 EB, 50 Lux LED
Gänge	Gear	Nabenschaltung 5 Gang	Rücklicht	Rear light	FUXON R-Glow S EB, with COB technology
Schalthebel	Shifter	SHIMANO Nexus SL-C7000 Revoshift	Gepäckträger	Carrier	MonkeyLoad systemcarrier
Kurbelgarnitur	Crankset	FSA			
Bremsen	Brakes	SHIMANO BR-MT200, hydraulic disc brake, 180 mm Center Lock, 180 mm Center Lock			

ICONIC EVO 2

sunbeam yellow, black matt
835-56641

ICONIC | SUV

500 Wh 625 Wh 750 Wh



ONLINE ORDER



khaki green matt
524801170541



black, black matt
524801120541



BOSCH



Motor	Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm
Ladegerät	Charger	Bosch charger 4A
Ladedauer	Charging time	500 Wh: appx. 7,3 hrs. 625 Wh: appx. 9,3 hrs. 750 Wh: appx. 11 hrs.
Display	Display	Bosch Intuvia 100 Bosch LED Remote
Rahmen	Frame	6061 aluminium, hydroforming, internal cable routing
Rahmenhöhe	Framesize	Diamond S/M/L/XL/XXL, Wave S/M/L/XL
Gabel	Fork	SR SUNTOUR XCM 32-ATB NLO 100 mm
Schaltwerk	Gearshift	SHIMANO Deore RD-M5100 shadow+ derailleur gear 11-speed
Gänge	Gear	SHIMANO Deore SL-M5100
Schalthebel	Shifter	FSA
Kurbelgarnitur	Crankset	SHIMANO Deore 11s, 11-51T
Kassette	Cassette	SHIMANO BR-MT200, hydraulic disc brake, 180 mm Center Lock, 180 mm Center Lock
Bremsen	Brakes	
Lenker	Handlebar	STYX Sport-SL double butted riserbar
Vorbau	Stem	Ahead stem adjustable
Sattelstütze	Seatpost	LIMOTEC Alpha 3 suspension (40 mm) Dropper Post (S 40 mm, M, L 80 mm, XL, XXL 100 mm)
Sattel	Saddle	Iconic SUV
Felgen	Rims	RYDE Disc 30, tubeless ready
Bereifung	Tires	SUPERO All Ground Anti-Puncture 62-584
Radschützer	Fenders	aluminium mudguard
Scheinwerfer	Front light	FUXON FS-70 EB, 70 Lux LED with sensor and daylight
Rücklicht	Rear light	FUXON R-Glow S EB, with COB technology
Gepäckträger	Carrier	MonkeyLoad systemcarrier

ICONIC EVO 3

indigo blue matt, light grey matt
835-57041

ICONIC | SUV

500 Wh 625 Wh 750 Wh



ONLINE ORDER



BOSCH



Motor Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Kassette Cassette	SHIMANO Deore LinkGlide 11-speed, 11-50T
Ladegerät Charger	Bosch charger 4A	Bremsen Brakes	SHIMANO BR-MT420/410, hydraulic disc brake, 203 mm Center Lock, 180 mm Center Lock
Ladedauer Charging time	500 Wh: appx. 4,5 hrs. 625 Wh: appx. 5,4 hrs. 750 Wh: appx. 6,0 hrs.	Lenker Handlebar	ZECURE Sport-SL
Display Display	Bosch Intuvia 100 Bosch LED Remote	Vorbau Stem	SUVi, CCS Slot Mount Ready
Rahmen Frame	6061 aluminium, hydroforming, internal cable routing	Sattelstütze Seatpost	LIMOTEC Alpha 3 suspension (40 mm) Dropper Post (S 40 mm, M, L 80 mm, XL, XXL 100 mm)
Rahmenhöhe Framesize	S/M/L/XL/XXL	Sattel Saddle	Iconic SUV
Gabel Fork	BULLS LYTRO 34 Air LOR, Boost 120 mm	Felgen Rims	RYDE Disc 30, tubeless ready
Schaltwerk Gearshift	SHIMANO Deore XT LinkGlide RD-M8130 shadow+ derailleur gear 11-speed	Bereifung Tires	SCHWALBE Smart Sam K-Guard 57-584
Gänge Gear	SHIMANO Deore XT LinkGlide SL-M8130, rapidfire+, I-spec-EV	Radschützer Fenders	aluminium mudguard
Schalthebel Shifter		Scheinwerfer Front light	FUXON FS-70 EB, 70 Lux LED with sensor and daylight
Kurbelgarnitur Crankset	FSA	Rücklicht Rear light	FUXON R-Glow S EB, with COB technology
		Gepäckträger Carrier	MonkeyLoad systemcarrier

ICONIC EVO 3 ABS

light grey, nano grey
524801280541

NEW!

ICONIC | SUV

500 Wh 625 Wh 750 Wh



ONLINE ORDER



light grey, nano grey
524801320541



BOSCH



Motor Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Bremsen Brakes	TEKTRO Volans HD-T533, hydraulic disc brake with ABS, TRP RC02E 203 mm Center Lock, TRP RC02E 203 mm Center Lock
Ladegerät Charger	2 A charger	Lenker Handlebar	ZECURE Sport-SL
Ladedauer Charging time	500 Wh: appx. 7,3 hrs. 625 Wh: appx. 9,3 hrs. 750 Wh: appx. 11 hrs.	Vorbau Stem	BULLS SUVi, CCS Slot Mount ready
Display Display	Bosch Purion 200	Sattelstütze Seatpost	LIMOTEC Alpha 3 suspension (40 mm) Dropper Post (S 40 mm, M, L 80 mm, XL, XXL 100 mm)
Rahmen Frame	6061 aluminium, hydroforming, internal cable routing, telescope seatpost ready	Sattel Saddle	BULLS Iconic SUV
Rahmenhöhe Framesize	Diamond S/M/L/XL/XXL, Wave S/M/L/XL	Felgen Rims	BULLS DDM-30
Gabel Fork	BULLS LYTRO 34 Air Boost 120 mm	Bereifung Tires	SCHWALBE Smart Sam Performance 57-584
Schaltwerk Gearshift	SHIMANO Deore XT RD-M8130	Radschützer Fenders	aluminium mudguard
Gänge Gear	derailleur gear 11-speed	Scheinwerfer Front light	FUXON FS-70 EB, 70 Lux LED with sensor and daylight
Schalthebel Shifter	SHIMANO Deore XT LinkGlide	Rücklicht Rear light	FUXON R-Glow S EB, with COB technology
Kurbelgarnitur Crankset	SL-M8130, rapidfire+, I-spec-EV	Gepäckträger Carrier	MonkeyLoad systemcarrier
Kassette Cassette	FSA 165 mm		
	SHIMANO CS-LG400-11 11-50T		

ICONIC EVO TR 1

black matt, metallic aventurine
524801890541

NEW!

ICONIC | SUV

1
PROSPEKT
8-SEITER

2
PROSPEKT
12-SEITER

3
PROSPEKT
12-SEITER



ONLINE ORDER



indigo, indigo matt
524801880541



Model 2023 checked



BOSCH



Motor	Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm
Ladegerät	Charger	2 A charger
Ladedauer	Charging time	500 Wh: appx. 7,3 hrs. 625 Wh: appx. 9,3 hrs. 750 Wh: appx. 11 hrs.
Display	Display	Bosch Purion 200
Rahmen	Frame	6061 aluminium, hydroforming, internal cable routing, thru axle, telescope seatpost ready
Rahmenhöhe	Framesize	S/M/L/XL
Gabel	Fork	BULLS LYTRO 34 Air Boost 120 mm
Dämpfer	Shock	SR SUNTOUR Edge LOR8 Trunnion Mount 120 mm
Schaltwerk	Gearshift	SHIMANO Cues RD-U6000
Gänge	Gear	derailleur gear 10-speed
Schalthebel	Shifter	SHIMANO Cues SL-U6000
Kurbelgarnitur	Crankset	FSA 165 mm
Kassette	Cassette	SHIMANO CS-LG300-10 11-48T

Bremsen	Brakes	SHIMANO BR-MT420 / BL-M4100, SHIMANO BR-MT410 / BL-M4100, hydraulic disc brake, SHIMANO SM-RT30 CL 203 mm, SHIMANO RT-EM300 CL 180 mm
Lenker	Handlebar	ZECURE Sport-SL
Vorbau	Stem	BULLS SUVi, CCS Slot Mount ready
Sattelstütze	Seatpost	LIMOTEC Alpha 3 suspension (40 mm) Dropper Post (S 40 mm, M, L 80 mm, XL, XXL 100 mm)
Sattel	Saddle	BULLS Iconic SUV
Felgen	Rims	BULLS DDM-30
Bereifung	Tires	SUPERO All Ground Anti-Puncture 62-584
Radschützer	Fenders	aluminium mudguard
Scheinwerfer	Front light	FUXON FF-100 EB, 100 Lux LED with sensor and daylight
Rücklicht	Rear light	FUXON R-Glow S EB, with COB technology
Gepäckträger	Carrier	MonkeyLoad systemcarrier

ALLGROUND / LT

[illegible]

ALLGROUND EVO

steel blue matt
835-69345

500 Wh 625 Wh 750 Wh



ALLGROUND / LT / SUV

1
PROSPEKT
8-SEITER

2
PROSPEKT
12-SEITER

3
PROSPEKT
12-SEITER



ONLINE ORDER



hyper red
835-69845



steel blue matt
835-70145



Motor Drive Unit	Bosch Performance Line (Smart System) 25/75 Nm	Kassette Cassette	SHIMANO CS-HG200-9, 11-36T
Ladegerät Charger	Bosch charger 4A	Bremsen Brakes	TEKTRO HD-M280, hydraulic disc brake, 180 mm 6-Bolt, 180 mm 6-Bolt
Ladedauer Charging time	500 Wh: appx. 7,3 hrs. 625 Wh: appx. 9,3 hrs. 750 Wh: appx. 11 hrs.	Lenker Handlebar	STYX Sport-SL double butted riserbar
Display Display	Bosch LED Remote	Vorbau Stem	Ahead stem adjustable
Rahmen Frame	6061 aluminium, hydroforming, internal cable routing	Sattelstütze Seatpost	BULLS aluminium
Rahmenhöhe Framesize	Diamond S/M/L/XL, Trapeze S/M/L, Wave S/M/L	Sattel Saddle	Iconic SUV
Gabel Fork	SR SUNTOUR NVX-30 100 mm	Felgen Rims	DDM-2
Schaltwerk Gearshift	SHIMANO Alivio RD-M3100 shadow	Bereifung Tires	SCHWALBE Smart Sam Performance 57-622
Gänge Gear	derailleur gear 9-speed	Radschützer Fenders	SKS PET A65
Schalthebel Shifter	SHIMANO Alivio SL-M3100	Scheinwerfer Front light	FUXON FS-50 EB, 50 Lux LED
Kurbelgarnitur Crankset	FSA	Rücklicht Rear light	FUXON R-60 Clip, LED
		Gepäckträger Carrier	MonkeyLoad systemcarrier

LT EVO PERFORMANCE SUV

metallic aventurine matt
524802200541

NEW!

ALLGROUND / LT / SUV

500 Wh 625 Wh 750 Wh



ONLINE ORDER



metallic aventurine matt
524802240541



metallic aventurine matt
524802280541



BOSCH



Motor Drive Unit	Bosch Performance Line (Smart System) 25/75 Nm	Kassette Cassette	SHIMANO CS-HG400-8 11-40T
Ladegerät Charger	2 A charger	Bremsen Brakes	TEKTRO HD-M275, hydraulic disc brake, TEKTRO TR180 6-bolt, TEKTRO TR 180 mm 6-bolt
Ladedauer Charging time	500 Wh: appx. 7,3 hrs. 625 Wh: appx. 9,3 hrs. 750 Wh: appx. 11 hrs.	Lenker Handlebar	BULLS Sport-S riserbar
Display Display	Bosch LED Remote	Vorbau Stem	Ahead stem
Rahmen Frame	6061 aluminium, hydroforming, internal cable routing	Sattelstütze Seatpost	BULLS aluminium 30,9 mm
Rahmenhöhe Framesize	Diamond S/M/L/XL/XXL, Trapeze S/M/L/XL, Wave S/M/L/XL	Sattel Saddle	BULLS Iconic SUV
Gabel Fork	SR SUNTOUR NVX30-30 DS NLO Coil 100 mm	Felgen Rims	BULLS DDM-22
Schaltwerk Gearshift	SHIMANO Acera RD-M3020	Bereifung Tires	SCHWALBE Smart Sam K-Guard 57-622
Gänge Gear	derailleur gear 8-speed	Radschützer Fenders	aluminium mudguard
Schalthebel Shifter	SHIMANO Altus SL-M315-8R	Scheinwerfer Front light	FUXON FS-30 EB, 30 Lux LED with sensor and daylight
Kurbelgarnitur Crankset	FSA 165 mm	Rücklicht Rear light	FUXON R-60, LED
		Gepäckträger Carrier	MonkeyLoad systemcarrier



URBAN

STURMVOGEL

[illegible]

STURMVOGEL EVO 5F BELT

air green matt
846-18841

STURMVOGEL | URBAN

555 Wh / 740 Wh / 925 Wh

2
PROSPEKT
12-SEITER

3
PROSPEKT
12-SEITER



ONLINE ORDER



white
846-18244



black matt
846-18344



Model 2023 checked



Motor	Drive Unit	BROSE FIT S-Mag ECO 25/75 Nm
Ladegerät	Charger	FIT Ladegerät 4A
Ladedauer	Charging time	555 Wh: appx. 5,0 hrs. 740 Wh: appx. 6,8 hrs. 925 Wh: appx. 8,5 hrs.
Display	Display	FIT Display Compact
Rahmen	Frame	6061 aluminium, hydroforming, internal cable routing
Rahmenhöhe	Framesize	Diamond M/L/XL, Wave S/M/L
Gabel	Fork	Sturmvoegel rigid aluminium
Schaltwerk	Gearshift	SHIMANO Nexus
Gänge	Gear	hub gear 5 Gang
Schalthebel	Shifter	SHIMANO Nexus SL-C7000 Revoshift
Kurbelgarnitur	Crankset	FSA

Bremsen	Brakes	SHIMANO BR-MT200, hydraulic disc brake, 180 mm / Center Lock, 160 mm / Center Lock
Lenker	Handlebar	Urban Comfort
Vorbau	Stem	MTB-SL, 3D forged, CCS Slot Mount ready
Sattelstütze	Seatpost	Alloy
Sattel	Saddle	Urban Comfort with suede leather
Felgen	Rims	RYDE Disc 30, tubeless ready
Bereifung	Tires	SUPERO Intercorsa AntiPuncture, Reflex 62-584
Radschützer	Fenders	aluminium mudguard
Scheinwerfer	Front light	SUPERNOVA V521s, 100 Lux LED
Rücklicht	Rear light	SUPERNOVA E3, LED
Gepäckträger	Carrier	MonkeyLoad systemcarrier

URBAN

[illegible]

URBAN EVO 1

rally green matt
524908770545

NEW!

URBAN / URBAN

550 Wh



ONLINE ORDER



rally green matt
524908810545



BAFANG

Motor	Drive Unit	FIT BAFANG R600 25/30 Nm	Bremsen	Brakes	TEKTRO HD-R280, hydraulic disc brake, TEKTRON 160 mm 6-bolt, TEKTRON 160 mm 6-bolt
Ladegerät	Charger	3 A FIT charger	Lenker	Handlebar	Urban Comfort
Ladedauer	Charging time	550 Wh: appx. 4,3 hrs.	Vorbau	Stem	BULLS Ahead stem
Display	Display	FIT Master Node LED	Sattelstütze	Seatpost	30,9 mm aluminium
Rahmen	Frame	6061 aluminium, internal cable routing	Sattel	Saddle	BULLS Sportive Ergo
Rahmenhöhe	Framesize	Diamant S/M/L/XL, Trapez S/M/L	Felgen	Rims	BULLS DDM-22
Gabel	Fork	Grinder aluminium	Bereifung	Tires	VEE TIRE CO. Speedster 44-622
Schaltwerk	Gearshift	SHIMANO Acera RD-M3100	Radschützer	Fenders	aluminium mudguard
Gänge	Gear	derailleur gear 9-speed	Scheinwerfer	Front light	FUXON FS-50, 50 Lux LED with switch
Schalthebel	Shifter	SHIMANO Alivio SL-M3100	Rücklicht	Rear light	FUXON R-60, LED
Kassette	Cassette	SHIMANO CS-HG200, 11-36T	Gepäckträger	Carrier	BULLS Urban / Gravel

URBAN EVO 2

nano grey matt
524908850545

NEW!

URBAN / URBAN

550 Wh



ONLINE ORDER



nano grey matt
524908890545



BAFANG

Motor	Drive Unit	FIT BAFANG R600 25/30 Nm	Bremsen	Brakes	TEKTRO HD-R280, hydraulic disc brake, TEKTRON 160 mm 6-bolt, TEKTRON 160 mm 6-bolt
Ladegerät	Charger	3 A FIT charger	Lenker	Handlebar	Urban Comfort integrated stem handlebars
Ladedauer	Charging time	550 Wh: appx. 4,3 hrs.	Sattelstütze	Seatpost	30,9 mm aluminium
Display	Display	FIT Master Node LED	Sattel	Saddle	BULLS Sportive Ergo
Rahmen	Frame	6061 aluminium, internal cable routing	Felgen	Rims	BULLS DDM-22
Rahmenhöhe	Framesize	Diamant S/M/L/XL, Trapez S/M/L	Bereifung	Tires	SCHWALBE G-ONE OVERLAND Evo, Super Ground, TLE 45-622
Gabel	Fork	Grinder aluminium	Radschützer	Fenders	aluminium mudguard
Schaltwerk	Gearshift	SHIMANO Deore RD-M5120	Scheinwerfer	Front light	FUXON FS-50, 50 Lux LED with switch
Gänge	Gear	derailleur gear 10-speed	Rücklicht	Rear light	FUXON R-60, LED
Schalthebel	Shifter	SHIMANO Deore SL-M4100	Gepäckträger	Carrier	carrier BULLS Urban/Gravel carrier
Kassette	Cassette	SHIMANO CS-M4100 11-46T			

URBAN EVO 3

french grey matt
524908930545

NEW!

URBAN / URBAN

550 Wh



ONLINE ORDER



french grey matt
524908970545



BAFANG

Motor	Drive Unit	FIT BAFANG R600 25/30 Nm	Bremsen	Brakes	TEKTRO HD-R280, hydraulic disc brake,, TEKTRO 160 mm 6-bolt, TEKTRO 160 mm 6-bolt
Ladegerät	Charger	3 A FIT charger	Lenker	Handlebar	Urban Comfort integrated stem handlebars
Ladedauer	Charging time	550 Wh: appx. 4,3 hrs.	Sattelstütze	Seatpost	30,9 mm aluminium
Display	Display	FIT Master Node LED	Sattel	Saddle	BULLS Sportive Ergo
Rahmen	Frame	6061 aluminium, internal cable routing	Felgen	Rims	BULLS DDM-22
Rahmenhöhe	Framesize	Diamant S/M/L/XL, Trapez S/M/L	Bereifung	Tires	SCHWALBE G-ONE OVERLAND Evo, Super Ground, TLE 45-622
Gabel	Fork	Grinder aluminium	Radschützer	Fenders	aluminium mudguard
Schaltwerk	Gearshift	SHIMANO RD-M5100	Scheinwerfer	Front light	FUXON FF-100 EB, 100 Lux LED with sensor and daylight
Gänge	Gear	derailleur gear 11-speed	Rücklicht	Rear light	FUXON R-Glow S EB, with COB technology
Schalthebel	Shifter	SHIMANO Deore SL-M5100	Gepäckträger	Carrier	carrier BULLS Urban/Gravel carrier
Kassette	Cassette	SHIMANO CS-M5100 11-51T			



GRAVEL

ESPRESSO GRINDER EVO

burgundy red-matt
524908690545

NEW!

GRAVEL

550 Wh



ONLINE ORDER



BAFANG

RIEMENANTRIEB

Motor	Drive Unit	FIT BAFANG R600 25/30 Nm	Lenker	Handlebar	BULLS riserbar
Ladegerät	Charger	3 A FIT charger	Vorbau	Stem	BULLS MTB-S CCS Slot Mount ready
Ladedauer	Charging time	550 Wh: appx. 4,3 hrs.	Sattelstütze	Seatpost	30,9 mm aluminium
Display	Display	FIT Master Node LED	Sattel	Saddle	BULLS Sportive Ergo
Rahmen	Frame	6061 aluminium, internal cable routing	Felgen	Rims	RYDE Dutch 19
Rahmenhöhe	Framesize	S/M/L/XL	Bereifung	Tires	SCHWALBE G-ONE OVERLAND Evo, Super Ground, TLE 45-622
Gabel	Fork	Grinder aluminium	Scheinwerfer	Front light	MonkeyLink Recharge (lighting not included)
Gänge	Gear	singlespeed 1-speed	Rücklicht	Rear light	MonkeyLink Recharge (lighting not included)
Bremsen	Brakes	TEKTRO HD-R280, hydraulic disc brake, TEKTRO TR180 6-bolt, TEKTRO TR 180 mm 6-bolt			

GRINDER EVO

french grey
524908730545

NEW!

GRAVEL

550 Wh



ONLINE ORDER



BAFANG

RIEMENANTRIEB

Motor	Drive Unit	FIT BAFANG R600 25/30 Nm	Bremsen	Brakes	SHIMANO BR RX400, hydraulic disc brake, SHIMANO SM-RT30 160 mm CL, SHIMANO SM-RT56 160 mm 6L
Ladegerät	Charger	3 A FIT charger	Lenker	Handlebar	Gravel SL HB-L102
Ladedauer	Charging time	550 Wh: appx. 4,3 hrs.	Vorbau	Stem	BULLS MTB-SL, 3D forged, CCS Slot Mount ready
Display	Display	FIT Master Node LED	Sattelstütze	Seatpost	30,9 mm aluminium
Rahmen	Frame	6061 aluminium, internal cable routing	Sattel	Saddle	BULLS Gravel
Rahmenhöhe	Framesize	S/M/L/XL	Felgen	Rims	RYDE Dutch 19
Gabel	Fork	Machete carbon	Bereifung	Tires	SCHWALBE G-One R Evo, Super Race, V-Guard, TLE 45-622
Schaltwerk	Gearshift	SHIMANO GRX RD-RX812	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Gänge	Gear	derailleur gear 11-speed	Rücklicht	Rear light	MonkeyLink Connect (lighting not included)
Schalthebel	Shifter	SHIMANO GRX ST-RX600			
Kassette	Cassette	SHIMANO Deore CS-M5100, 11-42T			



TREKKING

CROSS

[illegible]

CROSS FLYER EVO 1

indigo blue
835-70545

CROSS | TREKKING

500 Wh 625 Wh 750 Wh



ONLINE ORDER



black matt
835-70945



indigo blue
835-71445



BOSCH



Motor Drive Unit	Bosch Performance Line (Smart System) 25/75 Nm	Kassette Cassette	SHIMANO CS-HG400-8 11-40T
Ladegerät Charger	Bosch charger 4A	Bremsen Brakes	TEKTRO HD-M280, hydraulic disc brake, 180 mm 6-Bolt, 160 mm 6-Bolt
Ladedauer Charging time	500 Wh: appx. 4,5 hrs. 625 Wh: appx. 5,4 hrs. 750 Wh: appx. 6,0 hrs.	Lenker Handlebar	STYX Sport-SL double butted riserbar
Display Display	Bosch LED Remote	Vorbau Stem	MTB-S, CCS Slot Mount ready
Rahmen Frame	6061 aluminium, hydroforming, internal cable routing	Sattelstütze Seatpost	BULLS aluminium
Rahmenhöhe Framesize	Diamond S/M/L/XL, Trapeze S/M/L, Wave S/M/L	Sattel Saddle	BULLS Sportive Ergo
Gabel Fork	SR SUNTOUR NVX-30 100 mm	Felgen Rims	DDM-2
Schaltwerk Gearshift	SHIMANO Acera RD-M3020	Bereifung Tires	SCHWALBE Smart Sam K-Guard 57-622
Gänge Gear	derailleur gear 8-speed	Radschützer Fenders	SKS Velo MTB
Schalthebel Shifter	SHIMANO Altus SL-M315 rapidfire plus	Scheinwerfer Front light	FUXON FS-30 EB, 30 Lux LED
Kurbelgarnitur Crankset	FSA	Rücklicht Rear light	FUXON R-60 Clip, LED
		Gepäckträger Carrier	MonkeyLoad systemcarrier

CROSS FLYER EVO 2

CROSS | TREKKING

light emerald-matt
835-71745

500 Wh / 625 Wh / 750 Wh



ONLINE ORDER



light emerald-matt
835-72145



nano grey
835-72645



BOSCH



Motor Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Kassette Cassette	SHIMANO CS-HG200-9, 11-36T
Ladegerät Charger	Bosch charger 4A	Bremsen Brakes	TEKTRO HD-M280, hydraulic disc brake, 180 mm 6-Bolt, 180 mm 6-Bolt
Ladedauer Charging time	500 Wh: appx. 4,5 hrs. 625 Wh: appx. 5,4 hrs. 750 Wh: appx. 6,0 hrs.	Lenker Handlebar	STYX Sport-SL double butted riserbar
Display Display	Bosch LED Remote	Vorbau Stem	MTB-S, CCS Slot Mount ready
Rahmen Frame	6061 aluminium, hydroforming, internal cable routing	Sattelstütze Seatpost	BULLS aluminium
Rahmenhöhe Framesize	Diamond S/M/L/XL, Trapeze S/M/L, Wave S/M/L	Sattel Saddle	BULLS Sportive Ergo
Gabel Fork	SR SUNTOUR NVX-30 100 mm	Felgen Rims	DDM-2
Schaltwerk Gearshift	SHIMANO Alivio RD-M3100 shadow derailleur gear 9-speed	Bereifung Tires	SCHWALBE Smart Sam K-Guard 57-622
Gänge Gear	SHIMANO Alivio SL-M3100	Radschützer Fenders	SKS Velo MTB
Schalthebel Shifter	FSA	Scheinwerfer Front light	FUXON FS-50 EB, 50 Lux LED
Kurbelgarnitur Crankset		Rücklicht Rear light	FUXON R-60 Clip, LED
		Gepäckträger Carrier	MonkeyLoad systemcarrier

CROSS RIDER EVO 2

metallic orange, chrome red
835-73745

CROSS | TREKKING

500 Wh 625 Wh 750 Wh



ONLINE ORDER



black matt, grey matt
835-74245



metallic orange, chrome red
835-74545



BOSCH



Motor Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Kurbelgarnitur Crankset	FSA
Ladegerät Charger	Bosch charger 4A	Kassette Cassette	SHIMANO Deore LinkGlide 11-speed, 11-50T
Ladedauer Charging time	500 Wh: appx. 4,5 hrs. 625 Wh: appx. 5,4 hrs. 750 Wh: appx. 6,0 hrs.	Bremsen Brakes	SHIMANO BR-MT200, hydraulic disc brake, 180 mm Center Lock, 180 mm Center Lock
Display Display	Bosch KIOX 300 Bosch LED Remote	Lenker Handlebar	ZECURE Sport-SL
Rahmen Frame	6061 aluminium, hydroforming, internal cable routing	Vorbau Stem	SUV-S, CCS Slot Mount ready
Rahmenhöhe Framesize	Diamond S/M/L/XL, Trapeze S/M/L, Wave S/M/L	Sattelstütze Seatpost	BULLS aluminium
Gabel Fork	SR SUNTOUR XCR 32 Air LOR, Boost 100 mm	Sattel Saddle	BULLS Sportive Ergo
Schaltwerk Gearshift	SHIMANO Deore XT LinkGlide RD-M8130 shadow+ derailleur gear 11-speed	Felgen Rims	DDM-2
Gänge Gear	SHIMANO Deore XT LinkGlide SL-M8130, rapidfire+	Bereifung Tires	SCHWALBE G-One Bite Evo Super Ground 57-622
Schalthebel Shifter		Radschützer Fenders	SKS Velo MTB
		Scheinwerfer Front light	FUXON FS-70 EB, 70 Lux LED with sensor and daylight
		Rücklicht Rear light	FUXON RL-Mini Clip

CROSS LITE EVO 1

quantum silver
835-74945

CROSS / TREKKING

500 Wh / 625 Wh / 750 Wh



ONLINE ORDER



light grey
835-75445



light grey
835-75845



BOSCH



Motor Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Kurbelgarnitur Crankset	FSA
Ladegerät Charger	Bosch charger 4A	Kassette Cassette	SHIMANO CS-HG200-9, 11-36T
Ladedauer Charging time	500 Wh: appx. 4,5 hrs. 625 Wh: appx. 5,4 hrs. 750 Wh: appx. 6,0 hrs.	Bremsen Brakes	TEKTRO HD-T280, hydraulic disc brake, 180 mm 6-Bolt, 180 mm 6-Bolt
Display Display	Bosch Intuvia 100 Bosch System Controller and Mini-Remote	Lenker Handlebar	MTB riserbar
Rahmen Frame	6061 aluminium, hydroforming, internal cable routing	Vorbau Stem	SUV-S, CCS Slot Mount ready
Rahmenhöhe Framesize	Diamond S/M/L/XL, Trapeze S/M/L, Wave S/M/L	Sattelstütze Seatpost	BULLS aluminium
Gabel Fork	SR SUNTOUR NCX-32-D LO 75 mm	Sattel Saddle	SR Essenza Plus
Schaltwerk Gearshift	SHIMANO Alivio RD-M3100 shadow derailleur gear 9-speed	Felgen Rims	DDM-2
Gänge Gear	SHIMANO Alivio SL-M3100	Bereifung Tires	SUPERO Optima Safe Anti-Puncture 55-622
Schalthebel Shifter		Radschützer Fenders	SKS PET A65
		Scheinwerfer Front light	FUXON FS-50 EB, 50 Lux LED
		Rücklicht Rear light	FUXON R-232 EB, with COB technology
		Gepäckträger Carrier	MonkeyLoad systemcarrier

CROSS LITE EVO 2

CROSS / TREKKING

black matt
835-76145

500 Wh / 625 Wh / 750 Wh



ONLINE ORDER



black matt
835-76545



black matt
835-76945



BOSCH



Motor Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Kassette Cassette	SHIMANO Deore LinkGlide 11-speed, 11-50T
Ladegerät Charger	Bosch charger 4A	Bremsen Brakes	SHIMANO BR-MT200, hydraulic disc brake, 180 mm / Center Lock, 180 mm / Center Lock
Ladedauer Charging time	500 Wh: appx. 4,5 hrs. 625 Wh: appx. 5,4 hrs. 750 Wh: appx. 6,0 hrs.	Lenker Handlebar	ZECURE Sport-SL
Display Display	Bosch Intuvia 100 Bosch System Controller and Mini-Remote	Vorbau Stem	SUV-S, CCS Slot Mount ready
Rahmen Frame	6061 aluminium, hydroforming, internal cable routing	Sattelstütze Seatpost	BULLS aluminium
Rahmenhöhe Framesize	Diamond S/M/L/XL, Trapeze S/M/L, Wave S/M/L	Sattel Saddle	ZECURE Comfort Men/ Comfort Women / Comfort Plus
Gabel Fork	SR SUNTOUR Mobie-25 Air LOR 100 mm	Felgen Rims	XC-21 Evo, tubeless ready
Schaltwerk Gearshift	SHIMANO Deore XT LinkGlide RD-M8130 shadow+	Bereifung Tires	SCHWALBE Marathon Almotion Perf RaceGuard 55-622
Gänge Gear	derailleur gear 11-speed	Radschützer Fenders	SKS PET A65
Schalthebel Shifter	SHIMANO Deore XT LinkGlide SL-M8130, rapidfire+	Scheinwerfer Front light	FUXON FF-100 EB, 100 Lux LED
Kurbelgarnitur Crankset	FSA	Rücklicht Rear light	FUXON R-Glow S EB, with COB technology
		Gepäckträger Carrier	MonkeyLoad systemcarrier

CROSS LITE EVO 3

CROSS | TREKKING

nano grey
835-77345

500 Wh / 625 Wh / 750 Wh



ONLINE ORDER



nano grey
835-77745



nano grey
835-78145



BOSCH



Motor	Drive Unit	Bosch Performance Line CX (Smart System) 25/85 Nm	Bremsen	Brakes	SHIMANO BR-MT420/410, hydraulic disc brake, 180 mm / Center Lock, 180 mm / Center Lock
Ladegerät	Charger	Bosch charger 4A	Lenker	Handlebar	ZECURE Sport-SL
Ladedauer	Charging time	500 Wh: appx. 4,5 hrs. 625 Wh: appx. 5,4 hrs. 750 Wh: appx. 6,0 hrs.	Vorbau	Stem	SUVi, CCS
Display	Display	Bosch Intuvia 100 Bosch System Controller and Mini-Remote	Sattelstütze	Seatpost	BULLS aluminium
Rahmen	Frame	6061 aluminium, hydroforming, internal cable routing	Sattel	Saddle	ZECURE Comfort Men/ Comfort Women / Comfort Plus
Rahmenhöhe	Framesize	Diamond S/M/L/XL, Trapeze S/M/L, Wave S/M/L	Felgen	Rims	XC-21 Evo, tubeless ready
Gabel	Fork	SR SUNTOUR Mobie-25 Air LOR 100 mm	Bereifung	Tires	SCHWALBE Marathon Almotion Perf RaceGuard 55-622
Schaltwerk	Gearshift	SHIMANO Deore XT RD-M8100 shadow+ derailleur gear 12-speed	Radschützer	Fenders	SKS PET A65
Gänge	Gear	SHIMANO SLX SL-M7100, rapidfire+	Scheinwerfer	Front light	FUXON FF-100 EB, 100 Lux LED
Schalthebel	Shifter	FSA	Rücklicht	Rear light	FUXON R-Glow S EB, with COB technology
Kurbelgarnitur	Crankset	SHIMANO SLX 12-speed 10-51T	Gepäckträger	Carrier	MonkeyLoad systemcarrier
Kassette	Cassette				

LACUBA

[illegible]

LACUBA EVO 9

steel blue matt
846-21845

LACUBA / TREKKING

555 Wh / 740 Wh / 925 Wh



ONLINE ORDER



steel blue matt
846-21445



steel blue matt
846-22245



Motor	Drive Unit	BROSE FIT S-Mag ECO 25/75 Nm	Bremsen	Brakes	SHIMANO BR-MT200, hydraulic disc brake, 180 mm / Center Lock, 160 Center Lock
Ladegerät	Charger	FIT charger 4A	Lenker	Handlebar	ZECURE Sport-SL
Ladedauer	Charging time	555 Wh: appx. 5,0 hrs. 740 Wh: appx. 6,8 hrs. 925 Wh: appx. 8,5 hrs.	Vorbau	Stem	SUV-S, CCS Slot Mount ready
Display	Display	FIT Remote Display	Sattelstütze	Seatpost	Alloy
Rahmen	Frame	6061 aluminium, hydroforming, internal cable routing	Sattel	Saddle	ZECURE Comfort Men/ Comfort Women / Comfort Plus
Rahmenhöhe	Framesize	Diamond S/M/L/XL, Trapeze S/M/L, Wave S/M/L	Felgen	Rims	DDM-2
Gabel	Fork	SR SUNTOUR NEX-E25 75 mm	Bereifung	Tires	SUPERO Optima Safe Anti-Puncture 50-622
Schaltwerk	Gearshift	SHIMANO Alivio RD-M3100 shadow	Radschützer	Fenders	aluminium mudguard
Gänge	Gear	derailleur gear 9-speed	Scheinwerfer	Front light	FUXON FS-50 EB, 50 Lux LED
Schalthebel	Shifter	SHIMANO Alivio SL-M3100	Rücklicht	Rear light	FUXON R-232 EB, with COB technology
Kurbelgarnitur	Crankset	FSA	Gepäckträger	Carrier	MonkeyLoad systemcarrier
Kassette	Cassette	SHIMANO CS-HG201-9, 11-36T			

LACUBA EVO 10

light grey
846-23445

LACUBA / TREKKING

555 Wh / 740 Wh / 925 Wh

1
PROSPEKT
8-SEITER



ONLINE ORDER



black matt
846-22745



light grey
846-23045



Motor	Drive Unit	BROSE FIT S-Mag ECO 25/75 Nm	Bremsen	Brakes	SHIMANO BR-MT200, hydraulic disc brake, 180 mm / Center Lock, 180 mm / Center Lock
Ladegerät	Charger	FIT charger 4A	Lenker	Handlebar	ZECURE Sport-SL
Ladedauer	Charging time	555 Wh: appx. 5,0 hrs. 740 Wh: appx. 6,8 hrs. 925 Wh: appx. 8,5 hrs.	Vorbau	Stem	SUV-S, CCS Slot Mount ready
Display	Display	FIT Display Compact	Sattelstütze	Seatpost	Alloy
Rahmen	Frame	6061 aluminium, hydroforming, internal cable routing	Sattel	Saddle	ZECURE Comfort Men/ Comfort Women / Comfort Plus
Rahmenhöhe	Framesize	Diamond S/M/L/XL, Trapeze S/M/L, Wave S/M/L	Felgen	Rims	DDM-2
Gabel	Fork	SR SUNTOUR NCX D LO Air 75 mm	Bereifung	Tires	SUPERO Optima Safe Anti-Puncture 50-622
Schaltwerk	Gearshift	SHIMANO Deore RD-M5120 shadow+ derailleur gear 10-speed	Radschützer	Fenders	aluminium mudguard
Gänge	Gear	SHIMANO Deore SL-M4100	Scheinwerfer	Front light	FUXON FS-50 EB, 50 Lux LED
Schalthebel	Shifter	SHIMANO Deore SL-M4100	Rücklicht	Rear light	FUXON R-232 EB, with COB technology
Kurbelgarnitur	Crankset	FSA	Gepäckträger	Carrier	MonkeyLoad systemcarrier
Kassette	Cassette	SHIMANO Deore 10-speed, 11-42T			

LACUBA EVO 11

summit lake blue
846-24245

LACUBA / TREKKING

555 Wh / 740 Wh / 925 Wh

2
PROSPEKT
12-SEITER

3
PROSPEKT
12-SEITER



ONLINE ORDER



quantum silver
846-23945



quantum silver
846-24745



Motor	Drive Unit	BROSE FIT S-Mag PRO 25/90 Nm	Bremsen	Brakes	SHIMANO BR-MT420/410, hydraulic disc brake, 180 mm / Center Lock, 180 mm / Center Lock
Ladegerät	Charger	FIT charger 4A	Lenker	Handlebar	ZECURE Sport-SL
Ladedauer	Charging time	555 Wh: appx. 5,0 hrs. 740 Wh: appx. 6,8 hrs. 925 Wh: appx. 8,5 hrs.	Vorbau	Stem	SUV-S, CCS Slot Mount ready
Display	Display	FIT Display Compact	Sattelstütze	Seatpost	Alloy
Rahmen	Frame	6061 aluminium, hydroforming, internal cable routing	Sattel	Saddle	ZECURE Comfort Men/ Comfort Women / Comfort Plus
Rahmenhöhe	Framesize	Diamond S/M/L/XL, Trapeze S/M/L, Wave S/M/L	Felgen	Rims	XC-21 Evo, tubeless ready
Gabel	Fork	SR SUNTOUR NCX-32-E Air LO 75 mm	Bereifung	Tires	SCHWALBE Marathon Almotion Perf RaceGuard 55-622
Schaltwerk	Gearshift	SHIMANO Deore XT LinkGlide RD-M8130 shadow+	Radschützer	Fenders	aluminium mudguard
Gänge	Gear	derailleur gear 11-speed	Scheinwerfer	Front light	FUXON FS-70 EB, 70 Lux LED with sensor and daylight
Schalthebel	Shifter	SHIMANO XT SL-M8130-R	Rücklicht	Rear light	FUXON R-Glow EB, with COB technology
Kurbelgarnitur	Crankset	FSA	Gepäckträger	Carrier	MonkeyLoad systemcarrier
Kassette	Cassette	SHIMANO Deore LinkGlide 11-speed, 11-50T			

LACUBA EVO 12

black matt
846-25045

LACUBA / TREKKING

555 Wh / 740 Wh / 925 Wh



ONLINE ORDER



black matt
846-25445



black matt
846-25845



Motor	Drive Unit	BROSE FIT S-Mag PRO 25/90 Nm	Bremsen	Brakes	SHIMANO BR-MT420/410, hydraulic disc brake, 180 mm / Center Lock, 180 mm / Center Lock
Ladegerät	Charger	FIT charger 4A	Lenker	Handlebar	ZECURE Sport-SL
Ladedauer	Charging time	555 Wh: appx. 5,0 hrs. 740 Wh: appx. 6,8 hrs. 925 Wh: appx. 8,5 hrs.	Vorbau	Stem	SUVi, CCS Slot Mount Ready
Display	Display	FIT Display Comfort	Sattelstütze	Seatpost	LIMOTEC Alpha 3 suspension (40 mm) Dropper Post (S/M/L: 40 mm, XL: 80 mm)
Rahmen	Frame	6061 aluminium, hydroforming, internal cable routing	Sattel	Saddle	ZECURE Comfort Men/ Comfort Women / Comfort Plus
Rahmenhöhe	Framesize	Diamond S/M/L/XL, Trapeze S/M/L, Wave S/M/L	Felgen	Rims	XC-21 Evo, tubeless ready
Gabel	Fork	SR SUNTOUR Mobie-25 Air LOR 75 mm	Bereifung	Tires	SCHWALBE Marathon Almotion Perf RaceGuard 55-622
Schaltwerk	Gearshift	SHIMANO Deore XT RD-M8100 shadow+	Radschützer	Fenders	aluminium mudguard
Gänge	Gear	dérailleur gear 12-speed	Scheinwerfer	Front light	FUXON FF-100 EB, 100 Lux LED
Schalthebel	Shifter	SHIMANO Deore XT SL-M8100, rapidfire+	Rücklicht	Rear light	FUXON R-Glow EB, with COB technology
Kurbelgarnitur	Crankset	FSA	Gepäckträger	Carrier	MonkeyLoad systemcarrier
Kassette	Cassette	SHIMANO SLX 12-speed 10-51T			

LACUBA EVO NV BELT AUTOMATIC

LACUBA / TREKKING

nano grey
846-27845

555 Wh / 740 Wh / 925 Wh



ONLINE ORDER



nano grey
846-27445



nano grey
846-28245



Motor	Drive Unit	BROSE FIT S-Mag PRO 25/90 Nm	Lenker	Handlebar	ZECURE Sport-SL
Ladegerät	Charger	FIT charger 4A	Vorbau	Stem	SUVi, CCS Slot Mount Ready
Ladedauer	Charging time	555 Wh: appx. 5,0 hrs. 740 Wh: appx. 6,8 hrs. 925 Wh: appx. 8,5 hrs.	Sattelstütze	Seatpost	LIMOTEC Alpha 3 suspension (40 mm) Dropper Post (S/M/L: 40 mm, XL: 80 mm)
Display	Display	FIT Display Comfort	Sattel	Saddle	ZECURE Comfort Men/ Comfort Women / Comfort Plus
Rahmen	Frame	6061 aluminium, hydroforming, internal cable routing	Felgen	Rims	XC-21 Evo, tubeless ready
Rahmenhöhe	Framesize	Diamond S/M/L/XL, Trapeze S/M/L, Wave S/M/L	Bereifung	Tires	SCHWALBE Marathon Almotion Perf RaceGuard 55-622
Gabel	Fork	SR SUNTOUR Mobie-25 Air LOR 75 mm	Radschützer	Fenders	aluminium mudguard
Schaltwerk	Gearshift	ENVIOLLO Automatic	Scheinwerfer	Front light	FUXON FF-100 EB, 100 Lux LED
Gänge	Gear	automatic hub gear stepless	Rücklicht	Rear light	FUXON R-Glow EB, with COB technology
Schalthebel	Shifter	FIT e-Shift	Gepäckträger	Carrier	MonkeyLoad systemcarrier
Kurbelgarnitur	Crankset	FSA			
Bremsen	Brakes	TEKTRO Auriga, hydraulic disc brake, 180 mm / 6-Bolt, 180 mm / 6-Bolt			

LACUBA EVO 11 SUV

frozen dark blue matt
846-20645

LACUBA / TREKKING

555 Wh / 740 Wh / 925 Wh



ONLINE ORDER



frozen dark blue matt
846-21045



frozen dark blue matt
846-20245



Motor	Drive Unit	BROSE FIT S-Mag PRO 25/90 Nm	Kassette	Cassette	SHIMANO Deore LinkGlide 11-speed, 11-50T
Ladegerät	Charger	FIT charger 4A	Bremsen	Brakes	SHIMANO BR-MT420/410, hydraulic disc brake, 180 mm / Center Lock, 180 mm / Center Lock
Ladedauer	Charging time	555 Wh: appx. 5,0 hrs. 740 Wh: appx. 6,8 hrs. 925 Wh: appx. 8,5 hrs.	Lenker	Handlebar	ZECURE Sport-SL
Display	Display	FIT Display Compact	Vorbau	Stem	SUV-S, CCS Slot Mount ready
Rahmen	Frame	6061 aluminium, hydroforming, internal cable routing	Sattelstütze	Seatpost	Alloy
Rahmenhöhe	Framesize	Diamond S/M/L/XL, Trapeze S/M/L, Wave S/M/L	Sattel	Saddle	ZECURE Comfort Men/ Comfort Women / Comfort Plus
Gabel	Fork	BULLS LYTRO 34 Air LOR, Boost 100 mm	Felgen	Rims	XC-21 Evo, tubeless ready
Schaltwerk	Gearshift	SHIMANO Deore XT LinkGlide RD-M8130 shadow+	Bereifung	Tires	SCHWALBE G-One Allround 57-622
Gänge	Gear	derailleur gear 11-speed	Radschützer	Fenders	SKS Velo MTB
Schalthebel	Shifter	SHIMANO Deore XT LinkGlide SL-M8130, rapidfire+	Scheinwerfer	Front light	FUXON FS-70 EB, 70 Lux LED with sensor and daylight
Kurbelgarnitur	Crankset	FSA	Rücklicht	Rear light	FUXON R-Glow S EB, with COB technology
			Gepäckträger	Carrier	MonkeyLoad systemcarrier

STREETLINER

[illegible]

STREETLINER EVO

metallic-aventurine
524909010545

NEW!

STREETLINER | TREKKING

550 Wh



ONLINE ORDER



metallic-aventurine
524909050545



metallic-aventurine
524909050545



BAFANG



Motor	Drive Unit	FIT BAFANG R600 25/30 Nm	Bremsen	Brakes	TEKTRO HD-M280, hydraulic disc brake, TEKTRO 180 mm 6-bolt, TEKTRO 160 mm 6-bolt
Ladegerät	Charger	3 A FIT charger	Lenker	Handlebar	Trekking-SL Comfort
Ladedauer	Charging time	550 Wh: appx. 4,3 hrs.	Vorbau	Stem	BULLS SUV-S, CCS Slot Mount ready
Display	Display	FIT Compact Display	Sattelstütze	Seatpost	30,9 mm aluminium
Rahmen	Frame	6061 aluminium, internal cable routing	Sattel	Saddle	SELLE ROYAL Essenza Plus
Rahmenhöhe	Framesize	Diamant S/M/L/XL, Trapez S/M/L, Wave S/M/L	Felgen	Rims	BULLS DDM-22
Gabel	Fork	SR SUNTOUR NEX-E25 75 mm	Bereifung	Tires	SUPERO Optima Safe Anti-Puncture 50-622
Schaltwerk	Gearshift	SHIMANO Deore RD-M5120	Radschützer	Fenders	aluminium mudguard
Gänge	Gear	derailleur gear 10-speed	Scheinwerfer	Front light	FUXON FS-50, 50 Lux LED with switch
Schalthebel	Shifter	SHIMANO Deore SL-M4100	Rücklicht	Rear light	FUXON R-Glow S EB, with COB technology
Kassette	Cassette	SHIMANO CS-M4100 11-46T	Gepäckträger	Carrier	MonkeyLoad systemcarrier

TOURER

[illegible]

TOURER EVO 10

metallic off-white, black matt
685-21045

TOURER | TREKKING

555 Wh / 740 Wh / 925 Wh



ONLINE ORDER



black chrome, black matt
685-21345



black chrome, black matt
685-20545



Panasonic



Motor	Drive Unit	Panasonic FIT GX Ultimate Eco* (75 Nm)	Bremsen	Brakes	SHIMANO BR-MT200, 180/160 mm
Ladegerät	Charger	FIT 4A	Lenker	Handlebar	ZECURE Trekking
Ladedauer	Charging time	555 Wh: appx. 5 hrs. 740 Wh: appx. 6,8 hrs. 925 Wh: appx. 8,5 hrs.	Vorbau	Stem	ZECURE All-Up 2.0, hight/angle adjust, 90° twist function
Display	Display	FIT Comfort 3,5 Zoll Display	Sattelstütze	Seatpost	SR SUNTOUR NCX suspension
Rahmen	Frame	aluminium 6061, internal cable routing	Sattel	Saddle	ZECURE Comfort Women
Rahmenhöhe	Framesize	Diamant S/M/L/XL, Trapez S/M/L/XL, Wave S/M/L	Naben	Hubs	HB-MT400/FH-M3050QR
Gabel	Fork	SR SUNTOUR Mobie-25 LOR Air 1,5 Zoll, 75 mm	Felgen	Rims	RYDE Taurus 2000
Schaltwerk	Gearshift	SHIMANO Deore RD-M5130-GS	Bereifung	Tires	SCHWALBE Marathon E Plus 55-622
Gänge	Gear	10-speed	Scheinwerfer	Front light	FUXON FF-100 EB, 100 LUX
Kassette	Cassette	SHIMANO CS-LG600-10, 11-43T LinkGlide	Rücklicht	Rear light	FUXON R-Glow
			Gepäckträger	Carrier	MonkeyLoad system carrier, max. load capacity 27 kg

* Software Update gegen Aufpreis auf bis zu 95 Nm möglich. / Software update up to 95 Nm possible at extra cost.



SPEED

SUV

[illegible]

VUCA EVO SPEED X1

monza grey-matt
524909650741

720 Wh / 960 Wh



NEW!



ONLINE ORDER



monza grey-matt
524909610741



RIEMENANTRIEB

Motor	Drive Unit	FIT Pinion E-Drive 12 Speed	Bremsen	Brakes	TEKTRO HD-EU835, hydraulic disc brake, TRP R203S01E 203 mm 6-bolt, TRP R203S01E 203 mm 6-bolt
Ladegerät	Charger	3 A FIT charger	Lenker	Handlebar	ZECURE Sport-SL
Ladedauer	Charging time	720 Wh: appx. 5,7 hrs. 960 Wh: appx. 7,1 hrs.	Vorbau	Stem	SUVi-2, CCS Slot Mount ready
Display	Display	FIT Compact Display	Sattelstütze	Seatpost	LIMOTEC Alpha 3 suspension (40 mm) Dropper Post (S, 40 mm, M, L 80 mm, XL 100 mm) + SL-MT500-IL S40
Rahmen	Frame	6061 aluminium, hydroforming, 1.8 Steerer ready, internal cable routing, thru axle, telescope seatpost ready	Sattel	Saddle	BULLS Sportive Ergo
Rahmenhöhe	Framesize	Diamond S/M/L/XL, Wave S/M/L/XL	Felgen	Rims	RYDE Disc 30, tubeless ready
Gabel	Fork	LYTRO 36 Supreme SL 120 1.8 Boost EQ	Bereifung	Tires	SCHWALBE Johnny Watts 365 Performance RaceGuard 65-622
Gänge	Gear	Motor-Gearbox-Unit 12-speed	Radschützer	Fenders	aluminium mudguard
Schalthebel	Shifter	E-Trigger	Scheinwerfer	Front light	SUPERNOVA M99 Mini Pure 45 FLS.1
			Rücklicht	Rear light	SUPERNOVA M99 TL2
			Gepäckträger	Carrier	MonkeyLoad systemcarrier

WELTNEUHEIT! | WORLD NOVELTY!

MOTOR & SCHALTUNG VEREINT | MOTOR & GEARBOX COMBINED

FIT
pinion

SUV | SPEED

VUCA EVO SPEED FSX1

monza grey-matt
524909930741

720 Wh / 960 Wh



NEW!



ONLINE ORDER

FIT | **pinion**



RIEMENANTRIEB

Motor	Drive Unit	FIT Pinion E-Drive 12 Speed	Bremsen	Brakes	TEKTRO HD-EU835, hydraulic disc brake, TRP R203S01E 203 mm 6-bolt, TRP R203S01E 203 mm 6-bolt
Ladegerät	Charger	3 A FIT charger	Lenker	Handlebar	ZECURE Sport-SL
Ladedauer	Charging time	720 Wh: appx. 5,7 hrs. 960 Wh: appx. 7,1 hrs.	Vorbau	Stem	SUVi-2, CCS Slot Mount ready
Display	Display	FIT Compact Display	Sattelstütze	Seatpost	LIMOTEC Alpha 1, 34,9 / S 100 mm, M 125 mm, L, XL 150 mm + SL-MT500-IL for I-spec EV
Rahmen	Frame	6061 aluminium, hydroforming, 1.8 Steerer ready, internal cable routing, thru axle, telescope seatpost ready	Sattel	Saddle	SELLE ROYAL in BULLS Design
Rahmenhöhe	Framesize	S/M/L/XL	Felgen	Rims	RYDE Disc 30, tubeless ready
Gabel	Fork	BULLS LYTRO 36 Supreme SL 1.8 Boost 120 mm	Bereifung	Tires	SCHWALBE Johnny Watts 365 Performance RaceGuard 60-622
Dämpfer	Shock	SR SUNTOUR Edge LOR8 Trunnion Mount 120 mm	Radschützer	Fenders	aluminium mudguard
Gänge	Gear	Motor-Gearbox-Unit 12-speed	Scheinwerfer	Front light	SUPERNOVA M99 Mini Pure 45 FLS.1
Schalthebel	Shifter	E-Trigger	Rücklicht	Rear light	SUPERNOVA M99 TL2 RL2.1
			Gepäckträger	Carrier	MonkeyLoad systemcarrier

TREKKING


[illegible]

TOURER EVO 11 SPEED

black matt
846-38245

TREKKING / SPEED

555 Wh / 740 Wh / 925 Wh



ONLINE ORDER



black matt
846-38645



black matt
846-39045



Panasonic



Motor Drive Unit	Panasonic FIT GX Ultimate Speed 95 Nm	Kassette Cassette	SHIMANO CS-LG500-11, 11-50T
Ladegerät Charger	FIT 4A	Bremsen Brakes	MAGURA MT5e/MT4e, hydraulic disc brake, 180 mm / 6-Bolt, 180 mm / 6-Bolt
Ladedauer Charging time	555 Wh: appx. 5,0 hrs. 740 Wh: appx. 6,8 hrs. 925 Wh: appx. 8,5 hrs.	Lenker Handlebar	ZECURE Trekking
Display Display	FIT Comfort FIT Remote Basic	Vorbau Stem	ZECURE All-Up 2.0, height/angle adjust, 90° twist function
Rahmen Frame	6061 aluminium, hydroforming, internal cable routing	Sattelstütze Seatpost	SR SUNTOUR NCX suspension
Rahmenhöhe Framesize	Diamond S/M/L/XL, Trapeze S/M/L, Wave S/M/L	Sattel Saddle	ZECURE Comfort Plus
Gabel Fork	SR SUNTOUR Mobie 25 Air LOR DS 75 mm	Felgen Rims	RYDE Taurus 2000
Schaltwerk Gearshift	SHIMANO Deore XT LinkGlide RD-M8130 shadow+ derailleur gear 11-speed	Bereifung Tires	SCHWALBE Marathon E Plus 55-622 28 x 2,15 aluminium
Gänge Gear	SHIMANO Deore XT SL-M8130-IR	Radschützer Fenders	SUPERNOVA M99 Mini Pure 45
Schalthebel Shifter		Scheinwerfer Front light	SUPERNOVA M99
		Rücklicht Rear light	MonkeyLoad systemcarrier, max. load capacity 27 kg
		Gepäckträger Carrier	



JUNIOR

TWENTY

[illegible]

TWENTY4 E

rally green-matt
524800000432

400 Wh / 545 Wh

NEW!

TWENTY / JUNIOR



ONLINE ORDER



blackberry red-matt
524800010432



BOSCH



Motor	Drive Unit	Bosch Active Line 25/40 Nm	Bremsen	Brakes	TEKTRO HD-J285, hydraulic disc brake,
Ladegerät	Charger	2 A charger	Lenker	Handlebar	TEKTRO TR160-24 6-bolt,
Ladedauer	Charging time	400 Wh: appx. 6 hrs	Vorbau	Stem	TEKTRO TR160-24 6-bolt
Display	Display	Bosch Purion	Sattelstütze	Seatpost	BULLS riserbar
Rahmen	Frame	6061 aluminium, internal cable routing	Sattel	Saddle	BULLS MTB-S CCS Slot Mount ready
Fahrergröße	Rider height	120-145 cm	Felgen	Rims	STYX aluminium 30,9 mm
Gabel	Fork	SR SUNTOUR XCT-JR L 24 80 mm	Bereifung	Tires	SELLE ROYAL Kids
Schaltwerk	Gearshift	SHIMANO Acera RD-M3020	Scheinwerfer	Front light	BULLS DDM-22
Gänge	Gear	derailleur gear 8-speed	Rücklicht	Rear light	VEE TIRE Crown Gem 57-507
Schalthebel	Shifter	SHIMANO Altus SL-M315-8R			FUXON FS-30 EB, 30 Lux LED with sensor and daylight
Kurbelgarnitur	Crankset	FSA 155 mm			FUXON ML-009 EB, LED with stand light function
Kassette	Cassette	SHIMANO CS-HG400-8 11-40T			

TWENTY6 EVO

grey matt
834-48532

TWENTY / JUNIOR

400 Wh / 500 Wh



ONLINE ORDER



red
834-48632



blackberry red-matt
524800250432



Motor	Drive Unit	Bosch Active Line Plus 25/50 Nm	Kassette	Cassette	SHIMANO CS-HG200-9, 11-36T
Ladegerät	Charger	Bosch Compact charger 2A	Bremsen	Brakes	TEKTRO HD-M282, hydraulic disc brake, 180 mm 6-Bolt, 160 mm / 6-Bolt
Ladedauer	Charging time	400 Wh: appx. 6 hrs 500 Wh: appx. 7,3 hrs	Lenker	Handlebar	BULLS riserbar
Display	Display	Bosch Purion 200	Vorbau	Stem	MTB-S, CCS Slot Mount ready
Rahmen	Frame	6061 aluminium, hydroforming, internal cable routing	Sattelstütze	Seatpost	BULLS aluminium
Fahrergröße	Rider height	135-165 cm	Sattel	Saddle	SELLE ROYAL Kids
Gabel	Fork	SR SUNTOUR XCR LO 100 mm	Felgen	Rims	DDM-2
Schaltwerk	Gearshift	SHIMANO Altus RD-M2000 shadow derailleur gear 9-speed	Bereifung	Tires	VEE TIRE Crown Gem 26 x 2.25
Gänge	Gear	SHIMANO Altus SL-M2010	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Schalthebel	Shifter	SHIMANO Altus SL-M2010	Rücklicht	Rear light	MonkeyLink Recharge (lighting not included)
Kurbelgarnitur	Crankset	FSA			

TOKEE

[illegible]

TOKEE DISC EVO 20

pro blue matt
524908570225

275 Wh

NEW!

TOKEE / JUNIOR

2
PROSPEKT
12-SEITER

2
PROSPEKT
8-SEITER

3
PROSPEKT
12-SEITER

3
PROSPEKT
8-SEITER



ONLINE ORDER



BAFANG



Motor	Drive Unit	FIT BAFANG R600 25/30 Nm
Ladegerät	Charger	3 A FIT charger
Ladedauer	Charging time	275 Wh: appx. 2,8 hrs.
Display	Display	FIT Master Node LED
Rahmen	Frame	6061 aluminium, internal cable routing
Fahrergröße	Rider height	110–130 cm
Gabel	Fork	SR SUNTOUR XCT-JR 20 DS 63 mm
Schaltwerk	Gearshift	SHIMANO Tourney RD-TY300
Gänge	Gear	derailleur gear 7-speed
Schalthebel	Shifter	SHIMANO SL-RV400-7
Kassette	Cassette	SHIMANO CS-HG200, 12-32T
Bremsen	Brakes	TEKTRO MD-M280, TEKTRO MD-C510, mechanic disc brake, TEKTRO 160 mm 6-bolt, TEKTRO 160 mm 6-bolt
Lenker	Handlebar	BULLS riserbar
Vorbau	Stem	BULLS MTB-S CCS Slot Mount ready
Sattelstütze	Seatpost	30,9 mm aluminium
Sattel	Saddle	SELLE ROYAL Kids
Felgen	Rims	BULLS DDM-22
Bereifung	Tires	VEE TIRE Crown Gem 57-406
Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Rücklicht	Rear light	MonkeyLink Connect (lighting not included)

TOKEE DISC EVO 24

pro blue matt
524908610230

275 Wh

NEW!

TOKEE / JUNIOR

2
PROSPEKT
12-SEITER

2
PROSPEKT
8-SEITER

3
PROSPEKT
12-SEITER

3
PROSPEKT
8-SEITER



ONLINE ORDER



Motor	Drive Unit	FIT BAFANG R600 25/30 Nm	Bremsen	Brakes	TEKTRO MD-M280, TEKTRO MD-C510, mechanic disc brake, TEKTRO 160 mm 6-bolt, TEKTRO 160 mm 6-bolt
Ladegerät	Charger	3 A FIT charger	Lenker	Handlebar	BULLS riserbar
Ladedauer	Charging time	275 Wh: appx. 2,8 hrs.	Vorbau	Stem	BULLS MTB-S CCS Slot Mount ready
Display	Display	FIT Master Node LED	Sattelstütze	Seatpost	30,9 mm aluminium
Rahmen	Frame	6061 aluminium, internal cable routing	Sattel	Saddle	SELLE ROYAL Kids
Fahrergröße	Rider height	120-145 cm	Felgen	Rims	BULLS DDM-22
Gabel	Fork	SR SUNTOUR XCT-JR 24 DS 80 mm	Bereifung	Tires	VEE TIRE Crown Gem 57-507
Schaltwerk	Gearshift	SHIMANO Tourney RD-TY300	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Gänge	Gear	derailleur gear 7-speed	Rücklicht	Rear light	MonkeyLink Connect (lighting not included)
Schalthebel	Shifter	SHIMANO SL-RV400-7			
Kassette	Cassette	SHIMANO CS-HG200, 12-32T			

TOKEE DISC EVO 26

pro blue matt
524908650532

550 Wh

NEW!

TOKEE / JUNIOR

2
PROSPEKT
12-SEITER

2
PROSPEKT
8-SEITER

3
PROSPEKT
12-SEITER

3
PROSPEKT
8-SEITER



ONLINE ORDER



BAFANG



Motor	Drive Unit	FIT BAFANG R600 25/30 Nm	Bremsen	Brakes	TEKTRO MD-M280, TEKTRO MD-C510, mechanic disc brake, TEKTRO 180 mm 6-bolt, TEKTRO 160 mm 6-bolt
Ladegerät	Charger	3 A FIT charger	Lenker	Handlebar	BULLS riserbar
Ladedauer	Charging time	550 Wh: appx. 4,3 hrs.	Vorbau	Stem	BULLS MTB-S CCS Slot Mount ready
Display	Display	FIT Master Node LED	Sattelstütze	Seatpost	30,9 mm aluminium
Rahmen	Frame	6061 aluminium, internal cable routing	Sattel	Saddle	SELLE ROYAL Kids
Fahrergröße	Rider height	135-165 cm	Felgen	Rims	BULLS DDM-22
Gabel	Fork	SR SUNTOUR XCE-28 DS 80 mm	Bereifung	Tires	VEE TIRE Crown Gem 57-559
Schaltwerk	Gearshift	SHIMANO Acera RD-M3020	Scheinwerfer	Front light	MonkeyLink Connect (lighting not included)
Gänge	Gear	derailleur gear 8-speed	Rücklicht	Rear light	MonkeyLink Connect (lighting not included)
Schalthebel	Shifter	SHIMANO Altus SL-M315 Rapidfire Plus			
Kassette	Cassette	SHIMANO CS-HG400-8 11-40T			



PARTS

PARTS

[illegible]



1 FAHRRADCOMPUTER SONIC 105

Der BULLS SONIC Computer 105 ist das Basis-Modell und ist ideal für Gelegenheitsradler und Pendler. Er zeichnet sich vor allem durch die intelligente Logik seines Displays aus – das genau die Werte anzeigt, auf die es wirklich ankommt.

Basismodell, kabelgebunden, 7 Funktionen, vierzeiliges Display

050-24730 | schwarz

19,99 €

2 FAHRRADCOMPUTER SONIC 205

Der BULLS SONIC Computer 205 ist die drahtlose Variante des Basis-Modells der Sonic-Serie. Der drahtlose Fahrradcomputer wurde speziell für Pendler oder Gelegenheitsradler konzipiert und zeichnet sich besonders durch sein intelligentes Display aus.

Pro-Modell, kabellos, 7 Funktionen, vierzeiliges Display

050-24731 | schwarz

24,95 €

3 FAHRRADCOMPUTER SONIC 213

Der BULLS SONIC Computer 213 ist der ideale Begleiter für Pendler, Gelegenheitsradler und Tourenfahrer. Der kabellose Fahrradcomputer mit Beleuchtung zeichnet sich durch seine lange Batterielaufzeit, sein robustes Gehäuse und sein intuitiv bedienbares Display aus, das sich individuell personalisieren lässt.

Top-Modell, kabellos, 11 Funktionen, vierzeiliges Display

050-24732 | schwarz

29,95 €

4 FLASCHENHALTER FIBERGLAS

Der Flaschenhalter, der sich an den Flaschendurchmesser anpasst. Lackierte Glasfaserverarbeitung. Regulierbares Gummi aus Elastomer, hält die Trinkflasche auch beim Downhill und bei holprigem Gelände fest. Großzügiger Einstellbereich für alle Arten von Rahmen. Absorbiert die Vibrationen.

050-28679 | schwarz

7,99 €

5 SIDELOADER

Perfekter Flaschenhalt für kleine Fully- oder E-Bike Rahmen. Die Flasche wird sicher von einer Seite eingelegt und entnommen. Der Flaschenhalter lässt sich drehen, daher für Links- und Rechtshänder geeignet.

051-28685 | schwarz

9,99 €

6 FLASCHENHALTER CARBON-LOOK/ FIBERGLAS

Flaschenhalter Alu-Carbon-Look; formschöner Flaschenhalter mit äußerst geringem Gewicht. Hält die Trinkflasche auch beim Downhill und bei holprigem Gelände fest. Gewicht: ca. 42 g

050-28692 | carbon-look

19,99 €

7 FLASCHENHALTER CANNIBALE

Ein BULLS „Side“-Trinkflaschenhalter made by Elite, der das Einsetzen der Trinkflasche sowohl von den Seiten als auch von vorne ermöglicht, wodurch mehr Bequemlichkeit und Einfachheit im Gebrauch geboten wird. Geeignet für alle Rahmen, vor allem Looping, wenn Schwierigkeiten beim Einsetzen/Entnehmen der Trinkflasche bestehen.

050-28525 | schwarz

14,99 €



1



2



3



4



5



6

1 SATTEL RACE/COMFORT SX1

Ergonomische Aussparung im Mittelteil der Sattelschale vermindert den Druck, Cr-Mo-Untergestell mit Skala. Größe: 280 x 135 mm, Gewicht: 258 g

061-30800 | schwarz

39,95 €

2 SATTEL TREKKING CX1

Mit EVA-Schaum-Inlay, ergonomische Aussparung im Mittelteil der Satteltasche vermindert den Druck. Cr-Mo-Untergestell mit Skala. Größe: 276 x 155 mm, Gewicht: 312 g

061-30801 | schwarz

32,95 €

3 GRIFFE MTB MIT KLEMMRINGEN

MTB Griff mit Waffelstruktur an der Unterseite für einen guten Grip. Länge: 135 mm, mit schwarz anodisiertem Klemmring mit BULLS Laser-Logo.

051-30383 | schwarz

je Paar 24,95 €

4 GRIFFE MTB

Sehr angenehmes und griffiges Design, stoßmindernde Wirkung durch Gummimischung. Länge: 125 mm, ohne Klemmring.

051-30382 | schwarz

je Paar 7,99 €

5 GRIFFE WINGFLEX MIT KLEMMRING

Ergonomischer Griff aus Kunststoff, Kratonschicht, Länge: 133 mm mit anodisiertem Klemmring mit BULLS Laser-Logo.

051-30410 | schwarz

je Paar 19,99 €

6 BULLS BAR ENDS JD-867

Aluminium Bar Ends mit Kratonbeschichtung. Länge: 85 mm

061-72682 | grau

je Paar 22,95 €




1

18 bar / 260 PSI
Presta-, Schrader- und
Dunlop-Ventile

7 bar / 100 PSI
Schrader- (Auto-)/Sclaverand-
(Presta-)-Ventil

2



3

30 bar / 450 PSI
Schrader- (Auto-)/Sclaverand-
(Presta-)-Ventil



4



5



1 TUBELESS PUMPE

Aluminiumrohr mit Stahltank und 2,5 Zoll Manomete
Druck: 18 bar / 260 PSI
Gummischlauch Pumpenkopf für Schrader-, Presta- und Dunlop-
Ventile. Schaltbarer Hebel am Pumpenkopf zum Befüllen des Tubeless
Tank oder Befüllen der Reifen. Zusätzlich mit Valve Core Werkzeug.

051-22214 | schwarz

109,95 €

2 CALIBER 6

Hochwertige 2-Wege Aluminium-Minipumpe mit T-Griff und
In-Line-Manometer, doppelseitigem Ventilaufsatz für Presta-
und Schrader-Ventile.

050-22802 | silber

17,99 €

4 MINIGLOCKE

Super leichte, unüberhörbare Mini-Glocke aus Aluminium.

050-20791 | 22,2 mm, schwarz

3,99 €

3 CALIBER SHOCK PUMP M

Umschaltbare Minipumpe auf High Pressure/Highvolume,
Doppelfunktion zum Pannenschutz von Federgabel und Reifen,
Aluminium-Pumpe für Presta.
Druck: 450 PSI

050-22155 | schwarz

34,95 €

5 MINIGLOCKE

Kleine Aluminium-Glocke mit Schnellbefestigung (Gummiband).

050-20806

6,99 €



1



2



5



3

4



1 BACKPACK

Ergonomisch belüftete Rückenpolsterung, verstellbarer Brust- und Hüft-Gurt, 2 Fächer mit je 16 Liter Stauraum, Fächer mit Organizer Funktion, im Hauptfach lässt sich ein Ersatzakku (bis max. 49cm) verstauen, Transportfach für den Helm, optional für Trinkblase geeignet.

Größen: Unisize

Volumen: 16 Liter

Material: Nylon Ripstop

080-40611 | schwarz

74,95 €

2 HIPBACK

Hüfttasche mit viel Stauraum, angenehmer Tragekomfort durch ergonomisch vorgeformter Polsterung, Frontfach mit Fächeraufteilung für Luftpumpe, Smartphone und Co.

Größen: Unisize

Volumen: 3 Liter

Material: Nylon Ripstop

080-40612 | schwarz

44,95 €

3 BULLS WERKZEUG 8 FUNKTIONEN

Miniwerkzeugset mit 8 Funktionen: Inbusschlüssel 2/ 3/ 4/ 5/ 6/ 8 mm, Schraubendreher SL5, Kreuzschlitz-Schraubendreher 2. Gewicht: 144 g

091-37350 | blau

14,99 €

4 BULLS WERKZEUG 18 FUNKTIONEN

Miniwerkzeug mit 18 Funktionen: Inbusschlüssel 2/ 2.5/ 3/ 4/ 5/ 6/ 8; Kreuzschlitz-Schraubendreher, Schraubendreher, Torx-Schraubendreher 25, 5 Speichenschlüssel, 2 Maulschlüssel, Kettennietendrucker. Gewicht: 175 g

091-37351 | blau

24,95 €

5 SATTELTASCHE

Satteltasche für Radwerkzeug, Innentasche mit Netzfach und Schlüsselhaken, Klettbefestigung, Rücklichthalterung, spritzwasserabweisendes Material, regendichter Reißverschluss, reflektierende Elemente. Material: 100 % Polyester 600D, Volumen: 0,5 L, Gewicht: ab 80 g, Maße: 15 x 7 x 8 cm

080-42463 | S | schwarz

ab 14,95 €

Varianten:

080-42464 | S | schwarz/limette

14,95 €

080-42476 | S | schwarz/gold

14,95 €

080-42465 | M | schwarz

18,95 €

080-42475 | M | schwarz/gold

18,95 €

Mit Adapter:

080-42467 | M | schwarz

18,95 €

080-42468 | M | schwarz/limette

18,95 €

080-42474 | M | schwarz/gold


18,95 €

080-42469 | L | schwarz

21,95 €

080-42473 | L | schwarz/gold

21,95 €



1 LENKER HIGH RISER BAR

Der Lenker garantiert eine verbesserte Fahrkontrolle und verfügt über eine Längenskala, so dass er individuell angepasst werden kann. Material: Aluminium, 6061-T6, Biegung nach hinten: 9°, Neigung nach oben: 6°, Steigung: 38 mm, Breite: 680 mm

061-72500

34,95 €

2 PLATTFORMPEDAL KUNSTSTOFF

Das super starke Nylon Reinforced Composite Material bietet gleichzeitig ein geringes Gewicht bei hoher Widerstandsfähigkeit. Die Oversized 12 mm Crome Moly Achse bietet ebenfalls in Kombination mit den Dual Sealed Bearings und DU Bushings hohe Stabilität und Langlebigkeit. Auf jeder Seite befinden sich 6 austauschbare Pins sowie 2 gespritzte Pins für eine extra Portion Grip, Größe: 100 x 95 x 17 mm, Gewicht: 350 g

060-31812 | black

UVP 34,95 € *
je Paar 29,95 €

3 KETTENSTREBENSCHUTZ

Durch Verwendung von besonders robustem Neopren wird verhindert, dass beim Durchschlagen der Kette der Rahmen Schaden nimmt. Länge: 325 mm

050-30509

9,99 €

4 WILDCARD

Unauffällig und leicht, mit nur 28 g ist die Wildcard perfekt für den Cross-Country-, Enduro- oder Downhill-Einsatz geeignet. Als 2-in-1-Produkt kann dieses Schutzblech sowohl vorne als auch hinten montiert werden und schützt rundum. Sehr guter Halt, elegantes Design, perfekt an jedes Rad anpassbar.

060-76143 | für 26 Zoll-29 Zoll


9,99 €

1

auch für E-Bikes



2



3

made in Germany



1 TELESKOPSTÜTZE SOLID

Bis 50 kg belastbar, längenverstellbar von 26–29 Zoll mittels rückseitiger Schraube, Lochabstand 18 mm, Schwenkbewegung über Druckfeder, sicherer Stand auch für E-Bikes. Material: Aluminium

050-23182 | 18 mm Lochabstand
050-23183 | 40 mm Lochabstand

je 24,95 €

NEU mit Standfuß in anthrazit

050-23186 | 18 mm Lochabstand, Stützfuß anthrazit
050-23187 | 40 mm Lochabstand, Stützfuß anthrazit

je 24,95 €

2 HINTERRAD-STÜTZE TRAVEL 18 ZOOM

Hinterradstütze, Schwenkbewegung über Druckfeder, Endlagendämpfung der Strebe, Dauertest Klappmechanismus, längenverstellbar in 7,5 mm-Abständen, Aluminium-Druckguss, Strebenlänge L1 26–28 Zoll einstellbar, Gewicht 260 g, inkl. Befestigungsschraube M5/M6.

050-23184 | 18 mm Lochabstand
050-23185 | 40 mm Lochabstand

17,99 €
19,99 €

3 RADSCHÜTZER BLADES SET

Das Set beinhaltet Steckradschützer für vorne und hinten, Befestigung: gesteckt (vorne) und geklemmt (hinten), rückwärtiger Radschützer per Gelenk anpassbar. Material: hochwertiger 2K-Kunststoff.

060-76000 | Set 26 Zoll / 27,5 Zoll
060-76026 | Set 29 Zoll

Set 24,95 €
Set 29,95 €